

EVERYTHING IN BUILDING MATERIALS

*When You Think Of Building
Think Of*

Caldbeck-Cosgrove Corp.

WOODSVILLE, N. H.

• Phone 176

ST. JOHNSBURY, VT.

Phone 1082

INDEX

BOSTON NEW YORK

BLINDS and SHUTTERS — 34 53

FRAMES —

Brick	19	39
Casement	17 and 19	39
Cellar	18	37
Door and Partition	12, 17 and 20	20 and 40
Door Stools	20	
Interchangeable Entrance	58-63	58-63
Morgan Entrance	55-57	55-57
Thresholds—Inside	20	20
Window and Sash	16 and 18	37-38

SCREENS— 92

WINDOWS —

Casement	32	50
Cellar	29	48
China Closet Sash	35	35
Double Hung	22-28	41-47
Half Circle and Quarter Circle Sash	32	50
Hot Bed Sash	30	49
Sash Weights Required	22-28	41-47
Skylight Sash	30	49
Single Sash	30	48-49
Storm Sash	31	51
Storm Sash Hangers	51	51

CABINETS —

China No. 28	95
Ironing Board	96
Kitchen	95
MIAMI-CAREY Metal	100-109
MORGAN Colonial China and Bookcase	134-136
MORGAN Sectional Kitchen Cabinets	110-123
Telephone	95

DOORS —

EXTERIOR —

Colonial	64-66
Combination Storm and Screen	93
Garage	80-83 and 85
Garage Door Hardware	84
REZO	74-75
Sash—FIR	78-79
Sash—PINE	67-72
Screen	92
Storm	79
V-Joint—PINE and OAK	73

INDEX CONT.

INTERIOR —

Astragals	77
Cupboard	90-91
Flush	90
French	76-77
Mirror	88
REZO	91
Room—BIRCH	90
Room—PINE	87-89
Room—FIR	86-88
Toilet	88

LOUVRES —	33
---------------------	----

MANTELS —	130-133
---------------------	---------

MISCELLANEOUS —

Breakfast Sets	94
Drawer Cases	94
Wood Stud Cabinet	96

PORCH MATERIAL —

Balusters	97
Columns and Newels—FIR	99
Posts—Porch and Stub—FIR	98
Rail—FIR	97

STAIR MATERIAL —

Balusters—YELLOW PINE	97
MORGAN Colonial Stair Parts	124-129
Newels—PINE and FIR	98
Rail—FIR	97

WINDOW UNITS —

ANDERSEN Casement	3-7
ANDERSEN Narroline	8-12
ANDERSEN Basement	13

MOULDINGS

INTERIOR TRIM

LUMBER SPECIALTIES

FIR PANELS

Detailed Index	137
--------------------------	-----

A COMPLETE WOODWORK SERVICE FOR ANY BUILDING REQUIREMENT

NOTICE

All freight shipments of Glazed Windows are securely boxed, thus insuring the lowest freight rate.

All claims for errors or allowances must be made not later than ten days after receipt of goods.

It is suggested that customers use every endeavor possible to order regular or stock goods, thus saving delay and expense.

When ordering special work, too much care cannot be taken to insure accuracy. Use drawings and sketches freely wherever it seems advisable. Odd items cannot be cancelled after work on same has been commenced, and odd goods are not returnable, except on account of errors of our own.

Prices on odd work depend somewhat on quantity and time limit to supply, as well as the nature of the goods, and will be specially quoted upon when desired. Prices on odd work cannot be determined by prices on stock goods.

GOODS RETURNED. Stock goods may be returned if in good condition and authorized by us. Credit will be allowed on basis charged less 10 per cent for service charge, less all freight and bundling charges.

Andersen CASEMENT WINDOW

The Andersen Casement Window harmonizes pleasingly with colonial style architecture and is being used successfully with the Narroline double hung window or throughout the entire house.


The Andersen Casement is a complete unit, convenient and easy to operate, exceptionally weathertight, well proportioned and attractive in appearance. An effective chemical preservative and moisture proofing treatment protects against decay, rendering all wood parts exceptionally durable.



Left—Typical radial bay. Horizontal bars are standard at factory. See page 6 for sizes and layouts carried in stock in our warehouses.

Right—Standard kitchen unit 4326 over double sink. For a wide opening use triple unit 6336. See page 6.

Because entire casement window opens this unit allows twice the ventilation of double-hung window.




Andersen CASEMENT WINDOW

A COMPLETE UNIT

FRAME—SASH—HARDWARE—WEATHERSTRIP


REMOVABLE DOUBLE GLAZING—CHEMICALLY TREATED



Right—Extension Hinges permit the easy cleaning of outside glass from the inside.



Now you can have the full benefit of casement ventilation with the usual drawbacks eliminated. Screens and double glass (storm sash) are on the inside, easily and quickly removed or replaced — can be left in place the year 'round. Sash are easy to open and close with the improved under screen operator and ejecting lock — they cannot stick or bind.





Section Through Jamb from the outside showing bronze weatherstrip (applied at factory) removable double glazing on the inside of the sash and inside aluminum frame screen. Note the special design of frame and sash that eliminates sticking and binding, also the anchor strip and mortar clinch grooves for weathertight joining with the wall in either frame or masonry construction.

Andersen CASEMENT WINDOW



WORM GEAR SASH OPERATOR. Solid bronze handle and housing. Adjusts and automatically locks the sash in any position. Powerful and easy to operate. Independent of the screen. Does not interfere with drapes, shades or Venetian blinds.

SASH LOCK pulls the sash completely shut and locks it securely when closed, also forcibly ejects the sash when opened. Works without opening or removing the screen.




DETAIL OF COMPLETE UNIT

Showing installation in brick veneer wall.

In frame wall with wood siding or shingles, the wind break is set flush with the sheathing.

Other standard brick mouldings or casings can be substituted for the exterior moulding shown or the frames can be furnished without exterior moulding on special order.

All inside finish stops and mullion and transom inside casings are furnished as part of the unit in pine.



Detail of frame shows frame in brick construction. This same unit may be used without change in any frame wall by having wind-break casing set on studing.

See also the complete catalog of details, sizes and other specification data.

THE *Andersen* CASEMENT UNIT

UNITS BELOW CARRIED IN STOCK

Opening sizes in height	Opening sizes in width					
	Masonry	2" Mld.	Masonry	1 1/2" Mld.	Studding	Sash
	19 1/2"	23 1/2"	37"	52 3/4"	610 1/2"	66 1/2"
	17 1/2"	21 1/2"	35 1/4"	51"	68 3/4"	84 1/2"
	18 1/2"	22 3/4"	36 1/4"	52"	69 1/2"	85 1/2"
	13 3/4"	18"	31 1/2"	49 1/2"	65 1/2"	84"
2'7"						
2'6 3/4"						
2'6"						
2'5 1/2"						
3'7 1/8"						
3'6 1/8"						
3'6 1/8"						
3'5 1/8"						
4'5 3/8"						
4'4 3/8"						
4'4 3/8"						
4'3 3/8"						
5'7 1/8"						
5'6 1/8"						
5'6 1/8"						
5'5 1/8"						
4'10 1/4"						
4'9 1/4"						
4'9 1/4"						
4'8 1/4"						
5'10 1/8"						
5'9 1/8"						
5'9 1/8"						
5'8 1/8"						
6'11 1/8"						
6'10 1/8"						
6'10 1/8"						
6'9 1/8"						

Sash are stationary or swing out. Specify how many sash are hinged at right or left hand, viewed from outside.


THE *Andersen* CASEMENT UNIT

UNITS BELOW CARRIED IN STOCK

(Continued from previous page)




Opening sizes
in height

Masonry →
2" Mld.
Masonry →
1 1/2" Mld.
Studding →
Sash



Opening sizes
in height

Masonry →
2" Mld.
Masonry →
1 1/2" Mld.
Studding →
Sash



26110 46210 66310 86410 106510



27110 47210 67310 87410 107510



4316 6326



4418 6428

Mullion posts between all sash except in units with fixed sidelight sash.

Glass size 8" x 12" standard including sidelight units.

One light wide units have 12" x 12" glass.

Sash layout shown on pages 6 and 7 is standard. Same units with horizontal muntin bars only can be furnished when so specified and time allowed to come from factory.

IMPORTANT — INSTRUCTIONS FOR ORDERING

To avoid misunderstanding and delay in shipment, orders should specify definitely as to the following. (Please check carefully.)

1. UNIT NUMBERS.

2. MUNTIN BARS: Aluminum or Wood.

3. HARDWARE: Worm Gear, Number of Right and Left Hand (Handing is determined by side on which sash is hinged, viewed from outside). Specify number of lights in sash which take hardware. Hardware includes Sash Operator, Lock, Hinges, Burgler Lock, Sill Stop and Screws.

4. SCREENS: 16 Mesh Aluminum wire in Aluminum frame or Bronze wire in wood frame. Specify the number of lights in sash for which screens are wanted.

5. REMOVABLE DOUBLE GLAZING: Double Strength A Quality glass in weather-stripped Aluminum Frame.

Specify the number of lights in sash for which Double Glazing is wanted.

Andersen NARROLINE COLONIAL WINDOW UNITS DOUBLE HUNG

Andersen NARROLINE Double Hung Windows are furnished in complete units with Colonial style divided light sash and including Frame, Counterbalancing Equipment, Weatherstrips, pre-fitted Glazed Windows, Screens and Storm Sash.

The NARROLINE Unit combines improved narrow line design with dependable and trouble-free mechanical operation. It is effectively weatherstripped—leakproof and weathertight. It is simple in design and construction. Easy to assemble and install.



All parts of the Narroline Unit are protected against decay with an effective chemical preservative and moisture proofing treatment.

Windows are prefitted for frames, thoroughly weatherstripped, ready to be installed.

Frames shipped to you without parting bead. Parting Bead covered with weatherstripping shipped to you with the windows, as well as weights and chain.

Frames and Windows are shipped in cartons.


Above and Right—Note how the narrow mullions and graceful exterior mouldings improve the appearance of typical double-hung multiple windows from the outside and inside.



See page 11 for sizes

Andersen

Narroline Construction Features Save Labor and Money



WEATHERSTRIPPED

Maximum weathertightness and easy sash operation are assured by new duplex action Silver Seal Weatherstrips (patent pending). They are made of strong, attractive aluminum alloy, electro-chemically treated to give a permanently lubricated glass like surface.



COUNTERBALANCED

The time tested principle of counterbalancing is retained to insure a lifetime of trouble-free sash operation. The special flat weights permit modern narrow mullions and trim.




LEAKPROOF

Andersen Leakproof Locked Sill Joint with steep sill slope and chamfered blind stop to insure quick drainage, and the weathertight wide blind stop, make the Narroline Frames leakproof.

IMPROVED FRAME DESIGN

Inside casing can be as narrow as 2½ inches without any blocking or other special preparation. The wide blind stop permits the use of exterior moulding or casing of any desired width.

The **wide blind stop** completely closes and seals the opening between frame and wall in the only sure and dependable way in frame, stucco and brick veneer walls. Mortar clinch grooves are provided for weathertight installation in masonry walls. These features are essential to complete wall insulation and mean added fuel economy and home comfort.




See Page 11 for Sizes

NEW *Andersen* SILVER SEAL WEATHERSTRIPS

An Exclusive Feature of the NARROLINE Window



Section Through Head. The metal covered parting stop and special weatherstrip insure easy sash operation. Note sash are $1\frac{1}{2}$ " thick.



Section Through Jamb. The new duplex action Silver-Seal weatherstripping has both rib and spring metal contacts that insure MAXIMUM WEATHERTIGHTNESS. The sash slide smoothly at all times because they are guided by the ribs and are centered between the spring-leaf weatherstrips. The weatherstrip metal has a special permanently frictionless finished surface.

Below—Section Through Bottom Rail showing the improved fold back spring-leaf weatherstrip attached to the sash—self-cleaning, self-adjusting and out of sight when the sash is open. New joint greatly

reduces end wood which is completely covered by weatherstrip metal.



Parting stops are completely covered with the attractive silver colored weatherstrip metal.

Below—Note the improved check rail weatherstrip with concealed nailing and spring-leaf metal-to-metal contact.




See Page 11 for Sizes

SIZES OF *Andersen* NARROLINE WINDOW No. 680


carried in our warehouses

	Sash Opening	Rough Stud Opening	Masonry Opening	Glass Size
8-LT. WINDOW UNITS	1- 8 x 3-0 3-6 3-10 4-6 4-10	2-1 x 3-4 3-10 4-2 4-10 5-2	2-0 x 3-4 ³ / ₄ 3-10 ³ / ₄ 4-2 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄	8 x 7 ¹ / ₂ 9 10 12 13
	1-10 x 4-6 4-10 5-2	2-3 x 4-10 5-2 5-6	2-2 x 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	9 x 12 13 14
12-LT. WINDOW UNITS	2- 0 x 2-6 3-0 3-6 3-10	2-5 x 2-10 3-4 3-10 4-2	2-4 x 2-10 ³ / ₄ 3-4 ³ / ₄ 3-10 ³ / ₄ 4-2 ³ / ₄	6 ² / ₃ x 12* 7 ¹ / ₂ 9 10
(15-LT. WINDOW 6/9) Carried in 2-0 x 4-2 size)	● 4-2 4-6 4-10 5-2	4-6 4-10 5-2 5-6	4-6 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	● 11 12 13 14
Mull Stud Opening — 2 times Single less 2 inches. Triple Stud Opening — 3 times Single less 4 inches.	2- 4 x 3-0 3-6 3-10 4-2 4-6 4-10 5-2	2-9 x 3-4 3-10 4-2 4-6 4-10 5-2 5-6	2-8 x 3-4 ³ / ₄ 3-10 ³ / ₄ 4-2 ³ / ₄ 4-6 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	8 x 7 ¹ / ₂ 9 10 11 12 13 14
Windows may be pro- cured in four over one, six over one, and eight over one layout, by having special shipment from factory. Allow time for shipment from factory.	2- 7 x 2-6 3-0 3-6 3-10 4-2 4-6 4-10 5-2	3-0 x 2-10 3-4 3-10 4-2 4-6 4-10 5-2 5-6	2-11 x 2-10 ³ / ₄ 3-4 ³ / ₄ 3-10 ³ / ₄ 4-2 ³ / ₄ 4-6 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	9 x 12* 7 ¹ / ₂ 9 10 11 12 13 14
	2-10 x 2-6 3-0 3-6 3-10 4-2 4-6 4-10 5-2	3-3 x 2-10 3-4 3-10 4-2 4-6 4-10 5-2 5-6	3-2 x 2-10 ³ / ₄ 3-4 ³ / ₄ 3-10 ³ / ₄ 4-2 ³ / ₄ 4-6 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	10 x 12* 7 ¹ / ₂ 9 10 11 12 13 14
16-LT. WINDOW UNITS	3- 0 x 3-0 3-10 4-2 4-6 4-10 5-2	3-5 x 3-4 4-2 4-6 4-10 5-2 5-6	3-4 x 3-4 ³ / ₄ 4-2 ³ / ₄ 4-6 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	8 x 7 ¹ / ₂ 10 11 12 13 14
	3- 4 x 3-10 4-2 4-6 4-10 5-2	3-9 x 4-2 4-6 4-10 5-2 5-6	3-8 x 4-2 ³ / ₄ 4-6 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	9 x 10 11 12 13 14
● This size also stocked with windows 15 lights (6/9) glass size approximately 6 ² / ₃ x 9.	3- 8 x 3-10 4-6 4-10 5-2	4-1 x 4-2 4-10 5-2 5-6	4-0 x 4-2 ³ / ₄ 4-10 ³ / ₄ 5-2 ³ / ₄ 5-6 ³ / ₄	10 x 10 12 13 14 16
*These items with vertical muntin bars only.	5-2 5-10	5-6 6-2	5-6 ³ / ₄ 6-2 ³ / ₄	14 16

DETAIL OF *Andersen* NARROLINE WINDOW NO. 680 NARROLINE DOOR FRAME NO. 821



DETAIL shows Andersen Window No. 680 in frame wall construction with wood siding. This same unit is used without change in any type of wood frame, brick veneer or masonry wall. Andersen SILVER SEAL weatherstrips, furnished for entire opening as standard equipment.




NO. 821

All important joints are primed with aluminum paint.

White Oak Sill furnished with No. 821 frames.

Heads with Oak Sill		Sides
2-6	1 3/8" Rabbet	6-6
2-8	1 3/8" "	6-8
2-6	1 3/4" "	6-6
2-8	1 3/4" "	6-8
2-10	1 3/4" "	6-10
3-0	1 3/4" "	7-0



Flat sash weights, galvanized sash chains and Andersen Noiseless Pulleys furnished for each opening.

Chains are cut to length and include fasteners.

1 1/2" fitted sash glazed SSA bedded in putty.

Frame and sash protected with Andersen Chemical Preservative.

Inside trim and finish hardware not furnished as part of unit.


See page 11 for sizes

Andersen BASEMENT UNIT


Toxic and Water Repellent Treated

A Complete Unit — including Frame, Sash Glazed SSB, Screen with 16 Mesh Bronze Wire Cloth and Hardware. Ready for use with Sash and Screen fitted and Hardware applied.

CARTON PACKED



Cross Section Detail of Complete Unit



FROM THE INSIDE — Note two open positions in which sash is automatically held. Sash is easily removed when open by simply lifting it out of the frame. The strong lock holds the sash tightly in the closed position.

3-LIGHTS WIDE

GLASS Sizes	MASONRY Opening Sizes
8 x 10	2- 5 $\frac{1}{4}$ x 1- 3 $\frac{3}{8}$
12	1- 5 $\frac{3}{8}$
9 x 10	2- 8 $\frac{1}{4}$ x 1- 3 $\frac{3}{8}$
12	1- 5 $\frac{3}{8}$
10 x 10	2- 11 $\frac{1}{4}$ x 1- 3 $\frac{3}{8}$
12	1- 5 $\frac{3}{8}$
14	1- 7 $\frac{3}{8}$
16	1- 9 $\frac{3}{8}$
18	1- 11 $\frac{3}{8}$
20	2- 1 $\frac{3}{8}$

WINDOW AND DOOR FRAMES BOSTON LAYOUT

We can furnish window frames for all $1\frac{3}{8}$ -inch windows for wood building, either $5\frac{1}{4}$ -inch jambs for boarding or $4\frac{1}{2}$ -inch jambs for studding, also the common sizes for brick building.

When ordering window frames, specify frame by number, size of glass, thickness of sash, width of jamb, whether with or without pulleys, hard or soft pine.

The ANDERSEN No. 601 frame has Clear Western Pine Jambs with the important joints aluminum painted. $5\frac{1}{4}$ -inch jamb only and with pulleys.

B-300 frame is stocked with either $5\frac{1}{4}$ -inch or $4\frac{1}{2}$ -inch Hard Pine Jambs with, or without, pulleys.

B-301 comes only with $5\frac{1}{4}$ -inch Clear Western Pine Jambs, either with, or without, pulleys.

B-303 is a frame used only for brick construction.

We can also furnish frames for all Cellar, miscellaneous Sash and Louvres listed.

FOR SINGLE ROUGH OPENING—BOSTON SIZES

(Glass size plus 10" width, 10" height)

MULLIONS 7" CENTER

(Twice glass size plus 19" width, 10" height)

MULLIONS 9" CENTER

(Twice glass size plus 21" width, 10" height)

TRIPLES 7" CENTER

(Three times glass size plus 29" width, 10" height)

TRIPLES 9" CENTER

(Three times glass size plus 33" width, 10" height)

QUADRUPLES 7" CENTER


(Four times glass size plus 39" width, 10" height)

QUADRUPLES 9" CENTER

(Four times glass size plus 45" width, 10" height)

Andersen FRAMES FOR "BETTER-BUILT" HOUSES


Features of Andersen Frames




The famous Andersen Leak-proof Locked Sill-joint (patented) holds the sill and jamb rigid so they cannot pull apart. It combines the leakproof advantages of sill-dadoed construction with the strength of jamb-dadoed construction.




Andersen Noiseless Pulley. Designed and manufactured expressly for the Andersen Master Frame. A strong cast iron pulley with machine turned wheel and wear-proof noiseless axle bearing of hard white maple permanently saturated with a non-drying lubricant, guaranteed for 50 years.



Jamb lugs below sill give permanent support, resting squarely on header. No trimming or blocking is necessary under the sill. Contractors save 25 cents or more per opening with this feature.



Chamfered blind-stop allows perfect sill drainage — prevents dirt and moisture from lodging behind blind-stop or in sill joints.



Inside liner makes jamb stronger — gives more nailing surface for inside trim. This liner is easily removed to make a $4\frac{1}{2}$ " wide jamb with back edge flush with studding.



Steeper sill slope, three inches to the foot, insures perfect drainage. Approved by architects. High front shoulder extends back of casing.

PRIMED JOINTS

All of the important joints are primed with Aluminum Paint. The perfect drainage provided in the Master Frame construction and the protection of Aluminum Paint make this a durable frame which will give permanently satisfactory service.

Andersen MASTER FRAME

Boston Sizes No. 601

HEADS AND SILLS	
Size	Glass
1- $7\frac{5}{8}$	16" 1 light
1- $9\frac{5}{8}$	18" "
1-11 $\frac{5}{8}$	20" "
2- $0\frac{5}{8}$	21" "
2- $3\frac{5}{8}$	24" "
2- $6\frac{5}{8}$	27" "
2- $7\frac{5}{8}$	28" "
2- $9\frac{5}{8}$	30" "
2-11 $\frac{5}{8}$	32" "
3- $3\frac{5}{8}$	36" "
3- $7\frac{5}{8}$	40" "

Frame made for sash $1\frac{3}{8}$ " thick

Jamb Stock $\frac{25}{32}$ " x $3\frac{3}{4}$ "

Pine Casings $1\frac{1}{16}$ " x $3\frac{3}{4}$ "

Sill Stock 2" x 8"


Blind Stop $\frac{3}{4}$ " x $1\frac{1}{4}$ "

Drip-Cap $1\frac{3}{32}$ " x $1\frac{1}{2}$ "

Parting Strip $\frac{3}{8}$ " x $\frac{3}{4}$ "

Inside Liner $\frac{25}{32}$ " x $1\frac{3}{32}$ "

Stud Opening 10" all around
over glass



SIDES		Glass
Size		
2- 5	12"	2 lights
2- 9	14"	"
2-11	15"	"
3- 1	16"	"
3- 5	18"	"
3- 9	20"	"
4- 1	22"	"
4- 2	22 1/2"	"
4- 5	24"	"
4- 7	25"	"
4- 9	26"	"
5- 1	28"	"
5- 5	30"	"

Strong cast iron pulley,
turned wheel with maple
bearing.

SASH FRAMES

To Detail of

Andersen No. 601

HEADS AND SILLS

2-0
2-6
3-0
4-0

SIDES


2-0
2-4
2-6
3-0

For Architectural balance use the same outside casings on all Window and Door openings in a house by specifying No. 601 Master Window Frames, No. 702 Casement Frames, and No. 801 Door Frames.

Andersen CASEMENT FRAME—NO. 702

Combination In-Swinging or Out-Swinging

2" x 8" Sill Stock
 1 3/4" x 5 1/4" Jambs
 1" x 2 5/32" Filler for Sill
 1 1/8" x 3 3/4" Casings
 49/64" x 1" Head Jamb Stop
 1 3/32" x 1 1/2" Drip Cap



HEADS AND SILLS

Size

1-0

1-2

1-4

1-6

2-0

2-4

2-8

3-0

4-0

SIDES

Size

2- 6

3- 0

3- 6

4- 0


4- 6

4-10

5- 2

ANDERSEN DOOR FRAME NO. 801—COMPLETE

1 3/8" x 5 7/32" Jambs
 1 1/8" x 3 3/4" Casings
 1 3/32" x 1 1/2" Drip Cap
 2" x 8" Oak Sill Stock



HEAD WITH OAK SILL

Size

2-6

2-8

2-6

2-8

3-0

4-0

5-0

1 3/8" Rabbet

1 3/8" "

1 3/4" "

1 3/4" "

1 3/4" "

1 3/4" "

SIDES

6- 6

6- 8

6- 6

6- 8

6-10

7- 0

1 3/8" Rabbet

1 3/8" "

1 3/4" "

1 3/4" "

1 3/4" "

1 3/4" "

CIRCLE TOP DOOR FRAME

HEADS AND SILLS
FOR ANDERSEN No. 801

2- 8 1 3/4" Rabbet

2-10 1 3/4" "

3- 0 1 3/4" "

SIDE LIGHT DOOR FRAME NO. 801

Size of
Door

2-8 x 6-8

3-0 x 7-0

Size of
Sidelight

1 3/4"

1 3/4"

1-4 x 6-8

1-4 x 7-0

FRAME HOUSE WINDOW FRAMES

SOFT PINE COMPLETE FRAME

No Pulleys or Pockets
Made with Parting Beads

This frame may be used
with Unique Balances for
which Windows must be
ploughed. Unique Bal-
ances for sale by us.

Same detail as B-300
and B-301


Heads and Sills

Same as on pulley frame.


Sides

Sizes carried in stock.

16" 2 lights	3-1
18" "	3-5
20" "	3-9
22" "	4-1
24" "	4-5
25" "	4-7
26" "	4-9
28" "	5-1
30" "	5-5



B-300
Y. P. Jamb



B-301
Soft Pine Jamb
Stocked at Boston

These frames stocked for all sizes of stock windows. See Window
pages 22 to 28.

Frames made for sash 1 3/8" thick
Pine Pulley Stiles and Header 2 5/32" x 5 1/4"
Pine Casings 2 5/32" x 4 1/2"
Pine Stools 1 3/4" x 7 1/4"
Pine Parting Beads 3/8" x 1 3/16"

MULLION AND TRIPLE FRAMES

In stock with both 7" and 9" Mullion Casings.

SASH FRAMES

To detail of B-300
and B-301

HEADS AND SILLS

2-0

2-6

3-0

4-0

SIDES


2-0

2-4

2-6

3-0

CELLAR SASH FRAMES



Refer to Page 29 for sizes.

BRICK HOUSE WINDOW FRAMES

HEADS AND SILLS

1- $9\frac{5}{8}$
 1- $11\frac{5}{8}$
 2- $0\frac{5}{8}$
 2- $3\frac{5}{8}$
 2- $6\frac{5}{8}$
 2- $7\frac{5}{8}$
 2- $9\frac{5}{8}$
 2- $11\frac{5}{8}$
 3- $0\frac{5}{8}$
 3- $3\frac{5}{8}$
 3- $7\frac{5}{8}$
 4- $3\frac{5}{8}$

SIDES

3-1
 3-5
 3-9
 4-1
 4-5
 4-9
 5-1
 5-5
 5-9
 6-1
 6-5
 7-1

H.P. Pulley Stiles $2\frac{5}{32}$ " x $4\frac{1}{4}$ " for $1\frac{3}{8}$ " windows

Pine Outside Casings $2\frac{5}{32}$ " x $4\frac{1}{2}$ "

Pine Inside Casings $2\frac{5}{32}$ " x 4"

Pine Back Jamb $2\frac{5}{32}$ " x $4\frac{1}{4}$ "


Pine Head Casings $2\frac{5}{32}$ " x $2\frac{3}{4}$ "

Pine Header $1\frac{3}{4}$ " x $5\frac{1}{8}$ "

Pine Staff Beads $1\frac{3}{8}$ " x $1\frac{5}{8}$ "

Pine Parting Beads $\frac{3}{8}$ " x $1\frac{3}{16}$ "

Pine Stools $1\frac{3}{4}$ " x 6"



B-303

For Brick Construction
 Stocked at Boston

To arrive at staff bead opening on brick frames, ADD $2\frac{3}{4}$ " to the width and $3\frac{3}{4}$ " to the height of the outside dimensions of window size.

Full box opening 8" wider and $4\frac{1}{4}$ " higher than outside dimensions of window size.

For mullions, triples, etc., ADD an additional 6" to the width for each mullion box.

Brick openings for cellar frames, ADD $2\frac{3}{8}$ " to the width and $3\frac{1}{2}$ " to the height of the outside dimensions of sash size.

CASEMENT FRAMES

HEADS AND SILLS

Sash Size

SIDES

Sash Size

1-0

2-6

Stools $1\frac{5}{8}$ " x $7\frac{1}{4}$ "

1-2

3-0

Jamb and Heads $1\frac{5}{8}$ " x $5\frac{1}{4}$ "

1-4

3-6

Casings $2\frac{5}{32}$ " x $4\frac{1}{2}$ "

1-6

4-0

Sash to swing out.

2-0

4-6

2-4


4-10

2-8

5-2

3-0

4-0



B-302

For Outswinging Sash

DOOR JAMBS AND SILLS

When ordering door jambs, mention kind of wood, size and thickness of door, width of jamb and thickness of stock desired.

Specify whether for brick or wood opening.


FIR AND PINE

Size	Thickness	Jamb	Rabbet
2-8 x 6-8	1 $\frac{3}{8}$	3 $\frac{3}{8}$	1 $\frac{3}{8}$
2-8 x 6-8	1 $\frac{3}{8}$	4 $\frac{3}{8}$	1 $\frac{3}{8}$
2-8 x 6-8	1 $\frac{3}{8}$	5 $\frac{3}{8}$	1 $\frac{3}{8}$
3-0 x 7-0	1 $\frac{3}{4}$	5 $\frac{3}{8}$	1 $\frac{3}{8}$ and 1 $\frac{3}{4}$
3-6 x 7-0	1 $\frac{3}{4}$	5 $\frac{3}{8}$	1 $\frac{3}{4}$
8-0 x 8-0	1 $\frac{3}{4}$	5 $\frac{3}{8}$	1 $\frac{3}{4}$


Frames may be procured double rabbeted for 1 $\frac{1}{8}$ " Screen Doors if desired.

When placing blocks back of door jambs — see that they are placed back of where butts are to be placed in hanging the door, thereby giving the proper holding power for screws.


Oak Stools, 1 $\frac{3}{4}$ x 9 $\frac{1}{4}$
 Hard Pine Stools, 1 $\frac{3}{4}$ x 9 $\frac{1}{4}$, } random lengths, or cut 3'0", 3'6", 4'0"



PINE door frames with odd shaped heads for use with Doors 501-V and 503-V, shown on Page 73— Complete with 4 $\frac{1}{2}$ " outside casing, stock band moulding, Oak sill, stock Pine door jambs, completely set up, may be made to order.



Sill Carried at Portland




Sill Carried at Boston

FIR PARTITION DOOR JAMBS

Pattern No. 77 Cut 3-0—7-0

Rabbeted for 1 $\frac{3}{8}$ " doors. Grooved $\frac{25}{32}$ " for sheathing.

INSIDE THRESHOLDS



Birch and Oak Inside Threshold

Birch, Oak and Yellow Pine Inside Threshold

Birch and Oak Inside Threshold

Birch, Oak and Yellow Pine Inside Threshold

Birch and Oak Inside Threshold

3/4 x 3 1/2 x 3-0

3/4 x 4 1/2 x 3-0

3/4 x 4 1/2 x 6-0

3/4 x 5 1/2 x 3-0

3/4 x 5 1/2 x 6-0

WINDOWS AND SASH BOSTON LAYOUT

Our Windows are made from clear Pine thoroughly seasoned glazed with Pure Linseed Oil Putty, glass bedded.

Before Glazing, the sash are treated with a Chemical Preservative which acts as a moisture repellent and protects the sash against decay.

Well made windows are of vital importance to the builder. Windows that fit poorly, glass rattling in the frame, putty falling off, windows that look cheap and are cheap, will at once put the stamp of disapproval upon a building no matter how well constructed other portions of the structure may be.

A good, well built window remains always that which it was in the beginning, while a cheap, poorly made window is apt to prove a source of annoyance and expense.

The Term "Window" as used in this booklet means two sash, top and bottom. The term "Sash" means one piece to fill an opening.

In ordering, state first the WIDTH of glass, second the HEIGHT of glass, number of lights in windows, thickness and if windows are odd sizes (not listed), give outside dimensions and sketch.

Boston sizes of windows measure $3\frac{5}{8}$ inches of wood IN WIDTH over glass and 5 inches of wood IN HEIGHT over glass.

All Boston sizes of windows have $\frac{3}{8}$ -inch lip.

All windows and sash orders will be filled Glazed unless specifically ordered Unglazed.

UNGLAZED SASH AND BLINDS

We carry in stock Unglazed Sash as per Boston Sizes shown on Glazed Window pages.

We carry in stock Blinds to cover practically all Boston size windows as per sizes shown.

When ordering Blinds, mention size, and if stationary or half rolling slats.

BLINDS and SHUTTERS are given a Toxic and Water Repellent Treatment to protect against decay.

GLAZED WINDOWS

Toxic and Water Repellent Treated
 Boston Sizes 1 $\frac{3}{8}$ Single-Thick Glass



Twelve Light



Fifteen Light 9/6



Eight Light

TWELVE LIGHT

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
6 x 8	1-9 $\frac{5}{8}$ x 3-1	3	3
7 x 9	2-0 $\frac{5}{8}$ x 3-5	3 $\frac{1}{2}$	3 $\frac{1}{2}$
8 x 8	2-3 $\frac{5}{8}$ x 3-1	3 $\frac{1}{2}$	4
9	3-5	4	4
10	3-9	4	4 $\frac{1}{2}$
11	4-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$
12	4-5	4 $\frac{1}{2}$	5
13	4-9	5	5 $\frac{1}{2}$
9 x 8	2-6 $\frac{5}{8}$ x 3-1	4	4 $\frac{1}{2}$
9	3-5	4 $\frac{1}{2}$	4 $\frac{1}{2}$
10	3-9	4 $\frac{1}{2}$	5
11	4-1	5	5 $\frac{1}{2}$
12	4-5	5	5 $\frac{1}{2}$
13	4-9	5 $\frac{1}{2}$	6
14	5-1	5 $\frac{1}{2}$	6
15	5-5	6	6 $\frac{1}{2}$
16	5-9	6 $\frac{1}{2}$	6 $\frac{1}{2}$
10 x 8	2-9 $\frac{5}{8}$ x 3-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$
9	3-5	5	5
10	3-9	5	5 $\frac{1}{2}$
11	4-1	5	5 $\frac{1}{2}$
12	4-5	5 $\frac{1}{2}$	6
13	4-9	6	6 $\frac{1}{2}$
14	5-1	6	6 $\frac{1}{2}$
15	5-5	7	7
16	5-9	7 $\frac{1}{2}$	7 $\frac{1}{2}$
17*	6-1	7 $\frac{1}{2}$	7 $\frac{1}{2}$
18*	6-5	8	8
11 x 15*	3-0 $\frac{5}{8}$ x 5-5	7 $\frac{1}{2}$	7 $\frac{1}{2}$
16*	5-9	8	8
17*	6-1	8 $\frac{1}{2}$	8 $\frac{1}{2}$
18*	6-5	8 $\frac{1}{2}$	8 $\frac{1}{2}$
12 x 15	3-3 $\frac{5}{8}$ x 5-5	8	8 $\frac{1}{2}$
16	5-9	8 $\frac{1}{2}$	8 $\frac{1}{2}$
18*	6-5	9	9
20*	7-1	9 $\frac{1}{2}$	9 $\frac{1}{2}$


FIFTEEN LIGHT 9/6

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
7 x 9	2-0 $\frac{5}{8}$ x 4-2	4 $\frac{1}{2}$	3 $\frac{1}{2}$
8 x 10	2-3 $\frac{5}{8}$ x 4-7	5 $\frac{1}{2}$	4 $\frac{1}{2}$

EIGHT LIGHT

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
8 x 10	1- 7 $\frac{5}{8}$ x 3-9	3	3 $\frac{1}{2}$
12	4-5	4	4
13	4-9	4	4
9 x 12	1- 9 $\frac{5}{8}$ x 4-5	4	4
13	4-9	4	4
10 x 12	1-11 $\frac{5}{8}$ x 4-5	4	4
13	4-9	4	4
14	5-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$

Blinds No. 1 are in Stock
 except where marked *.



SIX LIGHT

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
9 x 12*	2-6 $\frac{5}{8}$ x 2- 5	3	3 $\frac{1}{2}$
13*	2- 7	3 $\frac{1}{2}$	3 $\frac{1}{2}$
14*	2- 9	4	4
10 x 14*	2-9 $\frac{5}{8}$ x 2- 9	4	4
15*	2-11	4	4

GLAZED WINDOWS

Toxic and Water Repellent Treated

Boston Sizes $1\frac{3}{8}$ Single-Thick Glass



FIFTEEN LIGHT $6/9$

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
6 x 8	$1-9\frac{5}{8} \times 3-9$	3	$4\frac{1}{2}$
7 x 9	$2-0\frac{5}{8} \times 4-2$	$3\frac{1}{2}$	5
8 x 10	$2-3\frac{5}{8} \times 4-7$	4	6
12	5-5	$4\frac{1}{2}$	$6\frac{1}{2}$




SIXTEEN LIGHT

Size of Glass	Outside Dimensions	Sash Weight Required	
		T.	B.
7 x 9	$2-7\frac{5}{8} \times 3-5$	$4\frac{1}{2}$	$4\frac{1}{2}$
8 x 10	$2-11\frac{5}{8} \times 3-9$	$5\frac{1}{2}$	6
11	4-1	6	$6\frac{1}{2}$
12	4-5	6	$6\frac{1}{2}$
13	4-9	6	$6\frac{1}{2}$
9 x 11	$3-3\frac{5}{8} \times 4-1$	6	$6\frac{1}{2}$
12	4-5	$6\frac{1}{2}$	7
13	4-9	$6\frac{1}{2}$	7
10 x 12	$3-7\frac{5}{8} \times 4-5$	$6\frac{1}{2}$	7
13	4-9	7	$7\frac{1}{2}$



TWENTY LIGHT

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
6 x 8	$2-3\frac{5}{8} \times 3-9$	4	$5\frac{1}{2}$
7 x 9	$2-7\frac{5}{8} \times 4-2$	$4\frac{1}{2}$	$6\frac{1}{2}$
8 x 10	$2-11\frac{5}{8} \times 4-7$	5	8
12	5-5	6	$8\frac{1}{2}$



TWENTY-FOUR LIGHT

Size of Glass	Outside Dimensions	Sash Weights Required	
		T.	B.
6 x 8	$2-3\frac{5}{8} \times 4-5$	$5\frac{1}{2}$	$5\frac{1}{2}$
7 x 9	$2-7\frac{5}{8} \times 4-11$	6	$6\frac{1}{2}$
8 x 10	$2-11\frac{5}{8} \times 5-5$	$7\frac{1}{2}$	8
12*	6-5	8	$8\frac{1}{2}$

Glass Sizes are Approximate.

Blinds No. 1 are in Stock Except Where Marked*

GLAZED WINDOWS

Toxic and Water Repellent Treated

Boston Sizes $1\frac{3}{8}$ Single-Thick Glass

FOUR LIGHT

Size of Glass	Outside Dimensions	Sash Weights Req.
$10\frac{1}{2} \times 18$	2- $0\frac{5}{8} \times 3$ - 5	$3\frac{1}{2}$
$22\frac{1}{2}$	4- 2	4
12 $\times 16$	2- $3\frac{5}{8} \times 3$ - 1	$3\frac{1}{2}$
18	3- 5	$3\frac{1}{2}$
20	3- 9	4
22	4- 1	$4\frac{1}{2}$
24	4- 5	$4\frac{1}{2}$
25	4- 7	$4\frac{1}{2}$
26	4- 9	5
28	5- 1	$5\frac{1}{2}$
30	5- 5	$5\frac{1}{2}$
$13\frac{1}{2} \times 16$	2- $6\frac{5}{8} \times 3$ - 1	$3\frac{1}{2}$
18	3- 5	4
20	3- 9	4
22	4- 1	$4\frac{1}{2}$
24	4- 5	5
26	4- 9	$5\frac{1}{2}$
28	5- 1	$5\frac{1}{2}$
30	5- 5	6
32	5- 9	$6\frac{1}{2}$
14 $\times 20$	2- $7\frac{5}{8} \times 3$ - 9	$4\frac{1}{2}$
24	4- 5	5
26	4- 9	$5\frac{1}{2}$
28	5- 1	6
30	5- 5	6
32	5- 9	$6\frac{1}{2}$
15 $\times 15^*$	2- $9\frac{5}{8} \times 2$ - 11	$3\frac{1}{2}$
16	3- 1	4
18	3- 5	$4\frac{1}{2}$
20	3- 9	$4\frac{1}{2}$
22	4- 1	5
24	4- 5	$5\frac{1}{2}$
26	4- 9	$5\frac{1}{2}$
28	5- 1	6
30	5- 5	6
32	5- 9	$6\frac{1}{2}$
34*	6- 1	7
36*	6- 5	$7\frac{1}{2}$
16 $\times 16$	2- $11\frac{5}{8} \times 3$ - 1	$4\frac{1}{2}$
20	3- 9	5
24	4- 5	6
26	4- 9	6
28	5- 1	$6\frac{1}{2}$
30	5- 5	$6\frac{1}{2}$
32	5- 9	7
34*	6- 1	$7\frac{1}{2}$
36*	6- 5	8
18 $\times 24$	3- $3\frac{5}{8} \times 4$ - 5	6
26	4- 9	$6\frac{1}{2}$
28	5- 1	7
30	5- 5	$7\frac{1}{2}$
32	5- 9	$7\frac{1}{2}$
34*	6- 1	8
36*	6- 5	8
20 $\times 26$	3- $7\frac{5}{8} \times 4$ - 9	7
28	5- 1	$7\frac{1}{2}$
30	5- 5	8
32*	5- 9	$8\frac{1}{2}$
22 $\times 30^*$	3- $11\frac{5}{8} \times 5$ - 5	$8\frac{1}{2}$



Four Light



Three Light

Three Light
Windows
in Stock
Same Sizes
as Four Light

Use Same
Weights for
Three Light
as Four Light

Blinds No. 1
are in Stock
Except Where
Marked*

27 inch 4 1/8 high

GLAZED WINDOWS

25

Toxic and Water Repellent Treated

Boston Sizes 1 3/8 Single and Double Thick-Glass

TWO LIGHT

Size of Glass	Outside Dimensions	Sash Weights Required
12 x 18*	1- 3 5/8 x 3-5	2
20*	3-9	2 1/2
22*	4-1	2 1/2
24*	4-5	3
26*	4-9	3
28*	5-1	3
30*	5-5	3 1/2
13 1/2 x 18*	1- 5 1/8 x 3-5	2 1/2
20*	3-9	2 1/2
22*	4-1	3
24*	4-5	3
26*	4-9	3 1/2
28*	5-1	3 1/2
30*	5-5	4
14 x 20*	1- 5 5/8 x 3-9	3
24*	4-5	3
26*	4-9	3 1/2
28*	5-1	4
30*	5-5	4
15 x 18*	1- 6 5/8 x 3-5	2 1/2
20	3-9	3
22*	4-1	3
24*	4-5	3 1/2
26*	4-9	3 1/2
28*	5-1	4
30*	5-5	4
32*	5-9	4 1/2
16 x 16*	1- 7 5/8 x 3-1	2 1/2
18*	3-5	3
20	3-9	3
22*	4-1	3
24	4-5	3 1/2
26	4-9	3 1/2
28	5-1	4
30*	5-5	4
32*	5-9	4 1/2
18 x 18	1- 9 5/8 x 3-5	3
20	3-9	3
22	4-1	3 1/2
24	4-5	4
26	4-9	4
28	5-1	4 1/2
30	5-5	4 1/2
32*	5-9	5
34*	6-1	5 1/2
36*	6-5	6
20 x 16	1-11 5/8 x 3-1	3
18	3-5	3
20	3-9	3 1/2
22	4-1	3 1/2
24	4-5	4
26	4-9	4
28	5-1	4 1/2
30	5-5	5
32*	5-9	5 1/2
34*	6-1	6
36*	6-5	6



Two-Light
TWO LIGHT

Size of Glass	Outside Dimensions	S.T.	Sash Weights Required	D.T.
22 x 22*	2-1 5/8 x 4-1	4		
24*	4-5	4 1/2		
26*	4-9	4 1/2		
28*	5-1	5		
30*	5-5	5		
32*	5-9	5 1/2		
24 x 14*	2-3 5/8 x 2-9	3 1/2		
16	3-1	4		
18	3-5	4		
20	3-9	4 1/2		
22	4-1	4 1/2		
24	4-5	5		6
26	4-9	5		6
28	5-1	5 1/2		6 1/2
30	5-5	5 1/2		6 1/2
32*	5-9	6		7
26 x 26*	2-5 5/8 x 4-9	5 1/2		6 1/2
28*	5-1	5 1/2		6 1/2
30*	5-5	6		7
27 x 14*	2-6 5/8 x 2-9	3 1/2		
16	3-1	4		
18	3-5	4		
20	3-9	4 1/2		
22	4-1	5		
24	4-5	5		6
26	4-9	5 1/2		6 1/2
28	5-1	6		7
30	5-5	6 1/2		7 1/2
28 x 18	2-7 5/8 x 3-5	4 1/2		
20	3-9	4 1/2		
24	4-5	5 1/2		6 1/2
26	4-9	5 1/2		6 1/2
28	5-1	6		7
30	5-5	6 1/2		7 1/2
30 x 16	2-9 5/8 x 3-1	4 1/2		
18	3-5	4 1/2		
20	3-9	4 1/2		
22	4-1	5		
24	4-5	5 1/2		6 1/2
26	4-9	6		7
28	5-1	6 1/2		7 1/2
30	5-5	7		8

Blinds No. 1 are in Stock Except Where Marked*

See next page for continuation of two light windows with double thick glass.

GLAZED WINDOWS

Toxic and Water Repellent Treated

Boston Sizes 1 $\frac{3}{8}$

TWO LIGHT (Continued)

Glazed with Double-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required
30 x 32*	2- 9 $\frac{5}{8}$ x 5-9	8 $\frac{1}{2}$
34*	6-1	9
32 x 24	2-11 $\frac{5}{8}$ x 4-5	7 $\frac{1}{2}$
26	4-9	7 $\frac{1}{2}$
28	5-1	8
30	5-5	8 $\frac{1}{2}$
32	5-9	9
36 x 24	3- 3 $\frac{5}{8}$ x 4-5	8
26	4-9	8 $\frac{1}{2}$
28	5-1	9
30	5-5	9 $\frac{1}{2}$
32	5-9	10
36*	6-5	10 $\frac{1}{2}$
40 x 26	3- 7 $\frac{5}{8}$ x 4-9	9 $\frac{1}{2}$
28	5-1	10
30	5-5	10 $\frac{1}{2}$




THREE VERTICAL LIGHT TOP

ONE LIGHT BOTTOM

Glazed Single-Thick

Size of Glass	Outside Dimensions	Sash Weights Required
15 x 26*	1- 6 $\frac{5}{8}$ x 4-9	3 $\frac{1}{2}$
28*	5-1	4
16 x 26	1- 7 $\frac{5}{8}$ x 4-9	3 $\frac{1}{2}$
28	5-1	4
18 x 18	1- 9 $\frac{5}{8}$ x 3-5	3
20	3-9	3
24	4-5	4
26	4-9	4
28	5-1	4 $\frac{1}{2}$
30	5-5	4 $\frac{1}{2}$
20 x 18	1-11 $\frac{5}{8}$ x 3-5	3
20	3-9	3 $\frac{1}{2}$
24	4-5	4
26	4-9	4
28	5-1	4 $\frac{1}{2}$
30	5-5	5




EIGHT LIGHTS IN TOP

ONE LIGHT IN BOTTOM

Single-Thick Glass Top

Double-Thick Glass
Bottom

Size of Glass	Outside Dimensions	Sash Weights Required T.	B.
36 x 24	3-3 $\frac{5}{8}$ x 4-5	7	8
26	4-9	7	8 $\frac{1}{2}$
28	5-1	7 $\frac{1}{2}$	9
30	5-5	8	9 $\frac{1}{2}$
40 x 24	3-7 $\frac{5}{8}$ x 4-5	7 $\frac{1}{2}$	9
26	4-9	8	9 $\frac{1}{2}$
28	5-1	8 $\frac{1}{2}$	10
30	5-5	9	10 $\frac{1}{2}$



SIX VERTICAL LIGHTS IN TOP

ONE LIGHT IN BOTTOM

Single-Thick Glass Top


Double-Thick Glass
Bottom

Size of Glass	Outside Dimensions	Sash Weights Required T.	B.
40 x 24	3-7 $\frac{5}{8}$ x 4-5	7 $\frac{1}{2}$	9
26	4-9	8	9 $\frac{1}{2}$
28	5-1	8 $\frac{1}{2}$	10
30	5-5	9	10 $\frac{1}{2}$

Blinds No. 1 are in Stock Except Where
Marked*

GLAZED WINDOWS

Toxic and Water Repellent Treated

Boston Sizes 1 $\frac{3}{8}$ SIX LIGHTS IN TOP
ONE LIGHT IN BOTTOMSingle Thick Glass Top
Single and Double-Thick Glass Bottom

Size of Glass	Outside Dimensions	Sash Weights Required			
		S.T.		D.T. Bot.	
		T.	B.	T.	B.
21 x 18	2- 0 $\frac{5}{8}$ x 3-5	3 $\frac{1}{2}$	3 $\frac{1}{2}$		
24 x 14*	2- 3 $\frac{5}{8}$ x 2-9	3 $\frac{1}{2}$	3 $\frac{1}{2}$		
16	3-1	4	4		
18	3-5	4	4		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
22	4-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
24	4-5	5 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
26	4-9	5 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
28	5-1	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
30	5-5	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
27 x 14*	2- 6 $\frac{5}{8}$ x 2-9	3 $\frac{1}{2}$	3 $\frac{1}{2}$		
16	3-1	4	4		
18	3-5	4	4		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
22	4-1	5	5		
24	4-5	5 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
26	4-9	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
28	5-1	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
30	5-5	7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$
28 x 16*	2- 7 $\frac{5}{8}$ x 3-1	4	4		
18	3-5	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
24	4-5	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
26	4-9	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
28	5-1	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
30	5-5	7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$
30 x 14*	2- 9 $\frac{5}{8}$ x 2-9	4	4		
16	3-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
18	3-5	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
22	4-1	5	5		
24	4-5	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
26	4-9	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
28	5-1	7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$
30	5-5	7 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$
32 x 24	2-11 $\frac{5}{8}$ x 4-5	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$
26	4-9	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$
28	5-1	7	6 $\frac{1}{2}$	7	8
30	5-5	7 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$

FOUR LIGHTS IN TOP
ONE LIGHT IN BOTTOM

Single-Thick

Size of Glass	Outside Dimensions	Sash Weights Required
15 x 18*	1- 6 $\frac{5}{8}$ x 3-5	2 $\frac{1}{2}$
20	3-9	3
24*	4-5	3 $\frac{1}{2}$
26*	4-9	3 $\frac{1}{2}$
28*	5-1	4
30*	5-5	4
16 x 16*	1- 7 $\frac{5}{8}$ x 3-1	2 $\frac{1}{2}$
18*	3-5	3
20	3-9	3
24	4-5	3 $\frac{1}{2}$
26	4-9	3 $\frac{1}{2}$
28	5-1	4
18 x 16	1- 9 $\frac{5}{8}$ x 3-1	2 $\frac{1}{2}$
18	3-5	3
20	3-9	3
22	4-1	3 $\frac{1}{2}$
24	4-5	4
26	4-9	4
28	5-1	4 $\frac{1}{2}$
30	5-5	4 $\frac{1}{2}$
20 x 16	1-11 $\frac{5}{8}$ x 3-1	3
18	3-5	3
20	3-9	3 $\frac{1}{2}$
22	4-1	3 $\frac{1}{2}$
24	4-5	4
26	4-9	4
28	5-1	4 $\frac{1}{2}$
30	5-5	5

Blinds No. 1 are in Stock Except
Where Marked*Sash Weights, Cord and
Blind Trimmings We
Can Supply with Your
Window Order.

GLAZED WINDOWS

Toxic and Water Repellent Treated

Boston Sizes $1\frac{3}{8}$

Single Thick Glass Top
Single and Double-Thick Glass Bottom

Size of Glass	Outside Dimensions	Sash Weights Required			
		S.T.		D.T. Bot.	
		T.	B.	T.	B.
24 x 16	2-3 $\frac{5}{8}$ x 3-1	4	4		
18	3-5	4	4		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
22	4-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
24	4-5	5 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
26	4-9	5 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
28	5-1	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
30	5-5	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
27 x 14*	2-6 $\frac{5}{8}$ x 2-9	3 $\frac{1}{2}$	3 $\frac{1}{2}$		
16	3-1	4	4		
18	3-5	4	4		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
22	4-1	5	5		
24	4-5	5 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6
26	4-9	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
28	5-1	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
30	5-5	7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$
28 x 18	2-7 $\frac{5}{8}$ x 3-5	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
24	4-5	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
26	4-9	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
28	5-1	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
30	5-5	7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$



Four Vertical Light Top
One Light Bottom

Blinds No. 1 are in Stock
Except Where Marked*



Five Vertical Light Top
One Light Bottom

Size of Glass	Outside Dimensions	Sash Weights Required			
		S.T.		D.T. Bot.	
		T.	B.	T.	B.
30 x 16	2-9 $\frac{5}{8}$ x 3-1	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
18	3-5	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
20	3-9	4 $\frac{1}{2}$	4 $\frac{1}{2}$		
22	4-1	5	5		
24	4-5	6	5 $\frac{1}{2}$	6	6 $\frac{1}{2}$
26	4-9	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7
28	5-1	7	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$
30	5-5	7 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8
32 x 24	2-11 $\frac{5}{8}$ x 4-5	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$
26	4-9	6 $\frac{1}{2}$	6	6 $\frac{1}{2}$	7 $\frac{1}{2}$
28	5-1	7	6 $\frac{1}{2}$	7	8
30	5-5	7 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8 $\frac{1}{2}$
36 x 24	3-3 $\frac{5}{8}$ x 4-5			7	8
26	4-9			7	8 $\frac{1}{2}$
28	5-1			7 $\frac{1}{2}$	9
30	5-5			8	9 $\frac{1}{2}$

GLAZED CELLAR SASH

Toxic and Water Repellent Treated
Boston Sizes $1\frac{1}{8}$ " Thick

29




One-Light



Three-Light



Four-Light Square



Six-Light



Two-Light



Four-Light Long

ONE-LIGHT

Size of Glass	Outside Dimensions
7 x 9	0-10 $\frac{1}{4}$ x 1- 0 $\frac{1}{4}$
8 x 10	0-11 $\frac{1}{4}$ x 1- 1 $\frac{1}{4}$
12	1- 3 $\frac{1}{4}$
9 x 12	1- 0 $\frac{1}{4}$ x 1- 3 $\frac{1}{4}$
13	1- 4 $\frac{1}{4}$
10 x 12	1- 1 $\frac{1}{4}$ x 1- 3 $\frac{1}{4}$
14	1- 5 $\frac{1}{4}$
15	1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$

TWO-LIGHT

7 x 9	1- 5 $\frac{3}{8}$ x 1- 0 $\frac{1}{4}$
8 x 10	1- 7 $\frac{3}{8}$ x 1- 1 $\frac{1}{4}$
12	1- 3 $\frac{1}{4}$
9 x 12	1- 9 $\frac{3}{8}$ x 1- 3 $\frac{1}{4}$
13	1- 4 $\frac{1}{4}$
14	1- 5 $\frac{1}{4}$
10 x 12	1-11 $\frac{3}{8}$ x 1- 3 $\frac{1}{4}$
14	1- 5 $\frac{1}{4}$
15	1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$
18	1- 9 $\frac{1}{4}$
20	1-11 $\frac{1}{4}$
12 x 15	2- 3 $\frac{3}{8}$ x 1- 6 $\frac{1}{4}$
18	1- 9 $\frac{1}{4}$

FOUR-LIGHT LONG

6 x 8	2- 3 $\frac{5}{8}$ x 0-11 $\frac{1}{4}$
7 x 9	2- 7 $\frac{5}{8}$ x 1- 0 $\frac{1}{4}$
8 x 10	2-11 $\frac{5}{8}$ x 1- 1 $\frac{1}{4}$
12	1- 3 $\frac{1}{4}$
9 x 12	3- 3 $\frac{5}{8}$ x 1- 3 $\frac{1}{4}$
13	1- 4 $\frac{1}{4}$
10 x 12	3- 7 $\frac{5}{8}$ x 1- 3 $\frac{1}{4}$
13	1- 4 $\frac{1}{4}$
14	1- 5 $\frac{1}{4}$
15	1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$

FOUR-LIGHT SQUARE

6 x 8	1- 3 $\frac{3}{8}$ x 1- 7 $\frac{3}{8}$
7 x 9	1- 5 $\frac{3}{8}$ x 1- 9 $\frac{3}{8}$
8 x 10	1- 7 $\frac{3}{8}$ x 1-11 $\frac{3}{8}$
12	2- 3 $\frac{3}{8}$
9 x 12	1- 9 $\frac{3}{8}$ x 2- 3 $\frac{3}{8}$
13	2- 5 $\frac{3}{8}$
10 x 12	1-11 $\frac{3}{8}$ x 2- 3 $\frac{3}{8}$
13	2- 5 $\frac{3}{8}$
14	2- 7 $\frac{3}{8}$
15	2- 9 $\frac{3}{8}$
16	2-11 $\frac{3}{8}$

THREE-LIGHT

Size of Glass	Outside Dimensions
6 x 8	1- 9 $\frac{5}{8}$ x 0-11 $\frac{1}{4}$
7 x 9	2- 0 $\frac{5}{8}$ x 1- 0 $\frac{1}{4}$
8 x 10	2- 3 $\frac{5}{8}$ x 1- 1 $\frac{1}{4}$
12	1- 3 $\frac{1}{4}$
9 x 7	2- 6 $\frac{5}{8}$ x 0-10 $\frac{1}{4}$
9	1- 0 $\frac{1}{4}$
10	1- 1 $\frac{1}{4}$
11	1- 2 $\frac{1}{4}$
12	1- 3 $\frac{1}{4}$
13	1- 4 $\frac{1}{4}$
14	1- 5 $\frac{1}{4}$
15	1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$
17	1- 8 $\frac{1}{4}$
18	1- 9 $\frac{1}{4}$
10 x 8	2- 9 $\frac{5}{8}$ x 0-11 $\frac{1}{4}$
10	1- 1 $\frac{1}{4}$
12	1- 3 $\frac{1}{4}$
13	1- 4 $\frac{1}{4}$
14	1- 5 $\frac{1}{4}$
15	1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$
17	1- 8 $\frac{1}{4}$
18	1- 9 $\frac{1}{4}$
20	1-11 $\frac{1}{4}$
11 x 15	3- 0 $\frac{5}{8}$ x 1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$
17	1- 8 $\frac{1}{4}$
18	1- 9 $\frac{1}{4}$
12 x 14	3- 3 $\frac{5}{8}$ x 1- 5 $\frac{1}{4}$
15	1- 6 $\frac{1}{4}$
16	1- 7 $\frac{1}{4}$
18	1- 9 $\frac{1}{4}$
20	1-11 $\frac{1}{4}$

SIX-LIGHT

6 x 8	1- 9 $\frac{5}{8}$ x 1- 7 $\frac{3}{8}$
7 x 9	2- 0 $\frac{5}{8}$ x 1- 9 $\frac{3}{8}$
8 x 10	2- 3 $\frac{5}{8}$ x 1-11 $\frac{3}{8}$
11	2- 1 $\frac{3}{8}$
12	2- 3 $\frac{3}{8}$
9 x 11	2- 6 $\frac{5}{8}$ x 2- 1 $\frac{3}{8}$
12	2- 3 $\frac{3}{8}$
13	2- 5 $\frac{3}{8}$
14	2- 7 $\frac{3}{8}$
15	2- 9 $\frac{3}{8}$
10 x 10	2- 9 $\frac{5}{8}$ x 1-11 $\frac{3}{8}$
11	2- 1 $\frac{3}{8}$
12	2- 3 $\frac{3}{8}$
13	2- 5 $\frac{3}{8}$
14	2- 7 $\frac{3}{8}$
15	2- 9 $\frac{3}{8}$

Cellar Sash Frames for the above sizes—Fir and Pine

GLAZED SASH

Toxic and Water Repellent Treated

All Single Sash $2\frac{3}{4}$ " Bottom Rail $1\frac{3}{8}$ " BORDER-LIGHT


Plain Glass in Centre, Assorted Colors in Border



Size	Size
2-0 x 2-0	2-6 x 2-6
2-6 x 2-0	3-0 x 2-0

 $1\frac{3}{8}$ " DIAMOND-LIGHT


Plain Glass



Size	12 Diamond Lights
2-0 x 2-0	17 " "
2-4 x 2-4	17 " "
2-6 x 2-0	17 " "
2-6	17 " "
3-0 x 2-0	17 " "

 $1\frac{3}{8}$ " EIGHT-LIGHT

Plain Glass



Size
3-0 x 2-0

GLAZED HOT BED SASH

Glazed—Lapped Glass



Size	Thick-ness	Style	Glass
3-0 x 6-0	$1\frac{3}{8}$	5 Lts. Wide	6" Single-Thick
6-0	$1\frac{3}{4}$	5 " "	6" " "
6-0	$1\frac{3}{8}$	5 " "	6" Double-Thick
6-0	$1\frac{3}{4}$	5 " "	6" " "

 $1\frac{3}{8}$ " ONE-LIGHT

Plain Glass



Size
2-0 x 2-0
2-6 x 2-0
2-6
3-0 x 2-0

 $1\frac{3}{8}$ " SIX-LIGHT

Plain Glass



Size
2-0 x 2-0
2-6 x 2-0
2-6

 $1\frac{3}{8}$ " TEN-LIGHT

Plain Glass



Size
4-0 x 2-0

SKYLIGHTS

Single-Thick Lapped Glass or
Full-Length Single-Thick Glass
 $1\frac{3}{8}$ " Thick

Size	
2-0 x 2-6	
3-0	
2-2 x 3-2	
2-4 x 3-4	
2-6 x 3-0	
3-6	
4-0	
3-0 x 4-0	} Sizes Larger than 2-6 x 3-6 Glazed Lapped Glass Only
5-0	

GLAZED STORM SASH—BOSTON SIZES 1 1/8"

31

Toxic and Water Repellent Treated
4" of Wood in Width Over Glass
6" " " " Height " " "

Outside Dimensions	Size of Glass	
	Twelve- Light	Four-Light
1-10 x 3-2	6 x 8	
2-1 x 3-6	7 x 9	10 1/2 x 18
4-3		22 1/2
2-4 x 3-2		12 x 16S
3-6		18S
3-10	8 x 10	20S
4-2	11	22
4-6	12	24S
4-8		25
4-10	13	26S
5-2	14	28S
5-6		30
2-7 x 3-2		13 1/2 x 16S
3-6	9 x 9	18S
3-10	10	20S
4-2	11	22S
4-6	12S	24S
4-10	13S	26S
5-2	14	28S
5-6	15	30S
5-10	16	32
2-8 x 3-10		14 x 20
4-6		24S
4-10		26S
5-2		28S
5-6		30S
5-10		32
2-10 x 3-2		15 x 16
3-6		18
3-10		20S
4-2		22
4-6	10 x 12	24S
4-10	13	26S
5-2	14S	28S
5-6	15S	30S
5-10	16	32S
6-2	17	34
6-6	18	36
3-0 x 3-10		16 x 20
4-2		22
4-6		24
4-10		26
5-2		28S
5-6		30S
5-10		32
6-2		34
6-6		36
3-1 x 5-6	11 x 15	
5-10	16	
3-4 x 4-6		18 x 24
4-10		26
5-2		28
5-6		30
5-10		32
6-2		34
6-6		36
3-8 x 4-6		20 x 24
4-10		26
5-2		28
5-6		30
5-10		32
6-2		34
6-6		36
5-10		32

Outside Dimensions	Size of Glass	
	Fifteen- Light	Two-Light
1- 5 1/2 x 4-6		13 1/2 x 24
4-10		26
5-2		28
5-6		30
1-6 x 5-2		14 x 28
5-6		30
1-7 x 4-6		15 x 24
4-10		26
5-2		28
5-6		30
5-10		32
6-2		34
6-6		36
1-8 x 4-6		16 x 24
4-10		26
5-2		28
5-6		30
5-10		32
1-10 x 3-6		18 x 18
3-10		20
4-6		24
4-10		26
5-2		28
5-6		30
5-10		32
6-2		34
6-6		36
2-0 x 3-2		20 x 16
3-6		18
3-10		20
4-2		22
4-6		24
4-10		26
5-2		28
5-6		30
5-10		32
6-2		34
6-6		36
2-1 x 4-3	7 x 9	
2-2 x 4-10		22 x 26
5-2		28
5-6		30
2-4 x 4-6		24 x 24
4-8	8 x 10	
4-10		26
5-2		28
5-6		30
5-10		32
2-7 x 4-6		27 x 24
4-10		26

S—Denotes Slide Lights in Stock

Order a Supply of Storm
Window Fasteners for Your
Storm Sash.

SINGLE AND PAIRS OF CASEMENT SASH

Toxic and Water Repellent Treated

1 $\frac{3}{8}$ " Thick

Pairs of Sash are rabbeted and beaded to swing out unless otherwise specified.



SIX-LIGHT

1-0 x 2-6
3-0
3-6

1-2 x 2-6
3-0
3-6

1-4 x 2-6
3-0
3-6

1-6 x 2-6
3-0
3-6



EIGHT-LIGHT

1-2 x 4- 0
4- 6
4-10
5- 2

1-4 x 4- 0
4- 6
4-10
5- 2

1-6 x 4- 0
4- 6
4-10
5- 2

2-0 x 4- 0
4- 6
4-10
5- 2




TWELVE-LIGHT

2-0 x 2-6
3-0
3-6

2-4 x 2-6
3-0
3-6

2-8 x 2-6
3-0
3-6

3-0 x 2-6
3-0
3-6



SIXTEEN-LIGHT

2-4 x 4- 0
4- 6
4-10
5- 2

2-8 x 4- 0
4- 6
4-10
5- 2

3-0 x 4- 0
4- 6
4-10
5- 2

4-0 x 4- 0
4- 6
4-10
5- 2

HALF-CIRCLE SASH AND FRAMES

Glazed with Single-Thick Glass



Size

2-6 x 1-3
3-0 x 1-6

Thickness

1 $\frac{3}{8}$
1 $\frac{3}{8}$

With Band Moulding

QUARTER-CIRCLE SASH AND FRAMES

Glazed with Single-Thick Glass



Size

1-6 x 1-6
2-0 x 2-0

Thickness

1 $\frac{3}{8}$
1 $\frac{3}{8}$

Right and Left
With Band Moulding

LOUVRES

PINE

Toxic and Water Repellent Treated

(To Be Used With Stock Frames)


With 16 Mesh Copper Screen Inside



RECTANGULAR

Size
 0-8 x 1-6
 2-0
 1-0 x 1-6
 2-0
 2-6
 1-6 x 1-6
 2-0
 2-6
 3-0
 2-0 x 3-0

In modern construction where there is a dead air space between roof and insulated ceiling of top floor, provision should be made for circulation of air by use of louvres to avoid condensation.




QUARTER CIRCLE

Size
 1-4 x 1-4*
 1-6 x 1-6
 2-0 x 2-0

Specify when ordering whether right or left.

*Carried in New Haven and Springfield only.



HALF CIRCLE

Size
 2-6 x 1-3
 3-0 x 1-6


BLINDS AND SHUTTERS

Toxic and Water Repellent Treated

Glass Size	Outside Dimensions	Glass Size	Outside Dimensions	Glass Size	Outside Dimensions
15 x 20	1- 6 $\frac{5}{8}$ x 3-9 $\frac{1}{2}$	24 x 24	2- 3 $\frac{5}{8}$ x 4-5 $\frac{1}{2}$	30 x 24	4-5 $\frac{1}{2}$
16 x 20	1- 7 $\frac{5}{8}$ x 3-9 $\frac{1}{2}$	25	4-7 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$
24	4-5 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$
26	4-9 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$
28	5-1 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$	32	5-9 $\frac{1}{2}$
18 x 16	1- 9 $\frac{5}{8}$ x 3-1 $\frac{1}{2}$	27 x 16	2- 6 $\frac{5}{8}$ x 3-1 $\frac{1}{2}$	32 x 16	2-11 $\frac{5}{8}$ x 3-1 $\frac{1}{2}$
18	3-5 $\frac{1}{2}$	18	3-5 $\frac{1}{2}$	18	3-5 $\frac{1}{2}$
20	3-9 $\frac{1}{2}$	20	3-9 $\frac{1}{2}$	20	3-9 $\frac{1}{2}$
22	4-1 $\frac{1}{2}$	22	4-1 $\frac{1}{2}$	22	4-1 $\frac{1}{2}$
24	4-5 $\frac{1}{2}$	24	4-5 $\frac{1}{2}$	24	4-5 $\frac{1}{2}$
26	4-9 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$	25	4-7 $\frac{1}{2}$
28	5-1 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$
30	5-5 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$
20 x 16	1-11 $\frac{5}{8}$ x 3-1 $\frac{1}{2}$	32	5-9 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$
18	3-5 $\frac{1}{2}$	28 x 18	2- 7 $\frac{5}{8}$ x 3-5 $\frac{1}{2}$	32	5-9 $\frac{1}{2}$
20	3-9 $\frac{1}{2}$	20	3-9 $\frac{1}{2}$	36 x 20	3- 3 $\frac{5}{8}$ x 3-9 $\frac{1}{2}$
22	4-1 $\frac{1}{2}$	22 $\frac{1}{2}$	4-2 $\frac{1}{2}$	22	4-1 $\frac{1}{2}$
24	4-5 $\frac{1}{2}$	24	4-5 $\frac{1}{2}$	24	4-5 $\frac{1}{2}$
26	4-9 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$
28	5-1 $\frac{1}{2}$	27	4-11 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$
30	5-5 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$
21 x 18	2-0 5 $\frac{1}{8}$ x 3-5 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$	32	5-9 $\frac{1}{2}$
22 $\frac{1}{2}$	4-2 $\frac{1}{2}$	32	5-9 $\frac{1}{2}$	40 x 24	3- 7 $\frac{5}{8}$ x 4-5 $\frac{1}{2}$
24 x 16	2- 3 $\frac{5}{8}$ x 3-1 $\frac{1}{2}$	30 x 16	2- 9 $\frac{5}{8}$ x 3-1 $\frac{1}{2}$	26	4-9 $\frac{1}{2}$
18	3-5 $\frac{1}{2}$	18	3-5 $\frac{1}{2}$	28	5-1 $\frac{1}{2}$
20	3-9 $\frac{1}{2}$	20	3-9 $\frac{1}{2}$	30	5-5 $\frac{1}{2}$
22	4-1 $\frac{1}{2}$	22	4-1 $\frac{1}{2}$		

Shutters and Blinds are made of Clear Pine 1 $\frac{1}{8}$ " thick Specify Cut-Outs for Shutters by Letter
Special Cutouts furnished at no extra cost if detail is submitted.
Panel and Slat Shutters made to order.


Shutters Cannot Be Returned for Credit.



Blinds
Stationary Slats



Panel Shutters
Cutout D



Shutter
Cutouts



Slat Shutters
Cutout D

PAIRS CHINA CLOSET SASH DOORS

PINE



4 Light



10 Light

FOUR LIGHTS

Size	Thickness	Style
2-6 x 3-10	1 3/8	Four lights
2-8	1 3/8	" "
2-6 x 4- 0	1 3/8	" "
2-8	1 3/8	" "
3-0	1 3/8	" "
3-4	1 3/8	" "
4-0	1 3/8	" "
2-8 x 4- 6	1 3/8	" "
3-0	1 3/8	" "
3-4	1 3/8	" "
4-0	1 3/8	" "

TEN LIGHTS

Size	Thickness	Style
2-6 x 3-10	1 3/8	Ten lights
2-8	1 3/8	" "
2-6 x 4- 0	1 3/8	" "
2-8	1 3/8	" "
3-0	1 3/8	" "
3-4	1 3/8	" "
4-0	1 3/8	Fourteen lights
3-4 x 4- 6	1 3/8	Ten lights
4-0	1 3/8	Fourteen lights

1 3/8" have Rabbeted and Beaded Meeting Stiles

Size	Thickness	Style
2-8 x 3- 0	1 1/8	Four lights
3-0	1 1/8	" "
3-4	1 1/8	" "
4-0	1 1/8	" "
2-8 x 3- 6	1 1/8	" "
3-0	1 1/8	" "
3-4	1 1/8	" "
4-0	1 1/8	" "
2-6 x 3-10	1 1/8	" "
2-8	1 1/8	" "
2-6 x 4- 0	1 1/8	" "
2-8	1 1/8	" "
3-0	1 1/8	" "
3-4	1 1/8	" "
4-0	1 1/8	" "

... NOTE ...

China Closet Sash Doors may be glazed with Wood Beads at an extra.

1 1/8" have Square Meeting Stiles, not Rabbeted

WINDOWS AND FRAMES

NEW YORK LAYOUT

Our Windows are made from clear Pine thoroughly seasoned glazed with Pure Linseed Oil Putty, glass bedded.

Before Glazing, the sash are treated with a Chemical Preservative which acts as a moisture repellent and protects the sash against decay.

Well made windows are of vital importance to the builder. Windows that fit poorly, glass rattling in the frame, putty falling off, windows that look cheap and are cheap, will at once put the stamp of disapproval upon a building no matter how well constructed other portions of the structure may be.

A good, well built window remains always that which it was in the beginning, while a cheap, poorly made window is apt to prove a source of annoyance and expense.

The term "Window" as used in this booklet means two sash, top and bottom. The term "Sash" means one piece to fill an opening.

In ordering, state first the WIDTH of glass, second the HEIGHT of glass, number of lights in windows, thickness and if windows are odd sizes (not listed), give outside dimensions and sketch.

New York sizes of windows measure 4 inches of wood IN WIDTH over glass and 6 inches of wood IN HEIGHT over glass.

All New York sizes of windows have $\frac{1}{2}$ -inch lip.

All windows and sash orders will be filled Glazed unless specifically ordered Unglazed.

UNGLAZED SASH AND BLINDS

We carry in stock Unglazed Sash as per New York Sizes shown on Glazed Window pages.


Blinds and Shutters for New York size windows made to order at short notice.

When ordering Blinds, mention size, and if stationary or rolling slats.

BLINDS and SHUTTERS are given a Toxic and Water Repellent Treatment to protect against decay.

DETAILS OF *Andersen* FRAMES

PART FRAME LIST—FRAME NO. 605



HEADS AND SILLS

Size

1- 6

1- 8

1-10

2- 0

2- 2

2- 4

2- 6

2- 8

2-10

3- 0

3- 2

3- 4

3- 8

SIDES

Size

2- 6

2-10

3- 2

3- 6

3-10

4- 2

4- 6

4-10

5- 2

5- 6

25/32" x 3 3/4" Casing

3/4" x 4 7/16" Jamb Stock

2" x 8" Sill Stock

1 1/8" x 1 5/16" Drip Cap

1/2" x 1 1/16" Blind Stop


1/2" x 1 1/16" Parting Bead

3/4" x 1 1/16" Inside Liner

3/4" x 5 1/2" Mullion Casing

Andersen CELLAR FRAMES

NO. 554



HEADS AND SILLS

Size

1-10

2- 1

2- 4

2- 5 1/2

2- 7

2-10

3- 0

SIDES

Size

1- 1

1- 2

1- 3

1- 4

1- 5

1- 6

1- 7

1- 8

1- 9


1-10

1-11


2- 0

2- 1

DETAILS OF *Andersen* FRAMES



$2\frac{25}{32}'' \times 3\frac{3}{4}''$ Jamb Stock
 $2'' \times 8''$ Sill Stock
 $1\frac{3}{32}'' \times 3\frac{3}{4}''$ Head-Casing
 $\frac{3}{4}'' \times 1\frac{1}{4}''$ Blind Stop— $2\frac{25}{32}'' \times 1\frac{3}{32}''$ Inside Liner
 $1\frac{3}{32}'' \times 1\frac{1}{2}''$ Drip-Cap— $\frac{1}{2}'' \times \frac{3}{4}''$ Parting Strip



NO. 601

PART FRAME LIST

HEADS AND SILLS		SIDES	
Size	Glass	Size	Glass
1- 6	14'' 1 light	2- 6	12'' 2 lights
1- 8	16'' "	2-10	14'' "
1-10	18'' "	3- 0	15'' "
2- 0	20'' "	3- 2	16'' "
2- 1	21'' "	3- 6	18'' "
2- 2	22'' "	3-10	20'' "
2- 4	24'' "	4- 2	22'' "
2- 6	26'' "	4- 6	24'' "
2- 7	27'' "	4-10	26'' "
2- 8	28'' "	5- 2	28'' "
2-10	30'' "	5- 6	30'' "
3- 0	32'' "	5-10	32'' "
3- 2	34'' "		
3- 4	36'' "		
3- 6	38'' "		
3- 8	40'' "		
4- 0	44'' "		

This frame also carried without pulleys so that it can be used with **Unique Balances** which are for sale by us. Windows must be ploughed special for balances. Mullions on no pulley frames have $2\frac{3}{4}''$ outside casing.

Long lengths of parts of this frame, kept in stock.

Stationary Sash Frames for 2-0 to 3-0 high sash, in stock. Detail same as No. 601.

NO. 609

For $1\frac{1}{8}''$ Plain Rail Windows

$1'' \times 4\frac{3}{8}''$ Jambs— $1\frac{1}{4}'' \times 6''$ Stools


HEADS AND SILLS		SIDES
Size		Size
1-10		3- 2
2- 1		3- 6
2- 4		3-10
2- 6		4- 6
2- 7		4-10
2- 8		5- 2
2-10		

DETAILS OF *Andersen* BOX FRAMES

NO. 671

PART FRAME LIST

HEADS AND SILLS		SIDES	
Size	Glass	Size	Glass
1-8	16" 1 light	2-10	14" 2 lights
1-10	18" "	3-0	15" "
2-0	20" "	3-2	16" "
2-2	22" "	3-6	18" "
2-4	24" "	3-10	20" "
2-6	26" "	4-2	22" "
2-8	28" "	4-6	24" "
2-10	30" "	4-10	26" "
3-0	32" "	5-2	28" "
3-4	36" "	5-6	30" "
3-8	40" "	5-10	32" "



$1\frac{3}{8}$ " x $4\frac{13}{32}$ " Head Jamb Stock
 2 " x 8 " Sill Stock
 $\frac{1}{2}$ " x $\frac{3}{4}$ " Parting Strip
 $\frac{25}{32}$ " x $1\frac{3}{4}$ " Head Blind Stop
 $1\frac{1}{16}$ " x 2 " Brick Mould


Long lengths of parts of this frame, kept in stock.

ANDERSEN CASEMENT FRAMES

NO. 702

PART FRAME LIST

HEADS AND SILLS		SIDES
Size		Size
1-0		2-0
1-2		2-4
1-4		2-5
1-6		2-6
2-0		3-0
2-4		3-6
2-6		3-10
2-8		4-0
3-0		4-6
4-0		4-10
		5-2




2 " x 8 " Sill Stock
 $1\frac{3}{4}$ " x $5\frac{1}{4}$ " Jamb Stock
 1 " x $2\frac{25}{32}$ " No. 942 Filler for Stool
 $1\frac{3}{32}$ " x $3\frac{3}{4}$ " Casing
 $\frac{49}{64}$ " x 1 " No. 941 Head Jamb Stop
 $1\frac{3}{32}$ " x $1\frac{1}{2}$ " No. 922 Drip-Cap

For in-swinging or out-swinging sash.

Long lengths of parts of this frame, kept in stock.

DETAILS OF *Andersen* DOOR FRAMES



No. 801


1 3/8" x 5 1/4" Jamb
 2" x 8" Oak Sill Stock
 1 1/16" x 3 3/4" Casing
 1 1/8" x 1 1/2" Drip Cap

No. 801 PART FRAME LIST

Head with Oak Sill	Side Bundle
2- 6	6- 6
2- 8	6- 8
2-10	6-10
3- 0	7- 0
4- 0	
5- 0	

No. 805

Head with Oak Sill	Side Bundle
2- 6	6- 6
2- 8	6- 8
2-10	6-10
3- 0	7- 0



No. 805

1 3/8" x 5 1/4" Jamb
 2" x 8" Oak Sill Stock
 25/32" x 3 3/4" Casing
 1 1/8" x 1 1/16" Drip Cap


Specify on Frames 801 and 805 whether for 1 3/8" or 1 3/4" doors.

SIDELIGHT DOOR FRAME

Detail No. 801

Size of Door	Size of Sidelight
2- 8 x 6- 8	1-6 x 6- 8
2-10 x 6-10	1-6 x 6-10
3- 0 x 7- 0	1-6 x 7- 0

Rabbeted for 1 3/4" Doors



No. 872

CIRCLE TOP DOOR FRAME

Heads and Sills

For Andersen No. 801 and No. 805

2- 8	1 3/4" rabbet
2-10	1 3/4" rabbet
3- 0	1 3/4" rabbet

ANDERSEN PLANK DOOR FRAME

No. 872 — No Sill

2- 6 x 6- 6
2- 8 x 6- 8
2-10 x 6-10
3- 0 x 7- 0

Specify whether 1 3/8" or 1 3/4" rabbet on above frames.

GLAZED WINDOWS


Toxic and Water Repellent Treated
New York Sizes

TWELVE LIGHT Check Rail Single-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required $1\frac{3}{8}$ "
6 x 8	1-10 x 3- 2	4
	2- 0 x 2- 6	$3\frac{1}{2}$
	2-10	4
	3- 0	4
	3- 2	4
	3- 6	$4\frac{1}{2}$
	3-10	$4\frac{1}{2}$
	4- 2	5
	4- 6	5
	4-10	5
7 x 9	5- 2	5
	2- 1 x 3- 6	4
	2- 2 x 4- 2	5
	4- 6	$5\frac{1}{2}$
	4-10	$5\frac{1}{2}$
	2- 4 x 2- 6	4
	2-10	4
	3- 0	4
	3- 2	4
	3- 6	$4\frac{1}{2}$
8 x 6	3-10	5
	4- 2	5
	4- 6	$5\frac{1}{2}$
	4-10	$5\frac{1}{2}$
	5- 2	6
	2- 6 x 2- 6	4
	2-10	$4\frac{1}{2}$
	3- 0	$4\frac{1}{2}$
	3- 2	$4\frac{1}{2}$
	3- 6	5
9 x 10	3-10	5
	4- 2	5
	4- 6	$5\frac{1}{2}$
	4-10	6
	5- 2	6
	2- 7 x 3-10	5
	4- 2	5
	4- 6	$5\frac{1}{2}$
	4-10	6
	5- 2	6
10 x 9	2- 8 x 2-10	5
	3- 2	5
	3- 6	5
	3-10	$5\frac{1}{2}$
	4- 2	$5\frac{1}{2}$
	4- 6	$5\frac{1}{2}$
	4-10	6
	5- 2	6
	5- 6	$6\frac{1}{2}$
	2-10 x 3- 6	$4\frac{1}{2}$
11 x 12	3-10	$4\frac{1}{2}$
	4- 2	5
	4- 6	6
	4-10	6
	5- 2	$6\frac{1}{2}$
	5- 6	7
	2-10 x 4- 6	$4\frac{1}{2}$
	4-10	6
	5- 2	$6\frac{1}{2}$
	5- 6	7



Twelve-Light



Sixteen-Light

SIXTEEN LIGHT Check Rail Single-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required $1\frac{3}{8}$ "
8 x 7	3- 0 x 2- 6	5
	3- 2	$5\frac{1}{2}$
	3- 6	$5\frac{1}{2}$
	3-10	6
	4- 2	6
	4- 6	$6\frac{1}{2}$
	4-10	$6\frac{1}{2}$
	5- 2	$6\frac{1}{2}$
	3- 4 x 4- 2	$6\frac{1}{2}$
	4- 6	7
9 x 11	4-10	7
	5- 2	7
	3- 0 x 2- 6	5
	3- 2	$5\frac{1}{2}$
	3- 6	$5\frac{1}{2}$
	3-10	6
	4- 2	6
	4- 6	$6\frac{1}{2}$
	4-10	$6\frac{1}{2}$
	5- 2	$6\frac{1}{2}$



TWELVE LIGHT

Thickness— $1\frac{1}{8}$ "

Plain Rail
Single-Thick
Glass


Size of Glass	Outside Dimensions
6 x 8	1-10 x 3- 2
7 x 9	2- 1 x 3- 6
8 x 10	2- 4 x 3-10
9 x 12	4- 6
10 x 12	2- 7 x 4- 6
11 x 12	4-10
12 x 12	5- 2
13 x 12	2-10 x 4- 6
14 x 12	5- 2

GLAZED WINDOWS

Toxic and Water Repellent Treated
CHECK RAIL—New York Sizes

TWO LIGHT Single-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required S-Thick 1 3/4"
16 x 16	1- 8 x 3- 2	3
18	3- 6	3 1/2
20	3-10	3 1/2
24	4- 6	3 1/2
26	4-10	4
28	5- 2	4
18 x 16	1-10 x 3- 2	3 1/2
18	3- 6	3 1/2
20	3-10	4
24	4- 6	4
26	4-10	4 1/2
28	5- 2	5
20 x 12	2- 0 x 2- 6	3
14	2-10	3
16	3- 2	3 1/2
18	3- 6	3 1/2
20	3-10	4
22	4- 2	4
24	4- 6	4 1/2
26	4-10	4 1/2
28	5- 2	5
22 x 16	2- 2 x 3- 2	3 1/2
18	3- 6	4
20	3-10	4
22	4- 2	4
24	4- 6	4 1/2
26	4-10	4 1/2
28	5- 2	5
24 x 12	2- 4 x 2- 6	3
14	2-10	3
16	3- 2	3 1/2
18	3- 6	4
20	3-10	4 1/2
22	4- 2	4 1/2
24	4- 6	5
26	4-10	5
28	5- 2	5 1/2
30	5- 6	6
26 x 12	2- 6 x 2- 6	3 1/2
14	2-10	3 1/2
16	3- 2	4
18	3- 6	4 1/2
20	3-10	4 1/2
22	4- 2	5
24	4- 6	5
26	4-10	5 1/2
28	5- 2	5 1/2
30	5- 6	6
28 x 14	2- 8 x 2-10	4
16	3- 2	4
18	3- 6	4 1/2
20	3-10	4 1/2
22	4- 2	5
24	4- 6	5 1/2
26	4-10	5 1/2
28	5- 2	6
30	5- 6	6



Size of Glass	Two-Light Outside Dimensions	Sash Weights Required S-Thick 1 3/4"
28 x 24	2- 8 x 4- 6	5
26	4-10	5 1/2
28	5- 2	5 1/2
30	5- 6	6
30 x 16	2-10 x 3- 2	4 1/2
18	3- 6	5
20	3-10	5
24	4- 6	5 1/2
26	4-10	6
28	5- 2	6 1/2
30	5- 6	6 1/2
32 x 26	3- 0 x 4-10	6 1/2
28	5- 2	7
30	5- 6	7

TWO LIGHT Double-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required D-Thick 1 3/4"
24 x 24	2- 4 x 4- 6	6
26	4-10	6
28	5- 2	6 1/2
30	5- 6	7
26 x 24	2- 6 x 4- 6	6 1/2
26	4-10	7
28	5- 2	7
30	5- 6	7 1/2
28 x 24	2- 8 x 4- 6	6 1/2
26	4-10	7
28	5- 2	7
30	5- 6	7 1/2
30 x 24	2-10 x 4- 6	6 1/2
26	4-10	7
28	5- 2	7 1/2
30	5- 6	8
32 x 26	3- 0 x 4-10	8
28	5- 2	8
30	5- 6	8 1/2
36 x 26	3- 4 x 4-10	8
28	5- 2	8
30	5- 6	8 1/2
40 x 28	3- 8 x 5- 2	9
30	5- 6	9 1/2

GLAZED WINDOWS

Toxic and Water Repellent Treated
New York Sizes
Single-Thick Glass



Four-Light



Two-Light

FOUR LIGHT

Check Rail

Size of Glass	Outside Dimensions	Sash Weights Required 1 1/8"
10 x 20	2- 0 x 3-10	4 1/2
12 x 20	2- 4 x 3-10	4 1/2
22	4- 2	4 1/2
24	4- 6	4 1/2
26	4-10	5
28	5- 2	5 1/2
13 x 24	2- 6 x 4- 6	4 1/2
26	4-10	5
28	5- 2	5 1/2
13 1/2 x 24	2- 7 x 4- 6	5
26	4-10	5 1/2
28	5- 2	6
30	5- 6	6
14 x 20	2- 8 x 3-10	4 1/2
22	4- 2	4 1/2
24	4- 6	5
26	4-10	5 1/2
28	5- 2	6
30	5- 6	6
15 x 24	2-10 x 4- 6	5 1/2
26	4-10	5 1/2
28	5- 2	6
30	5- 6	6

FOUR LIGHT

Plain Rail

Size of Glass	Outside Dimensions	Thickness—1 1/8"
12 x 20	2-4 x 3-10	
24	4- 6	
13 1/2 x 24	2-7 x 4- 6	
26	4-10	
14 x 24	2-8 x 4- 6	
26	4-10	
28	5- 2	

TWO LIGHT

Plain Rail

Thickness—1 1/8"

Size of Glass	Outside Dimensions
24 x 20	2-4 x 3-10
24	4- 6
26 x 24	2-6 x 4- 6
26	4-10
27 x 24	2-7 x 4- 6
26	4-10



Eight-Light


EIGHT LIGHT

Check Rail

Size of Glass	Outside Dimensions	Sash Weights Required 1 1/8"
7 x 7	1- 6 x 2-10	2 1/2
8	3- 2	3
9	3- 6	3
10	3-10	3 1/2
11	4- 2	3 1/2
12	4- 6	3 1/2
8 x 7	1- 8 x 2-10	3
8	3- 2	3
9	3- 6	3 1/2
10	3-10	3 1/2
11	4- 2	3 1/2
12	4- 6	3 1/2
9 x 7	1-10 x 2-10	3 1/2
8	3- 2	3
9	3- 6	3 1/2
10	3-10	4
11	4- 2	4
12	4- 6	4

GLAZED WINDOWS

Toxic and Water Repellent Treated
CHECK RAIL
New York Sizes—Single-Thick Glass



SIX LIGHTS IN TOP
ONE LIGHT IN BOTTOM

SINGLE-THICK TOP
DOUBLE-THICK BOTTOM

Size of Glass	Outside Dimensions	Sash Weights Required	
		1 3/8" T.	B.
20 x 12	2-0 x 2-6	4	3
14	2-10	4	3
15	3-0	4 1/2	3 1/2
16	3-2	4 1/2	3 1/2
18	3-6	5	4
20	3-10	5	4
22	4-2	5	4
24	4-6	5 1/2	4 1/2
26	4-10	5 1/2	4 1/2
28	5-2	5 1/2	4 1/2
22 x 14	2-2 x 2-10	4	3
15	3-0	4 1/2	3 1/2
16	3-2	4 1/2	3 1/2
18	3-6	5	4
20	3-10	5	4
22	4-2	5	4
24	4-6	5 1/2	4 1/2
26	4-10	5 1/2	4 1/2
28	5-2	5 1/2	4 1/2
24 x 12	2-4 x 2-6	4	3
14	2-10	4	3
15	3-0	4 1/2	3 1/2
16	3-2	4 1/2	3 1/2
18	3-6	5	4
20	3-10	5 1/2	4 1/2
22	4-2	5 1/2	4 1/2
24	4-6	5 1/2	4 1/2
26	4-10	6	5
28	5-2	6	5
26 x 12	2-6 x 2-6	4 1/2	3 1/2
14	2-10	4 1/2	3 1/2
15	3-0	5	4
16	3-2	5	4
18	3-6	5 1/2	4 1/2
20	3-10	5 1/2	4 1/2
22	4-2	5 1/2	4 1/2
24	4-6	6	5
26	4-10	6 1/2	5 1/2
28	5-2	6 1/2	5 1/2
28 x 14	2-8 x 2-10	5	4
16	3-2	5	4
18	3-6	5 1/2	4 1/2
20	3-10	5 1/2	4 1/2
22	4-2	5 1/2	4 1/2
24	4-6	6	5
26	4-10	6 1/2	5 1/2
28	5-2	6 1/2	5 1/2
30	5-6	7	6
30 x 16	2-10 x 3-2	5 1/2	4 1/2
18	3-6	6	5
20	3-10	6	5
22	4-2	6	5
24	4-6	6 1/2	5 1/2
26	4-10	6 1/2	5 1/2
28	5-2	7	6
30	5-6	7 1/2	6 1/2

Sash Weights Required	
1 3/8" T.	B.
5 1/2	6
6	6
6	6 1/2

6	6 1/2
6 1/2	7
6 1/2	7

6	6 1/2
6 1/2	7
6 1/2	7
7	7 1/2


6 1/2	6 1/2
6 1/2	7
7	7 1/2
7 1/2	8

GLAZED WINDOWS

Toxic and Water Repellent Treated

CHECK RAIL


New York Sizes



Glazed with Single-Thick
Glass in Top Sash

Double-Thick Glass in
Bottom Sash 36'' and 40'' wide

Single-Thick Glass in
Bottom Sash 32'' wide



EIGHT LIGHTS IN TOP ONE LIGHT IN BOTTOM

Size of Glass	Outside Dimensions	Sash Weights Required	
		1 3/4'' T.	B.
32 x 14	3-0 x 2-10	5 1/2	4 1/2
16	3- 2	6	5
18	3- 6	6	5
20	3-10	6 1/2	5 1/2
22	4- 2	6 1/2	5 1/2
24	4- 6	7	6
26	4-10	7 1/2	6 1/2
28	5- 2	8	7
36 x 24	3-4 x 4- 6	7	7 1/2
26	4-10	7	8
28	5- 2	7 1/2	8
30	5- 6	8	8 1/2
40 x 24	3-8 x 4- 6	8	8 1/2
26	4-10	8 1/2	9
28	5- 2	8 1/2	9
30	5- 6	9	9 1/2

SIX VERTICAL LIGHTS IN TOP ONE LIGHT IN BOTTOM

Size of Glass	Outside Dimensions	Sash Weights Required	
		1 3/4'' T.	B.
40 x 24	3-8 x 4- 6	8	8 1/2
26	4-10	8 1/2	9
28	5- 2	8 1/2	9
30	5- 6	9	9 1/2

FOUR LIGHTS IN TOP ONE LIGHT IN BOTTOM

Glazed with Single-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required	
		1 3/4'' T.	B.
14 x 16	1- 6 x 3- 2	3	2 1/2
18	3- 6	3 1/2	3
20	3-10	3 1/2	3
22	4- 2	4	3 1/2
24	4- 6	4	3 1/2
26	4-10	4	3 1/2
16 x 16	1- 8 x 3- 2	3 1/2	3
18	3- 6	4	3 1/2
20	3-10	4	3 1/2
24	4- 6	4	3 1/2
26	4-10	4 1/2	4
18 x 16	1-10 x 3- 2	4	3 1/2
18	3- 6	4	3 1/2
20	3-10	4 1/2	4
24	4- 6	4 1/2	4
26	4-10	5	4 1/2
20 x 16	2- 0 x 3- 2	4	3 1/2
18	3- 6	4 1/2	4
20	3-10	4 1/2	4
24	4- 6	5	4 1/2
26	4-10	5	4 1/2
28	5- 2	5	4 1/2
30	5- 6	5 1/2	5



Four Light Top
One Light Bottom

GLAZED WINDOWS

Toxic and Water Repellent Treated
CHECK RAIL
New York Sizes

THREE VERTICAL LIGHTS OVER ONE Single-Thick Glass

Size of Glass	Outside Dimensions	Sash Weights Required	
		$1\frac{3}{8}"$ T.	B.
16 x 16	1- 8 x 3- 2	$3\frac{1}{2}$	3
18	3- 6	4	$3\frac{1}{2}$
20	3-10	4	$3\frac{1}{2}$
24	4- 6	4	$3\frac{1}{2}$
26	4-10	$4\frac{1}{2}$	4
28	5- 2	$4\frac{1}{2}$	4
18 x 16	1-10 x 3- 2	4	$3\frac{1}{2}$
18	3- 6	4	$3\frac{1}{2}$
20	3-10	$4\frac{1}{2}$	4
24	4- 6	$4\frac{1}{2}$	4
26	4-10	5	$4\frac{1}{2}$
28	5- 2	5	$4\frac{1}{2}$
20 x 16	2- 0 x 3- 2	4	$3\frac{1}{2}$
18	3- 6	$4\frac{1}{2}$	4
20	3-10	$4\frac{1}{2}$	4
24	4- 6	5	$4\frac{1}{2}$
26	4-10	5	$4\frac{1}{2}$
28	5- 2	5	$4\frac{1}{2}$
22 x 16	2- 2 x 3- 2	4	$3\frac{1}{2}$
18	3- 6	$4\frac{1}{2}$	4
20	3-10	$4\frac{1}{2}$	4
22	4- 2	$4\frac{1}{2}$	4
24	4- 6	5	$4\frac{1}{2}$
26	4-10	5	$4\frac{1}{2}$
28	5- 2	5	$4\frac{1}{2}$
24 x 16	2- 4 x 3- 2	4	$3\frac{1}{2}$
18	3- 6	$4\frac{1}{2}$	4
20	3-10	5	$4\frac{1}{2}$
24	4- 6	5	$4\frac{1}{2}$
26	4-10	5	$4\frac{1}{2}$
28	5- 2	$5\frac{1}{2}$	5
30	5- 6	6	$5\frac{1}{2}$
26 x 16	2- 6 x 3- 2	$4\frac{1}{2}$	4
18	3- 6	5	$4\frac{1}{2}$
20	3-10	5	$4\frac{1}{2}$
24	4- 6	$5\frac{1}{2}$	5
26	4-10	$5\frac{1}{2}$	5
28	5- 2	6	$5\frac{1}{2}$
30	5- 6	$6\frac{1}{2}$	6
28 x 16	2- 8 x 3- 2	$4\frac{1}{2}$	4
18	3- 6	5	$4\frac{1}{2}$
20	3-10	5	$4\frac{1}{2}$
24	4- 6	$5\frac{1}{2}$	5
26	4-10	6	$5\frac{1}{2}$
28	5- 2	6	$5\frac{1}{2}$
30	5- 6	$6\frac{1}{2}$	6



Three Vertical Lights in Top
One Light in Bottom

2 (2'6" x 4'6")
4 (2'4" x 4'6")
3 (2'2" x 4'6")

WEIGHTS AND SASH
CORD CARRIED
FOR ALL SIZE
WINDOWS

GLAZED WINDOWS

Toxic and Water Repellent Treated

CHECK RAIL

New York Sizes

Single Thick Glass Top
Single and Double-Thickness Glass Bottom

Sash Weights Required

Size of Glass	Outside Dimensions	1 3/8" S.T.		1 3/8" D.T. Bot.	
		T.	B.	T.	B.
22 x 16	2-2 x 3- 2	4 1/2	3 1/2		
18	3- 6	5	4		
20	3-10	5	4		
22	4- 2	5	4		
24	4- 6	5 1/2	4 1/2		
26	4-10	5 1/2	4 1/2		
28	5- 2	5 1/2	4 1/2		
24 x 16	2-4 x 3- 2	4 1/2	3 1/2		
18	3- 6	5	4		
20	3-10	5 1/2	4 1/2		
24	4- 6	5 1/2	4 1/2	5 1/2	6
26	4-10	6	5	6	6
28	5- 2	6	5	6	6 1/2
26 x 16	2-6 x 3- 2	5	4		
18	3- 6	5 1/2	4 1/2		
20	3-10	5 1/2	4 1/2		
24	4- 6	6	5	6	6 1/2
26	4-10	6 1/2	5 1/2	6 1/2	7
28	5- 2	6 1/2	5 1/2	6 1/2	7
28 x 16	2-8 x 3- 2	5	4		
18	3- 6	5 1/2	4 1/2		
20	3-10	5 1/2	4 1/2		
24	4- 6	6	5	6	6 1/2
26	4-10	6 1/2	5 1/2	6 1/2	7
28	5- 2	6 1/2	5 1/2	6 1/2	7
30	5- 6	7	6	7	7 1/2

FOUR VERTICAL
LIGHTS IN TOP
ONE LIGHT IN BOTTOMFIVE VERTICAL
LIGHTS IN TOP
ONE LIGHT IN BOTTOM

Sash Weights Required

Size of Glass	Outside Dimensions	1 3/8" S.T.		1 3/8" D.T. Bot.	
		T.	B.	T.	B.
30 x 16	2-10 x 3- 2	5 1/2	4 1/2		
18	3- 6	6	5		
20	3-10	6	5		
22	4- 2	6	5		
24	4- 6	6 1/2	5 1/2	6 1/2	6 1/2
26	4-10	6 1/2	5 1/2	6 1/2	7
28	5- 2	7	6	7	7 1/2
30	5- 6	7 1/2	6 1/2	7 1/2	8
32 x 24	3- 0 x 4- 6	7	6	7	7
26	4-10	7 1/2	6 1/2	7 1/2	8
28	5- 2	8	7	8	8
36 x 24	3- 4 x 4- 6			7	7 1/2
26	4-10			7	8
28	5- 2			7 1/2	8
30	5- 6			8	8 1/2

GLAZED CELLAR SASH

Toxic and Water Repellent Treated

New York Sizes

1 1/8" Thick

4" Wood in Width Over Glass

4" or 5" Wood in Height Over Glass



Three Light

6 x 8	9 x 12
7 x 9	13
8 x 8	14
9	15
10	16
12	18
8 1/2 x 9	10 x 10
10	12
17	13
18	14
9 x 10	15
	16
	18
	20




Four Light Long

6 x 8
7 x 9
8 x 10
12



Four Light Square

6 x 8
7 x 9
8 x 10
12
9 x 12
13
14
10 x 10
12
14



Six Light

6 x 8
7 x 9
8 x 10
12
9 x 12
13
14
10 x 12
14
16



Six-Light

7 x 9
8 x 10
9 x 12
10 x 12



Nine Light

7 x 9
8 x 10
12
9 x 12
10 x 12

GLAZED SASH

Toxic and Water Repellent Treated

New York Layout

All Single Sash 3" Bottom Rail

EIGHT-LIGHT SASH, GLAZED



Size	Thickness
3-0 x 2-0	1 3/8

TEN-LIGHT SASH, GLAZED



Size	Thickness
4-0 x 2-0	1 3/8

GLAZED SASH

Toxic and Water Repellent Treated

New York Layout


All Single Sash 3" Bottom Rail

BORDER-LIGHT SASH

Plain Glass in Centre, Assorted Colors in

Border

1 3/8" Thick



Size
2-0 x 2-0
2-6 x 2-0

Size
2-6 x 2-6
3-0 x 2-0

SIX-LIGHT SASH, GLAZED



Size	Thickness
2-0 x 2-0	1 3/8
2-4 x 2-4	1 1/8
2-6 x 2-0	1 3/8
2-6 x 2-6	1 1/8 and 1 3/8

DIAMOND-LIGHT SASH

Glazed with Plain Glass

1 3/8" Thick



Size	12 Diamond Lights
2-0 x 2-0	17
2-6 x 2-0	17
2-6 x 2-6	17
3-0 x 2-0	17

ONE-LIGHT SASH, GLAZED

1 3/8 Inches Thick



Size
2-0 x 2-0
2-4 x 2-4
2-6 x 2-0
2-6 x 2-6
3-0 x 2-0

SKYLIGHTS

Glazed with Single-Thick Lapped Glass


1 3/8" Thick



Size
2-0 x 2-6
3-0
2-6 x 3-0
3-6
3-0 x 4-0
5-0

GLAZED HOT BED SASH

Single-Glazed Lapped Glass




Size	Thickness	Style	Glass
3-0 x 6-0	1 3/8	5 lights wide	6" single thick
6-0	1 3/4	5 " "	6" " "
6-0	1 3/8	5 " "	6" double thick
6-0	1 3/4	5 " "	6" " "

SINGLE AND PAIRS OF CASEMENT SASH

Toxic and Water Repellent Treated

1 $\frac{3}{8}$ " Thick



SIX LIGHTS

1-0 x 2-6
3-0
3-6
1-2 x 2-6
3-0
3-6
1-4 x 2-6
3-0
3-6
1-6 x 2-6
3-0
3-6

EIGHT LIGHTS

1-2 x 4-0
4-6
4-10
5-2
1-4 x 4-0
4-6
4-10
5-2
1-6 x 4-0
4-6
4-10
5-2
2-0 x 4-0
4-6
4-10
5-2

TWELVE LIGHTS

2-0 x 2-6
3-0
3-6
2-4 x 2-6
3-0
3-6
2-8 x 2-6
3-0
3-6
3-0 x 2-6
3-0
3-6

SIXTEEN LIGHTS

2-4 x 4-0
4-6
4-10
5-2
2-8 x 4-0
4-6
4-10
5-2
3-0 x 4-0
4-6
4-10
5-2
4-0 x 4-0
4-6
4-10
5-2

Pairs of Sash are rabbeted and beaded to swing out unless otherwise specified.

HALF-CIRCLE SASH AND FRAMES

Glazed with Single-Thick Glass



Size
2-6 x 1-3

Thickness
1 $\frac{3}{8}$

QUARTER-CIRCLE SASH AND FRAMES

Glazed with Single-Thick Glass



Size
1-4 x 1-4

Thickness
1 $\frac{3}{8}$

Right or Left

GLAZED STORM SASH

Toxic and Water Repellent Treated
New York Sizes

1 1/8" Thick

4 1/8" Wood in Width Over Glass
7 5/8" " " Height " "

FOUR LIGHTS

Size of Glass	Outside Dimensions	Size of Glass	Outside Dimensions	Size of Glass	Outside Dimensions
10 x 14	2-0 1/8 x 2-11 5/8	13 x 14	2-6 1/8 x 2-11 5/8	14 x 28	2- 8 1/8 x 5- 3 5/8
16	3- 3 5/8	16	3- 3 5/8	30	5- 7 5/8
18	3- 7 5/8	18	3- 7 5/8	32	5-11 5/8
20	3-11 5/8	20	3-11 5/8	15 x 24	2-10 1/8 x 4- 7 5/8
22	4- 3 5/8	22	4- 3 5/8	26	4-11 5/8
24	4- 7 5/8	24	4- 7 5/8	28	5- 3 5/8
26	4-11 5/8	26	4-11 5/8	30	5- 7 5/8
28	5- 3 5/8	28	5- 3 5/8	32	5-11 5/8
11 x 16	2-2 1/8 x 3- 3 5/8	30	5- 7 5/8	16 x 24	3- 0 1/8 x 4- 7 5/8
18	3- 7 5/8	32	5-11 5/8	26	4-11 5/8
20	3-11 5/8	13 1/2 x 16	2-7 1/8 x 3- 3 5/8	28	5- 3 5/8
22	4- 3 5/8	18	3- 7 5/8	30	5- 7 5/8
24	4- 7 5/8	20	3-11 5/8	32	5-11 5/8
26	4-11 5/8	22	4- 3 5/8	18 x 24	3- 4 1/8 x 4- 7 5/8
28	5- 3 5/8	24	4- 7 5/8	26	4-11 5/8
12 x 14	2-4 1/8 x 2-11 5/8	26	4-11 5/8	28	5- 3 5/8
16	3- 3 5/8	28	5- 3 5/8	30	5- 7 5/8
18	3- 7 5/8	14 x 16	2-8 1/8 x 3- 3 5/8	32	5-11 5/8
20	3-11 5/8	18	3- 7 5/8		
22	4- 3 5/8	20	3-11 5/8		
24	4- 7 5/8	22	4- 3 5/8		
26	4-11 5/8	24	4- 7 5/8		
28	5- 3 5/8	26	4-11 5/8		
30	5- 7 5/8				


TWELVE LIGHTS

Size of Glass	Outside Dimensions
8 x 10	2- 4 1/8 x 3-11 5/8
12	4- 7 5/8
9 x 12	2- 7 1/8 x 4- 7 5/8
13	4-11 5/8

STORM SASH FASTENER

Makes the sash easy to put on or take off.
Can be operated from the inside of the house.
Does not require removal of the screen guides.
Well made of galvanized steel and makes the sash tight, but can be adjusted to admit air.
See illustration.

Can be applied to Conn. Style Frames.



GLAZED STORM SASH

Toxic and Water Repellent Treated

New York Sizes

1 1/8" Thick

4 1/8" Wood in Width Over Glass

7 5/8" " " Height " "

TWO LIGHTS

Size of Glass	Outside Dimensions	Size of Glass	Outside Dimensions	Size of Glass	Outside Dimensions
16 x 16	1- 8 1/8 x 3- 3 5/8	24 x 14	2- 4 1/8 x 2-11 5/8	28 x 14	2- 8 1/8 x 2-11 5/8
18	3- 7 5/8	16	3- 3 5/8	16	3- 3 5/8
20	3-11 5/8	18	3- 7 5/8	18	3- 7 5/8
22	4- 3 5/8	20	3-11 5/8	20	3-11 5/8
24	4- 7 5/8	22	4- 3 5/8	22	4- 3 5/8
26	4-11 5/8	24	4- 7 5/8	24	4- 7 5/8
28	5- 3 5/8	26	4-11 5/8	26	4-11 5/8
18 x 16	1-10 1/8 x 3- 3 5/8	28	5- 3 5/8	28	5- 3 5/8
18	3- 7 5/8	30	5- 7 5/8	30	5- 7 5/8
20	3-11 5/8	32	5-11 5/8	32	5-11 5/8
22	4- 3 5/8	26 x 14	2- 6 1/8 x 2-11 5/8	30 x 16	2-10 1/8 x 3- 3 5/8
24	4- 7 5/8	16	3- 3 5/8	18	3- 7 5/8
26	4-11 5/8	18	3- 7 5/8	20	3-11 5/8
28	5- 3 5/8	20	3-11 5/8	22	4- 3 5/8
20 x 14	2- 0 1/8 x 2-11 5/8	22	4- 3 5/8	24	4- 7 5/8
16	3- 3 5/8	24	4- 7 5/8	26	4-11 5/8
18	3- 7 5/8	26	4-11 5/8	28	5- 3 5/8
20	3-11 5/8	28	5- 3 5/8	30	5- 7 5/8
22	4- 3 5/8	30	5- 7 5/8	32	5-11 5/8
24	4- 7 5/8	32	5-11 5/8	32 x 16	3- 0 1/8 x 3- 3 5/8
26	4-11 5/8	27 x 16	2- 7 1/8 x 3- 3 5/8	18	3- 7 5/8
28	5- 3 5/8	18	3- 7 5/8	20	3-11 5/8
30	5- 7 5/8	20	3-11 5/8	22	4- 3 5/8
32	5-11 5/8	22	4- 3 5/8	24	4- 7 5/8
22 x 14	2- 2 1/8 x 2-11 5/8	24	4- 7 5/8	26	4-11 5/8
16	3- 3 5/8	26	4-11 5/8	28	5- 3 5/8
18	3- 7 5/8	28	5- 3 5/8	30	5- 7 5/8
20	3-11 5/8	30	5- 7 5/8	32	5-11 5/8
22	4- 3 5/8				
24	4- 7 5/8				
26	4-11 5/8				
28	5- 3 5/8				
30	5- 7 5/8				
32	5-11 5/8				

BLINDS AND SHUTTERS


Toxic and Water Repellent Treated

Blinds and Shutters are made of Clear Pine, $1\frac{1}{8}$ inches thick, in Pairs.

For Shutters specify cut-outs by letter. Special cut-outs if desired.

NEW YORK SIZES


Two Lights	Outside Dimensions	Two Lights	Outside Dimensions
20 x 20	1-11 $\frac{3}{4}$ x 3-11	30 x 20	2- 9 $\frac{3}{4}$ x 3-11
22	4- 3	22	4- 3
24	4- 7	24	4- 7
26	4-11	26	4-11
28	5- 3	28	5- 3
30	5- 7	30	5- 7
24 x 20	2- 3 $\frac{3}{4}$ x 3-11	32 x 20	2-11 $\frac{3}{4}$ x 3-11
22	4- 3	22	4- 3
24	4- 7	24	4- 7
26	4-11	26	4-11
28	5- 3	28	5- 3
30	5- 7	30	5- 7
26 x 20	2- 5 $\frac{3}{4}$ x 3-11	36 x 22	3- 3 $\frac{3}{4}$ x 4- 3
22	4- 3	24	4- 7
24	4- 7	26	4-11
26	4-11	28	5- 3
28	5- 3	30	5- 7
30	5- 7	40 x 22	3- 7 $\frac{3}{4}$ x 4- 3
28 x 20	2- 7 $\frac{3}{4}$ x 3-11	24	4- 7
22	4- 3	26	4-11
24	4- 7	28	5- 3
26	4-11	30	5- 7
28	5- 3		
30	5- 7		



Blinds
Stationary Slats



Panel Shutters
Cut-out D



Shutter Cut-outs



Slat Shutters
Cut-out D

CHINA CLOSET SASH DOORS - See Page 35
LOUVRES - See Page 33

DOORS

INCLUDING COLONIAL ENTRANCES

To meet the architectural requirements of the correctly designed home, each item has been selected for its adaptability to present-day home-planning.

The Entrance doors, windows, shutters, stairways, mantels and other woodwork, must be true-to-type to give lasting beauty and value.

For your protection and satisfaction, demand MORGAN woodwork.

COLONIAL ENTRANCE FRAMES

All MORGAN types are made up of Pine with Oak sills and are given a toxic and water repellent treatment.

All entrance doors shown in the following pages are interchangeable in the entrance frames.

Note the interchangeable entrance frames on pages 58 to 63.

To secure best results — doors must be accorded reasonable treatment by the purchaser and must not be stored in damp warehouses, placed in moist, or freshly plastered buildings, as manufacturers will not assume responsibility for defects resulting from these causes.

Top and bottom edges of all exterior doors must be thoroughly painted to prevent absorption of moisture. Be sure no paint touches weatherstripping of either doors, windows or frames, or it will not permit the proper operation.

When placing blocks back of door jambs — see that they are placed back of where butts are to be placed in hanging the door, thereby giving the proper holding power for screws.

MEASUREMENTS of Stiles and Bottom
Rails of doors are OVERALL.

MORGAN COLONIAL ENTRANCE M-4

All Entrances for 2 x 4 Wood Construction



M-4 ENTRANCE FRAME, PINE with OAK SILL includes: Jambs and Outside Trim. Sidelight panels inside and outside. Completely K.D.

Door Sizes	Rough Opening	Overall Outside
3-0 x 6-8	5-4 x 8-6	5-11 $\frac{1}{2}$ x 8-7 $\frac{3}{4}$
3-0 x 7-0	5-4 x 8-10	5-11 $\frac{1}{2}$ x 8-11 $\frac{3}{4}$

Overall width at center 5-9 $\frac{3}{4}$

M-102 DOOR, No. 1 PINE. Heavy $\frac{3}{4}$ " Solid Hip Raised Panels 2-S, Ovolo Sticking.

M-362 SIDELIGHT SASH, No. 1 PINE.

10" x 4-4	1 $\frac{3}{4}$ "
10" x 4-8	1 $\frac{3}{4}$ "

M-363 TRANSOM, No. 1 PINE.

5-0 $\frac{3}{4}$ x 1-3 $\frac{1}{2}$	1 $\frac{3}{4}$ "
---------------------------------------	-------------------

From a quaint eighteenth century home in Brockton, Mass. comes the inspiration for this dignified true-to-type Colonial Doorway. Architects have long recognized the perfection of this fine Morgan reproduction with its true elliptical transom, fine reeded pilasters and graceful moulds.

COLONIAL ENTRANCE M-7

M-7 ENTRANCE FRAME, PINE with OAK SILL includes: Jambs and Outside Trim complete. Trim put together. Jambs and Sill (K-D) shipped separately.

Door Sizes	Rough Opening	Overall Outside
3-0 x 6-8	3-4 x 7-0	5-8 $\frac{7}{8}$ x 9-4 $\frac{1}{8}$
3-0 x 7-0	3-4 x 7-4	5-8 $\frac{7}{8}$ x 9-8 $\frac{1}{8}$

Overall width at center 5-3.

M-104 DOOR, No. 1 PINE. Heavy $\frac{1}{4}$ " Hip Raised Panels 2-S, Ovolo Sticking.

A beautiful Doorway discovered in an eighteenth century Litchfield, Connecticut home several years ago by Morgan designers. An exact reproduction of the fine old original.



COLONIAL ENTRANCE M-8

M-8 ENTRANCE FRAME, PINE with OAK SILL includes: Jambs and Outside Trim complete. Trim put together. Jambs and Sill (K-D) shipped separately.

Door Sizes	Rough Opening	Overall Outside
3-0 x 6-8	3-4 x 7-0	5-11 $\frac{3}{4}$ x 8-8 $\frac{3}{8}$
3-0 x 7-0	3-4 x 7-4	5-11 $\frac{3}{4}$ x 9-0 $\frac{3}{8}$

Overall width at center 5-5 $\frac{1}{2}$ "

M-105 DOOR, No. 1 PINE. Heavy $\frac{1}{4}$ " Solid Panels, Flush on outside with beaded edges, Hip Raised on inside with Ovolo Sticking.

M-105A DOOR, same layout as 105 Door except Panels $\frac{3}{4}$ " Solid Hip Raised, Two Sides, Ovolo Sticking, Two Sides.



A more fitting Entranceway for the plainer types of Colonial could hardly be wished for. The cap of this fine reproduction is beautifully detailed—the dentil treatment and graceful cap mould give it an air of refinement.

The original of this Entranceway is attributed to Sam'l McIntire, the famed eighteenth century woodcarver of Salem, Massachusetts.



MORGAN COLONIAL ENTRANCE M-11

M-11 ENTRANCE FRAME, PINE with OAK SILL includes: Jambs and Outside Trim complete. Trim Set-up, Jambs and Sill (K-D) shipped separately.

Door Sizes	Rough Opening	Overall Outside
3-0 x 6-8	3-4 x 7-0	4-2½ x 7- 6½
3-0 x 7-0	3-4 x 7-4	4-2½ x 7-10½

Overall width at center 3-10.

M-107 DOOR, No. 1 PINE. Heavy ¾" Solid Hip Raised Panels 2-S, Ovolo Sticking, Wood Beads for Glass.

A delightfully simple Doorway adapted for use in small homes of Colonial design.

COLONIAL ENTRANCE M-14

M-14 ENTRANCE FRAME, PINE with OAK SILL includes Jambs and Outside Trim complete. Sidelight panels inside and outside. Trim K-D. Jambs and Sill (K-D) shipped separately.

Door Sizes	Rough Opening	Overall Outside
3-0 x 6-8	5-4 x 7-0	6-1 x 7-1¾
3-0 x 7-0	5-4 x 7-4	6-1 x 7-5¾

Overall width at center 5-9¾.

M-100 DOOR, No. 1 PINE. Heavy ¾" Solid Hip Raised Panels 2-S, Ovolo Sticking.

M-362 SIDELIGHT SASH, No. 1 PINE.

10" x 4-4	1¾"
10" x 4-8	1¾"



Many are the uses for this simple, dignified Side Light Doorway. it is ideal for use wherever there is an overhanging second story.

Architecturally in good taste,

COLONIAL ENTRANCE M-14A



M-14A ENTRANCE FRAME (includes M-14A Head), PINE with OAK SILL includes: Jambs and Outside Trim. Sidelight panels inside and outside. Head Set-up. Balance K-D.

Door Sizes	Rough Opening	Overall Outside
3-0 x 6-8	1¾" 5-4 x 7-0	6-1 x 8-9¾
3-0 x 7-0	1¾" 5-4 x 7-4	6-1 x 9-1¾

Overall width at center 5-9¾.


M-100 DOOR, No. 1 PINE. Heavy ¾" Solid Hip Raised Panels 2-S, Ovolo Sticking.

M-362 SIDE LIGHT SASH, No. 1 PINE.

10" x 4-4	1¾"	10" x 4-8	1¾"
-----------	-----	-----------	-----

An interesting Doorway with a true elliptical Sunburst wood transom and finely reeded pilasters.

MORGAN COLONIAL ENTRANCE M-14B



M-14B ENTRANCE FRAME (includes M-14B Head), Pine with Oak Sill includes: Jambs and Outside Trim, Sidelight Panels inside and outside. Head Set-up. Balance K.D.

Door Sizes		Rough Opening	Overall Outside
3-0 x 6-8	1 3/4"	5-4 x 7-0	6-1 x 8-9
3-0 x 7-0	1 3/4"	5-4 x 7-4	6-1 x 9-1

Overall width at center 5-9 3/4

M-100 DOOR, No. 1 PINE. Heavy 3/4" Solid Hip Raised Panels 2-S, Ovolo Sticking.

M-362 SIDE LIGHT SASH, No. 1 PINE.

10" x 4-4 1 3/4" 10" x 4-8 1 3/4"

A charming Broken Pediment Doorway with side lights and reeded pilasters. A somewhat uncommon design yet ideally suited to many variations of Colonial architecture. A most welcome addition to the Morgan line of Side Light Doorways.

COLONIAL ENTRANCE M-14C

M-14C ENTRANCE FRAME (includes M-14C Head), Pine with Oak Sill includes: Jambs and Outside Trim. Sidelight Panels inside and outside. Head Set-up. Balance K-D.

Door Sizes		Rough Opening	Overall Outside
3-0 x 6-8	1 3/4"	5-4 x 7-0	6-5 x 8-4 1/4
3-0 x 7-0	1 3/4"	5-4 x 7-4	6-5 x 8-8 1/4

Overall width at center 5-9 3/4.

M-103 DOOR, No. 1 PINE. Heavy 3/4" Solid Hip Raised Panels 2-S, Flush moulded on outside, Ovolo Sticking on inside.

M-362 SIDELIGHT SASH, No. 1 PINE.

10" x 4-4 1 3/4" 10" x 4-8 1 3/4"



An impressive well balanced Doorway with an interesting peaked cap. Pilasters are finely reeded and all moulds are gracefully detailed. Street number may be carved into the cap as suggested above, or metal numbers may be used when frame is installed.

NOTE. — Entrance Frames for 9" Brick Wall Construction may be obtained at an added cost. Allow reasonable length of time for delivery.

PINE INTERCHANGEABLE ENTRANCE FRAMES

(to be used with Stock Jambs and Stools)

INTERCHANGEABLE HEADS

For Doors 3'-0" Wide



HEAD No. 01

We recommend the use of these frames on any Colonial house, as we know they will add beauty and character.

Heads shown on pages 58 to 61 may be used with either fluted or plain pilasters shown on page 63.

Heads are shipped completely set up except for interchangeable mouldings which are shipped separately. Pilasters have neck moulding attached. Frames are made for 3-0 x 6-8 and 3-0 x 7-0 doors. For 6-8 high opening plinths are to be cut four inches.

Our new Colonial Entrance Frames are architecturally correct and are true copies of entrances of some of the fine old homes in New England. These are not cheap imitations but are made from heavy stock as required for these types of frames. The fluted pilasters are in good architectural taste: the flutes are rounded above and below, terminating in the pilaster itself rather than in the cap and base as used by many. The plinths are made of solid stock $2\frac{1}{2}'' \times 10\frac{1}{4}'' \times 12''$, thus insuring long life. The $8\frac{1}{2}''$ of projection on the cap gives a very substantial appearance to the frame.

For details, see pages 62 and 63.



HEAD No. 02

INTERCHANGEABLE HEADS

For Doors 3' - 0" Wide



HEAD No. 03




HEAD No. 04

(Ornaments on blocks not included)




HEAD No. 05

INTERCHANGEABLE HEADS
For Doors 3' - 0" Wide




HEAD No. 06



HEAD No. 07



HEAD No. 11
(Ornaments on blocks not included)




HEAD No. 12

INTERCHANGEABLE HEADS


For Doors 3' - 0" Wide




HEAD No. 13



HEAD No. 14



HEAD No. 15




HEAD No. 16




HEAD No. 17


INTERCHANGEABLE HEADS DETAILS For Doors 3'-0" Wide




HEADS 01, 02, 03




HEADS 04, 05, 11, 12



HEADS 06, 07




HEADS 13, 14, 17



HEADS 15, 16

INTERCHANGEABLE PILASTERS DETAILS


For Doors 6'-8" and 7'-0" High



No. 1



No. 2



COLONIAL ENTRANCE DOORS



M-100

Stiles $4\frac{3}{4}$ "
Bottom Rail 8"

NO. 1 PINE

M-100

2-	6 x 6-	6	$1\frac{3}{4}$
2-	8 x 6-	8	$1\frac{3}{4}$
3-	0 x 6-	8	$1\frac{3}{4}$
2-	10 x 6-	10	$1\frac{3}{4}$
3-	0 x 7-	0	$1\frac{3}{4}$

Heavy $\frac{3}{4}$ " Solid Hip Raised
Panels 2-S, Ovolo Sticking.



M-101

Stiles $4\frac{3}{8}$ "
Bottom Rail 9"

NO. 1 PINE

M-101

Approximate
Glass Sizes

3-0 x 6-8	$1\frac{3}{4}$	9 x $10\frac{5}{8}$
3-0 x 7-0	$1\frac{3}{4}$	9 x 12

Heavy $\frac{3}{4}$ " Solid Hip Raised
Panels 2-S. Flush Moulded on
Outside. Ovolo Sticking on
Inside.

NO. 1 PINE

M-102

2-8 x 6-8	$1\frac{3}{4}$
3-0 x 6-8	$1\frac{3}{4}$
3-0 x 7-0	$1\frac{3}{4}$

Heavy $\frac{3}{4}$ " Solid Hip Raised
Panels 2-S, Ovolo Sticking

This door is made with lock rail properly located
and wide enough for a Dutch Door. We can cut
and rabbet in our shop at a reasonable extra.



M-102

Stiles $4\frac{3}{4}$ "
Bottom Rail 8"

COLONIAL ENTRANCE DOORS




M-103
Stiles $4\frac{3}{4}$ "
Bottom Rail 8"

NO. 1 PINE

M-103

2-	8 x 6-	8	$1\frac{3}{4}$
3-	0 x 6-	8	$1\frac{3}{4}$
2-	10 x 6-	10	$1\frac{3}{4}$
3-	0 x 7-	0	$1\frac{3}{4}$

Heavy $\frac{3}{4}$ " Solid Hip Raised Panels 2-S
Flush Moulded on Outside. Ovolo Sticking
on Inside



M-104
Stiles $4\frac{3}{4}$ "
Bottom Rail 8"

NO. 1 PINE

M-104

Approximate
Glass Sizes

3-0 x 6-8	$1\frac{3}{4}$	$6\frac{5}{8}$ x 8
3-0 x 7-0	$1\frac{3}{4}$	$6\frac{5}{8}$ x $9\frac{5}{16}$

Heavy $1\frac{3}{4}$ " Hip Raised Panels
2-S. Ovolo Sticking.

NO. 1 PINE

M-105

Approximate
Glass Sizes

2-8 x 6-8	$1\frac{3}{4}$	$5\frac{1}{4}$ x 10
3-0 x 6-8	$1\frac{3}{4}$	$6\frac{1}{4}$ x 10
3-0 x 7-0	$1\frac{3}{4}$	$6\frac{1}{4}$ x 10

Heavy $1\frac{3}{4}$ " Panels, Flush on Outside with beaded
edges. Hip Raised on Inside with Ovolo Sticking.

M-105A
NO. 1 PINE

Approximate
Glass Sizes

2-8 x 6-8	$3\frac{3}{4}$	$5\frac{1}{4}$ x 10
3-0 x 6-8	$1\frac{3}{4}$	$6\frac{1}{4}$ x 10
3-0 x 7-0	$1\frac{3}{4}$	$6\frac{1}{4}$ x 10

Heavy $\frac{3}{4}$ " Solid Hip Raised
Panels 2-S, Ovolo Sticking



M-105
Stiles $4\frac{3}{4}$ "
Bottom Rail 8"

COLONIAL ENTRANCE DOORS

NO. 1 PINE

M-107

Approximate
Glass Sizes

2-8 x 6-8

1 $\frac{3}{4}$ 4 $\frac{1}{4}$ x 6 $\frac{3}{4}$

3-0 x 6-8

1 $\frac{3}{4}$ 5 $\frac{1}{4}$ x 6 $\frac{3}{4}$

3-0 x 7-0

1 $\frac{3}{4}$ 5 $\frac{1}{4}$ x 6 $\frac{3}{4}$ Heavy $\frac{3}{4}$ " Solid Hip Raised Panels
2-S, Ovolo StickingM-107
Stiles 4 $\frac{3}{4}$ "
Bottom Rail 8"M-108
Stiles 4 $\frac{3}{4}$ "
Bottom Rail 8"

NO. 1 PINE

M-108

Approximate
Glass Sizes2- 8 x 6- 8 1 $\frac{3}{4}$ 9 $\frac{3}{4}$ x 8 $\frac{1}{4}$ 3- 0 x 6- 8 1 $\frac{3}{4}$ 11 $\frac{3}{4}$ x 8 $\frac{1}{4}$ 2-10 x 6-10 1 $\frac{3}{4}$ 10 $\frac{3}{4}$ x 8 $\frac{1}{4}$ 3- 0 x 7- 0 1 $\frac{3}{4}$ 11 $\frac{3}{4}$ x 8 $\frac{1}{4}$ Heavy $\frac{3}{4}$ " Solid Hip Raised
Panels 2-S. Ovolo Sticking.NO. 1 PINE
DUTCH DOOR M-110Approximate
Glass Sizes


3-0 x 6-8

1 $\frac{3}{4}$ 9 x 11 $\frac{3}{8}$

3-0 x 7-0

1 $\frac{3}{4}$ 9 x 12 $\frac{3}{4}$ Heavy 1 $\frac{3}{4}$ " Hip Raised Panels
2S, Ovolo StickingM-110
Stiles 4 $\frac{9}{16}$ "
Bottom Rail 8"

PINE SASH DOORS



Pattern G
Stiles 5"
Bottom Rail 9"

PATTERN G

1 $\frac{3}{4}$ " Thick

Size of Door	Size of Glass Pattern G
2- 8 x 6- 8	7 $\frac{1}{8}$ x 8 $\frac{3}{4}$
3- 0	8 $\frac{3}{8}$ x 8 $\frac{3}{4}$
2-10 x 6-10	7 $\frac{3}{4}$ x 8 $\frac{3}{4}$
3- 0 x 7- 0	8 $\frac{3}{8}$ x 8 $\frac{3}{4}$

Flush Moulding Two Sides
Raised Panels One Side

PATTERN U-130

1 $\frac{3}{4}$ " Thick

Cove and Bead
Raised Panels Two Sides

Size of Door
2- 8 x 6- 8
3- 0
2-10 x 6-10
3- 0 x 7- 0



Pattern U-130
Stiles 5 $\frac{1}{2}$ "
Bottom Rail 9 $\frac{3}{4}$ "



Pattern P
Stiles 4 $\frac{1}{2}$ "
Bottom Rail 9 $\frac{3}{4}$ "

PATTERN P

1 $\frac{3}{4}$ " Thick

Raised Moulding and
Raised Panels One Side
Flush Moulding and
Flat Panels One Side

Size of Door	Size of Glass
2- 8 x 6- 8	5 $\frac{1}{4}$ x 9 $\frac{1}{4}$
3- 0	6 $\frac{1}{4}$ x 9 $\frac{1}{4}$
2-10 x 6-10	5 $\frac{3}{4}$ x 9 $\frac{1}{4}$
3- 0 x 7- 0	6 $\frac{1}{4}$ x 9 $\frac{1}{4}$

Furnished with water table if
desired.

PATTERN R

1 $\frac{3}{4}$ " Thick


Size of Door	Size of Glass
2- 8 x 6- 8	7 $\frac{1}{2}$ x 9
3- 0	8 $\frac{7}{8}$ x 9
2-10 x 6-10	8 $\frac{1}{8}$ x 9
2- 8 x 7- 0	7 $\frac{1}{2}$ x 9
2-10	8 $\frac{1}{8}$ x 9
3- 0	8 $\frac{7}{8}$ x 9

Flat Panel Two Sides
Cove and Bead Sticking



Pattern R
Stiles 4 $\frac{3}{4}$ "
Bottom Rail 9 $\frac{3}{4}$ "

PINE SASH DOORS



Pattern Y-1
 Stiles $5\frac{3}{4}$ "
 Bottom Rail $9\frac{3}{4}$ "

Size of Door
2- 8 x 6- 8
2-10 x 6-10
3- 0 x 7- 0

Thickness
$1\frac{3}{4}$
$1\frac{3}{4}$
$1\frac{3}{4}$

PATTERNS Y-1 AND S-1

Outside Raised Moulding and
 Flat Panel

Inside Flush Moulding and

Flat Panel

Water Table with Dentils



Pattern S-1
 Stiles $5\frac{3}{4}$ "
 Bottom Rail $9\frac{3}{4}$ "

Pattern Y-1 Size of Glass
14 x 36
16 x 38
18 x 40

Pattern S-1 Size of Glass
18 x 40
20 x 42
22 x 44

PAIRS SASH DOORS

PATTERN DD

Size of Door	Thickness	Size of Glass
4-0 x 7-0	$1\frac{3}{4}$	12 x 24
5-0	$1\frac{3}{4}$	18 x 24

Outside Flush Moulding

Raised and Beveled Panel

Inside Flush Moulding and Flat Panel



Pattern DD
 Stiles $4\frac{3}{4}$ "
 Bottom Rail $9\frac{3}{4}$ "

PINE SASH DOORS

PATTERN NO. 635

Cove and Bead Sticking with Beads

Size of Door	Thickness	Size of Glass
2- 8 x 6- 8	1 3/4	22 x 56
2-10 x 6-10	1 3/4	24 x 58
2- 6 x 7- 0	1 3/4	20 x 60
2- 8	1 3/4	22 x 60
2-10	1 3/4	24 x 60
3- 0	1 3/4	26 x 60
*3- 0 x 7 -6	1 3/4	26 x 66

*Carried in New Haven only.



Pattern No. 635
Stiles 5 1/2"
Bottom Rail 18 1/2"



Pattern V-1
Stiles 5 3/4"
Bottom Rail 17 5/8"


PATTERN V-1

Outside Raised Moulding

Inside Flush Moulding

Water Table with Dentils

Size of Door	Thickness	Size of Glass
2- 8 x 6- 8	1 3/4	18 x 54
2-10 x 6-10	1 3/4	20 x 56
3- 0 x 7- 0	1 3/4	22 x 58
3- 6	1 3/4	28 x 58



PATTERN I

Outside Raised Moulding, Flat Panel
Inside Flush Moulding, Flat Panel

Size of Door	Thickness	Size of Glass
3-0 x 7-0	1 3/4	24 x 50
3-6	1 3/4	30 x 50

Pattern I
Stiles 4 3/4"
Bottom Rail 9 3/4"

PINE SASH DOORS



Pattern N
 Stiles $5\frac{1}{2}$ "
 Bottom Rail $15\frac{1}{2}$ "


Square Sticking
 Around Glass
 Glazed with Beads



Pattern W
 Flush Moulding
 Stiles $4\frac{3}{4}$ "
 Bottom Rail $9\frac{3}{4}$ "

Size of Door	Thickness	PATTERN N Size of Glass		PATTERN W Size of Glass
2-8 x 6-8	1 $\frac{3}{4}$	Center Lights	$9\frac{1}{2}$ x $47\frac{1}{2}$	$11\frac{3}{4}$ x $37\frac{1}{8}$
		Corner Lights	5 x 5	5 x 5
		Center Top and Bottom	$9\frac{1}{2}$ x 5	$11\frac{3}{4}$ x 5
		Side Lights	5 x $47\frac{1}{2}$	5 x $37\frac{1}{8}$
2-10 x 6-10	1 $\frac{3}{4}$	Center Lights	$11\frac{1}{2}$ x $49\frac{1}{2}$	$13\frac{3}{4}$ x $39\frac{1}{8}$
		Corner Lights	5 x 5	5 x 5
		Center Top and Bottom	$11\frac{1}{2}$ x 5	$13\frac{3}{4}$ x 5
		Side Lights	5 x $49\frac{1}{2}$	5 x $39\frac{1}{8}$
2- 8 x 7- 0	1 $\frac{3}{4}$	Center Lights	$9\frac{1}{2}$ x $51\frac{1}{2}$	$11\frac{3}{4}$ x $41\frac{1}{8}$
		Corner Lights	5 x 5	5 x 5
		Center Top and Bottom	$9\frac{1}{2}$ x 5	$11\frac{3}{4}$ x 5
		Side Lights	5 x $51\frac{1}{2}$	5 x $41\frac{1}{8}$
2-10	1 $\frac{3}{4}$	Center Lights	$11\frac{1}{2}$ x $51\frac{1}{2}$	$13\frac{3}{4}$ x $41\frac{1}{8}$
		Corner Lights	5 x 5	5 x 5
		Center Top and Bottom	$11\frac{1}{2}$ x 5	$13\frac{3}{4}$ x 5
		Side Lights	5 x $51\frac{1}{2}$	5 x $41\frac{1}{8}$
3- 0	1 $\frac{3}{4}$	Center Lights	$13\frac{1}{2}$ x $51\frac{1}{2}$	$15\frac{3}{4}$ x $41\frac{1}{8}$
		Corner Lights	5 x 5	5 x 5
		Center Top and Bottom	$13\frac{1}{2}$ x 5	$15\frac{3}{4}$ x 5
		Side Lights	5 x $51\frac{1}{2}$	5 x $41\frac{1}{8}$

PINE SASH DOORS



Pattern J
Stiles $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

PATTERNS J AND B


Have Raised Moulding
One Side

Flush Moulding One Side

Flat Panels Two Sides

PATTERN J

Size of Door	Thickness	Size of Glass
2- 6 x 6- 6	$1\frac{3}{8}$	18 x 30
2- 8 x 6- 8	$1\frac{3}{8}$	20 x 32
2- 8 x 6- 8	$1\frac{3}{4}$	20 x 32
2-10 x 6-10	$1\frac{3}{4}$	22 x 34
2- 8 x 7- 0	$1\frac{3}{4}$	20 x 36
2-10	$1\frac{3}{4}$	22 x 36
3- 0	$1\frac{3}{4}$	24 x 36
3- 6	$1\frac{3}{4}$	30 x 36



Pattern B
Stiles $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

PATTERN B

Size of Door	Thickness	Size of Glass
2- 6 x 6- 6	$1\frac{3}{8}$	18 x 18
2- 8 x 6- 8	$1\frac{3}{8}$	20 x 20
2- 6 x 6- 6	$1\frac{3}{4}$	18 x 18
2- 8 x 6- 8	$1\frac{3}{4}$	20 x 20
2-10 x 6-10	$1\frac{3}{4}$	22 x 22
3- 0 x 7- 0	$1\frac{3}{4}$	24 x 24
3- 6	$1\frac{3}{4}$	30 x 24



Pattern M
Stiles $4\frac{3}{4}$ "
Bottom Rail $9\frac{3}{4}$ "

PATTERN M

Size of Door	Thickness	Size of Glass
2- 6 x 6- 6	$1\frac{3}{8}$	18 x 18
2- 8 x 6- 8	$1\frac{3}{8}$	20 x 20
2- 8 x 6- 8	$1\frac{3}{4}$	20 x 20
3- 0	$1\frac{3}{4}$	24 x 20
2-10 x 6-10	$1\frac{3}{4}$	22 x 22
3- 0 x 7- 0	$1\frac{3}{4}$	24 x 24

Flush Moulding and Flat Panel Two Sides

PINE SASH DOORS

PATTERN D

With Beads

Size	Thickness	Size of Glass
2- 6 x 6- 6	1 3/4	6 1/8 x 11 7/8
2- 8 x 6- 8	1 3/4	6 3/4 x 12 1/4
3- 0	1 3/4	8 x 12 1/4
2-10 x 6-10	1 3/4	7 7/16 x 12 5/8
2- 8 x 7- 0	1 3/4	6 3/4 x 13
2-10	1 3/4	7 7/16 x 13
3- 0	1 3/4	8 x 13

PATTERN M-114

Ovolo Sticking
Raised Panel Two Sides
With Beads

Size	Thickness	Size of Glass
2- 6 x 6- 6	1 3/8	7 x 11 1/4
2- 6 x 6- 8	1 3/8	7 x 11 3/4
2- 8	1 3/8	7 5/8 x 11 3/4
2-10 x 6-10	1 3/8	8 3/8 x 12 1/4
3- 0 x 7- 0	1 3/8	9 x 12 3/4
2- 6 x 6- 6	1 3/4	7 x 11 1/4
2- 6 x 6- 8	1 3/4	7 x 11 3/4
2- 8	1 3/4	7 5/8 x 11 3/4
3- 0	1 3/4	9 x 11 3/4
2-10 x 6-10	1 3/4	8 3/8 x 12 1/4
3- 0 x 7- 0	1 3/4	9 x 12 3/4

PATTERN ND-515




Ovolo Sticking
Raised Panel Two Sides
With Beads

Size	Thickness	Size of Glass
2-6 x 6-6	1 3/8	10 1/2 x 16 3/4
2-6 x 6-8	1 3/8	10 1/2 x 17 3/4
2-8	1 3/8	11 1/2 x 17 3/4
2-6 x 6-8	1 3/4	10 1/2 x 17 3/4
2-8	1 3/4	11 1/2 x 17 3/4
3-0	1 3/4	13 1/2 x 17 3/4
3-0 x 7-0	1 3/4	13 1/2 x 19 3/4

Carried at New Haven only.


PATTERN L

Size of Door	Thickness	Size of Glass
2- 6 x 6- 6	1 3/8	7 x 12
2- 6 x 6- 8	1 3/8	7 x 13
2- 8	1 3/8	8 x 13
3- 0	1 3/8	9 x 13
2-10 x 6-10	1 3/8	8 1/2 x 14
3- 0 x 7- 0	1 3/8	9 x 14 1/2
2- 6 x 6- 6	1 3/4	7 x 12
2- 6 x 6- 8	1 3/4	7 x 13
2- 8	1 3/4	8 x 13
3- 0	1 3/4	9 x 13
2-10 x 6-10	1 3/4	8 1/2 x 14
3- 0 x 7- 0	1 3/4	9 x 14 1/2

Ovolo Sticking
Flat Panel Two Sides
With BeadsPattern D
5 1/2" Stiles and
Top Rail
11 1/2" Bottom RailND-515
Stiles 4 3/4"
Bottom Rail 9 3/4"Pattern M-114
Stiles 4 3/4"
Bottom Rail 8"Pattern L
Stiles 4 3/4"
Bottom Rail 9 3/4"

V JOINTED CEILING DOORS

HEAVY VENEER
PINE OR PLAIN RED OAK



Pattern 500-V

Size of Door	Thickness
*2-8 x 6-8	1 3/4
3-0	1 3/4
3-0 x 7-0	1 3/4


*Pine only.

These doors can be furnished from stock with one large or several small square lights.

Also Odd Shaped Heads.

Orders Should Give Distance From Top of Door to Glass

PINE doors can also be furnished flush instead of V-Joint.




Pattern 501-V



Pattern 502-V



Pattern 503-V



Pattern 504-V

REZO EXTERIOR FLUSH DOOR

The original and only proven "cell type" Flush Door

See page 75 for construction features



Unselected Birch
Two Sides

REZO

Size	Thickness
2-8 x 6-8	1 3/4
3-0	1 3/4
3-0 x 7-0	1 3/4

REZO Doors may be cut down 2" in height; to be cut equally from top and bottom.

Exterior REZO doors are stocked with solid blocking in the top so that any style light may be cut in the doors without waiting for special shipment from factory.

Exterior REZO doors are made up with Aircraft Type Casein Glue and guaranteed against all atmospheric conditions.


If design is desired, they can be routed to any pattern.

FACTS

ABOUT REZO DOORS

- 1 ORIGINAL Flush type hollow core door—a product of French wood craftsmen and research engineers—made in U. S. A. under U. S. Patent No. 1,887,814.
- 2 PROVED by years of use in varying European climates and on transatlantic liners. Over a quarter of a million Paine Rezo doors in use in America.
- 3 ARCHITECTURAL trend calls for flush surfaces. Rezo doors fulfill these requirements perfectly.
- 4 STRONGER and LIGHTER in weight than old type flush doors—will not sag nor shrink.
- 5 AIR CONDITIONED—continuous air circulation—a patented feature—throughout full length and width of door, minimizes possibility of warping.
- 6 MORE SANITARY because of flush surfaces.
- 7 ADDED INSULATION against heat, cold and noise because of air cell construction.
- 8 PRE-FITTED and Sanded ready for painter's finish—precision made and squared to exact opening size—assures lower installation costs.
- 9 FIRE PROOFED type just developed, approved by Bureau of Marine Inspection and Navigation, U. S. Dept. of Commerce.
- 10 FOR INTERIOR or EXTERIOR use in any type of building.

REZO CONSTRUCTION FEATURES



The **REZO** door was introduced to America after being perfected by French woodworkers and proved by long hard usage in the varying climates of many European countries.


Its acceptance here was rapid and today more than a quarter of a million **REZO** doors have been installed in homes, schools and public buildings. **REZO'S** strength, lightness and maximum resistance to warpage and shrinkage is an important factor in its success.

REZO has set a new standard for value in doors. It is a modern, sanitary, hardwood flush door that costs no more installed than a standard hardwood panel door of a few years ago.

REZO doors are now made in America with the backing of the country's leading door authority and manufacturer.

See page 91 for **REZO** interior doors and cupboard doors

SINGLE FRENCH DOORS—PINE



Pattern A
Stiles $4\frac{1}{2}"$
Bottom Rail $9\frac{1}{2}"$

PATTERN A

With Beads

Size	Thickness	Number of Lights	Size of Glass
2- 4 x 6- 6	$1\frac{3}{8}$	15	$6\frac{1}{8} \times 12\frac{1}{2}$
2- 6	$1\frac{3}{8}$	15	$6\frac{3}{4} \times 12\frac{1}{2}$
2- 8	$1\frac{3}{8}$	15	$7\frac{1}{2} \times 12\frac{1}{2}$
2- 4 x 6- 8	$1\frac{3}{8}$	15	$6\frac{1}{8} \times 12\frac{7}{8}$
2- 6	$1\frac{3}{8}$	15	$6\frac{3}{4} \times 12\frac{7}{8}$
2- 8	$1\frac{3}{8}$	15	$7\frac{1}{2} \times 12\frac{7}{8}$
3- 0	$1\frac{3}{8}$	15	$9 \times 12\frac{7}{8}$
2-10 x 6-10	$1\frac{3}{8}$	15	$8\frac{1}{4} \times 13\frac{3}{8}$
2- 6 x 7- 0	$1\frac{3}{8}$	15	$6\frac{3}{4} \times 13\frac{7}{8}$
2- 8	$1\frac{3}{8}$	15	$7\frac{1}{2} \times 13\frac{7}{8}$
2-10	$1\frac{3}{8}$	15	$8\frac{1}{4} \times 13\frac{7}{8}$
3- 0	$1\frac{3}{8}$	15	$9 \times 13\frac{7}{8}$
2- 6 x 6- 6	$1\frac{3}{4}$	15	$6\frac{3}{4} \times 12\frac{1}{2}$
2- 6 x 6- 8	$1\frac{3}{4}$	15	$6\frac{3}{4} \times 12\frac{7}{8}$
2- 8	$1\frac{3}{4}$	15	$7\frac{1}{2} \times 12\frac{7}{8}$
3- 0	$1\frac{3}{4}$	15	$9 \times 12\frac{7}{8}$
2-10 x 6-10	$1\frac{3}{4}$	15	$8\frac{1}{4} \times 13\frac{3}{8}$
2- 6 x 7- 0	$1\frac{3}{4}$	15	$6\frac{3}{4} \times 13\frac{7}{8}$
2- 8	$1\frac{3}{4}$	15	$7\frac{1}{2} \times 13\frac{7}{8}$
2-10	$1\frac{3}{4}$	15	$8\frac{1}{4} \times 13\frac{7}{8}$
3- 0	$1\frac{3}{4}$	15	$9 \times 13\frac{7}{8}$

PAIRS FRENCH DOORS—PINE

 $4\frac{1}{2}"$ Stiles and Top Rail $9\frac{1}{2}"$ Bottom Rail

PATTERN AA

With Beads

Size	Thickness	Number of Lights	Size of Glass
4-0 x 6-6	$1\frac{3}{8}$	20	$7\frac{1}{2} \times 12\frac{1}{2}$
4-4	$1\frac{3}{8}$	20	$8\frac{1}{2} \times 12\frac{1}{2}$
4-0 x 6-8	$1\frac{3}{8}$	20	$7\frac{1}{2} \times 12\frac{7}{8}$
4-4	$1\frac{3}{8}$	20	$8\frac{1}{2} \times 12\frac{7}{8}$
4-0 x 7-0	$1\frac{3}{8}$	20	$7\frac{1}{2} \times 13\frac{7}{8}$
4-0 x 6-8	$1\frac{3}{4}$	20	$7\frac{1}{2} \times 12\frac{7}{8}$
4-0 x 7-0	$1\frac{3}{4}$	20	$7\frac{1}{2} \times 13\frac{7}{8}$

NOTE.—Astragal furnished only when ordered as extra.



Pattern AA

SINGLE FRENCH DOORS—PINE

(For inside use only)

PATTERN M-1080

With Beads

Ovolo Sticking 3-Ply Flat Panels Two Sides
Bars $\frac{1}{4}$ " Between Glass

Size	Thickness	Number of Lights	Size of Glass
2-6 x 6-6	$1\frac{3}{8}$	12	$7\frac{3}{4}$ x $11\frac{5}{8}$
2-6 x 6-8	$1\frac{3}{8}$	12	$7\frac{3}{4}$ x $12\frac{1}{8}$
2-8	$1\frac{3}{8}$	12	$8\frac{1}{2}$ x $12\frac{1}{8}$
2-6 x 6-6	$1\frac{3}{4}$	12	$7\frac{3}{4}$ x $11\frac{5}{8}$
2-6 x 6-8	$1\frac{3}{4}$	12	$7\frac{3}{4}$ x $12\frac{1}{8}$
2-8	$1\frac{3}{4}$	12	$8\frac{1}{2}$ x $12\frac{1}{2}$



M-1080
Stiles $3\frac{1}{2}$ "
Bottom Rail 8"

PAIRS FRENCH DOORS—PINE

(For inside use only)

PATTERN M-1081

Size	Thickness	Number of Lights	Size of Glass
4-0 x 6-6	$1\frac{3}{8}$	16	$8\frac{7}{8}$ x $11\frac{5}{8}$
6-8	$1\frac{3}{8}$	16	$8\frac{7}{8}$ x $12\frac{1}{8}$
4-0 x 6-6	$1\frac{3}{4}$	16	$8\frac{7}{8}$ x $11\frac{5}{8}$
6-8	$1\frac{3}{4}$	16	$8\frac{7}{8}$ x $12\frac{1}{8}$

Same Layout as Single Door.


NOTE.—Astragal furnished only when ordered as extra.

M-1080-M-1081 for Inside Use.



M-1081

FLAT ASTRAGAL



$1\frac{3}{8}$ " wide 7-0
 $1\frac{3}{8}$ " wide 8-0
Pine

T ASTRAGAL

T Pine

$1\frac{3}{8}$ " Rabbet 7-0
 $1\frac{3}{4}$ " Rabbet 7-0
 $1\frac{3}{4}$ " Rabbet 8-0



FIR SASH DOORS



Pattern E
Stiles $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$



Pattern No. 118
Stiles $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$



Pattern F
Stiles $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$

Bead and Cove with Beads

Size of Door	Thickness	PATTERN E Size of Glass	PATTERN NO. 118 Size of Glass	PATTERN F Size of Glass
2- 6 x 6- 0	$1\frac{3}{8}$	22 x 18	22 x 26	
2- 8	$1\frac{3}{8}$	24 x 18	24 x 26	
2- 6 x 6- 6	$1\frac{3}{8}$	22 x 24	22 x 32	10 x 15
2- 4 x 6- 8	$1\frac{3}{8}$			9 x 16
2- 6	$1\frac{3}{8}$	22 x 26	22 x 34	10 x 16
2- 8	$1\frac{3}{8}$	24 x 26	24 x 34	11 x 16
3- 0	$1\frac{3}{8}$		28 x 34	13 x 16
2-10 x 6-10	$1\frac{3}{8}$	26 x 28	26 x 36	12 x 17
2- 6 x 7- 0	$1\frac{3}{8}$			10 x 18
2- 8	$1\frac{3}{8}$			11 x 18
2-10	$1\frac{3}{8}$			12 x 18
3- 0	$1\frac{3}{8}$	28 x 30	28 x 38	13 x 18
2- 6 x 6- 6	$1\frac{3}{4}$	22 x 24	22 x 32	10 x 15
2- 6 x 6- 8	$1\frac{3}{4}$	22 x 26	22 x 34	10 x 16
2- 8	$1\frac{3}{4}$	24 x 26	24 x 34	11 x 16
2-10*	$1\frac{3}{4}$			12 x 16
3- 0	$1\frac{3}{4}$	28 x 26	28 x 34	13 x 16
2-10 x 6-10	$1\frac{3}{4}$	26 x 28	26 x 36	12 x 17
2- 6 x 7- 0	$1\frac{3}{4}$			10 x 18
2- 8	$1\frac{3}{4}$			11 x 18
2-10	$1\frac{3}{4}$			12 x 18
3- 0	$1\frac{3}{4}$	28 x 30	28 x 38	13 x 18

*Carried in New Haven only.

Door not stocked if glass size not shown.

FIR SASH DOORS

PATTERN 154

Bead and Cove with Beads

1 3/8" Thick

Size of Door	Size of Glass
2-6 x 6-6	22 x 24
2-8 x 6-8	24 x 26

1 3/4" Thick

2- 8 x 6- 8	24 x 26
2-10 x 6-10	26 x 28
2- 8 x 7- 0*	24 x 30
2-10 x 7- 0*	26 x 30
3- 0 x 7- 0	28 x 30

PATTERN K

Bead and Cove with Beads

1 3/8" Thick

Size of Door	Size of Glass
2-6 x 6-6	6 7/8 x 11 11/16
2-6 x 6-8	6 7/8 x 12 5/16
2-8 x 6-8	7 1/16 x 12 5/16


1 3/4" Thick

2-8 x 6-8	7 9/16 x 12 5/16
3-0 x 7-0	8 15/16 x 13 11/16



No. 154

Stiles 4 9/16"
Bottom Rail 9 3/8"



Pattern K

Stiles 4 9/16"
Bottom Rail 9 3/8"

*Carried in New Haven only.

STORM DOORS

FOUR CROSS PANELS—ONE LIGHT

Pine Painted

Size	Thick- ness	Size of Glass
2- 6x6- 7	1 1/8	22x22
2- 6x6- 9	1 1/8	22x24
2- 8	1 1/8	24x24
3- 0	1 1/8	28x24
2-10x6-11	1 1/8	26x26
3- 0x7- 1	1 1/8	28x28

Beveled One Side of
Each Stile to 7/8"

Fir

Size	Thick- ness	Size of Glass
2- 6 1/2x6- 7	1 1/8	22x24
2- 6 1/2x6- 9	1 1/8	22x26
2- 8 1/2	1 1/8	24x26
3- 0 1/2	1 1/8	28x26
2-10 1/2x6-11	1 1/8	26x28
2- 8 1/2x7- 1	1 1/8	24x30
2-10 1/2	1 1/8	26x30
3- 0 1/2	1 1/8	28x30



Fir Storm Doors at New Haven and Springfield only.

FIR GARAGE DOORS



PATTERN KK

Size of Doors	Number of Lights	Size of Glass
8-0 x 7-0	16	9 x 13
8-0 x 7-6	16	9 x 16
8-0 x 8-0	16	9 x 16

1 $\frac{3}{4}$ " Thick

Four Vertical Raised Panels
Eight Lights Glass Each Door

Two Doors to Opening

PATTERN KKK

Size of Doors	Number Lights	Size of Glass
8-0 x 7-0	18	7 $\frac{3}{8}$ x 13
8-0 x 7-6	18	7 $\frac{3}{8}$ x 16
8-0 x 8-0	18	7 $\frac{3}{8}$ x 16

Glazed Either Plain or
Wire Glass



Two Vertical Raised Panels
Six Lights Glass Each Door

Three Doors to Opening

FIR GARAGE DOORS



Six Flat Panels
Six Lights Glass Each Door

1 $\frac{3}{8}$ " PATTERN WHIPPET

Size of Doors	Number of Lights	Sizes Glass
7-6 x 7-0	12	11 x 13
7-6 x 7-6	12	11 x 16

Not carried in New Haven

F-696		
Size of Door	Thickness	Size of Glass
8-0 x 7-0	1 $\frac{3}{4}$ "	12 x 13
7-6	1 $\frac{3}{4}$ "	12 x 16
8-0	1 $\frac{3}{4}$ "	12 x 16


Stiles, Top and Lock Rails	5 $\frac{3}{8}$ "
Intermediate Rail and Muntins	4 $\frac{1}{2}$ "
Bottom Rail	9 $\frac{3}{8}$ "



Vertical and Horizontal Bars, 1" Between Glass
Standard Bead and Cove Sticking. Raised Panel

FIR GARAGE DOORS

ARISTOCRAT



Pairs

These Doors Made V-Jointed Both Sides, Stocked Solid. Glass openings can be made as required.

Size of Door	} Carried in Pairs and Sets, 1 $\frac{3}{4}$ " Thick
8-0 x 7-0	
7-6	
8-0	



Sets

FIR GARAGE DOORS

CAPE ANN



With "D" Insert

Ceiling Panel, Ovolo Moulding

CAPE ANN

Size of Door	Thickness
8-0 x 7-0	1 $\frac{3}{4}$
8-0 x 7-6	1 $\frac{3}{4}$

ALTERNATE INSERT
FOR CAPE ANN DOORS

"I" Insert

COLONIAL

COLONIAL

Size of Door Thickness

8-0 x 7-0	1 $\frac{3}{4}$
8-0 x 7-6	1 $\frac{3}{4}$

Stiles and Top Rails 4 $\frac{1}{4}$
Face


Bottom Rail	9	"
Lock Rail	8 $\frac{3}{4}$	"

Vertical Grain Stiles,
Rails and Panels.

3/4" Raised Panel 2 Sides, Ovolo Moulding

GARAGE DOOR HARDWARE

Garage Door Roller-Bearing Hangers



SLIDETITE


R-W No. 435 and 436

	Size of Opening
Three Door	8-0 x 8-0
Four "	10-8 x 8-0
Five "	13-4 x 8-0
Six "	16-0 x 8-0

Illustrates the three door arrangement, an excellent outfit for openings up to 9 feet wide. Provides an entrance door which can be hinged to the jamb, as shown, or to the middle door, when it folds back to the side with the other two doors.

R-W 435 has an enclosed Tubular Track with Double Wheel Ball Bearings.

R-W 436 has a single Flat Track with a Single Wheel.



Three Door	8-0 Opening
" "	10-0 "
" "	12-0 "

Three-Door Entrance
Doors Moving Right
Swing Door at Left

A complete hardware equipment of high character at a low price. Made for doors that run around the corner inside the garage and stand out of the way against the side wall when the doors are open. Provides for entrance door without additional doorway. Adapted to entrances having 3, 4, 5 or 6 doors.

NOTE.—For five or six-door entrances, use two three-door sets.



Three-Door Entrance. Doors Moving Right
Swing Door at Left


T-Hinges, Top and Foot Bolts, Thumb Latch and Handle with Pair Arms also in Stock.



OVER
SEVEN
FEET

Cut above shows how opening can be treated if height is over 7'-0".

Cut above shows how opening can be treated if height is over 7'-0".
Size of Door—7'-10" x 7'-0". It is shipped in two halves—each door 3'-11" x 7'-0". Make opening 8'-0" x 7'-0". Only 2 inches head room required. Can be set up by one man in two to three hours. Doors are drilled at factory to receive hardware. A door lock handle, not showing in cut, is provided for outside of door.



ROOM DOORS

FIVE CROSS AND TWO PANEL FIR DOORS



Stiles $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$

Size	Thickness
2- 0 x 6-0	$1\frac{3}{8}$
2- 2	$1\frac{3}{8}$
2- 4	$1\frac{3}{8}$
2- 6	$1\frac{3}{8}$
2- 8	$1\frac{3}{8}$
2- 4 x 6-4	$1\frac{3}{8}$
2- 6	$1\frac{3}{8}$
*1- 4 x 6-6	$1\frac{3}{8}$
1- 6	$1\frac{3}{8}$
1- 8	$1\frac{3}{8}$
*1-10	$1\frac{3}{8}$
2- 0	$1\frac{3}{8}$
2- 2	$1\frac{3}{8}$
2- 4	$1\frac{3}{8}$
2- 6	$1\frac{3}{8}$
2- 8	$1\frac{3}{8}$
*1- 4 x 6-8	$1\frac{3}{8}$

*Not carried in Five Cross Panel $1\frac{3}{8}''$.

FIR

Bead and Cove
Flat Panel Two Sides



Stiles $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$

Thickness	Size	Thickness
$1\frac{3}{8}$	*2- 6 x 6- 6	$1\frac{3}{4}$
$1\frac{3}{8}$	2- 6 x 6- 8	$1\frac{3}{4}$
$1\frac{3}{8}$	2- 8	$1\frac{3}{4}$
$1\frac{3}{8}$	3- 0	$1\frac{3}{4}$
$1\frac{3}{8}$	2-10 x 6-10	$1\frac{3}{4}$
$1\frac{3}{8}$	2- 6 x 7- 0	$1\frac{3}{4}$
$1\frac{3}{8}$	2- 8	$1\frac{3}{4}$
$1\frac{3}{8}$	*2-10	$1\frac{3}{4}$
$1\frac{3}{8}$	3- 0	$1\frac{3}{4}$
$1\frac{3}{8}$	3- 6	$1\frac{3}{4}$

*Not carried in Two Panels $1\frac{3}{4}''$.

SHORT DOORS

We can cut off one or more panels and rails of stock doors to make the sizes as shown.

In case odd sizes are required, it will save you time and expense to be guided by this list.

(For widths of doors carried in stock see regular lists of Five Cross Panel Doors.)

BEAD AND COVE MOULDING

Fir

Five Cross Panel	Cut to Four Cross Panel	Cut to Three Cross Panel
6-0	4-11	3-10 $\frac{1}{4}$
6-4	5- 2 $\frac{1}{4}$	4- 0 $\frac{3}{4}$
6-6	5- 4 $\frac{1}{4}$	4- 2 $\frac{1}{4}$
6-8	5- 5 $\frac{1}{4}$	4- 3 $\frac{1}{4}$
7-0	5- 8 $\frac{1}{2}$	4- 5 $\frac{1}{2}$

ROOM DOORS

SIX PANEL—FIR

Ovolo Sticking
 Raised Panels 2 Sides
 100% V. G. Stiles,
 Rails and Panels.

ONE PANEL—FIR

Ovolo Sticking
 Flat Panel

Size of Door
 $1\frac{3}{8}"$


2- 0 x 6-0	1- 4 x 6-8
*2- 2	1- 6
2- 4	1- 8
2- 6	1-10
*2- 8	2- 0
2- 4 x 6-4	2- 2
2- 6	2- 4
1- 4 x 6-6	2- 6
1- 6	2- 8
1- 8	2-10
†1-10	3- 0
2- 0	
2- 2	
2- 4	
2- 6	
2- 8	

* Not carried in 6 Panel

† Not carried in 1 Panel



6 Panel Fir
 Stiles $4\frac{9}{16}"$
 Bottom Rail 8"



One Panel Fir
 Stiles $4\frac{9}{16}"$
 Top Rail $5\frac{3}{8}"$
 Bottom Rail $11\frac{3}{8}"$

IDEAL—FIR

and

MIRACLE No. 700

Pine Stiles, Rails and Insert
 Birch Panels

Size of Door
 $1\frac{3}{8}"$

2-0 x 6-0	1- 4 x 6-8
2-2	1- 6
2-4	1- 8
2-6	2- 0
1-4 x 6-6	2- 2
1-6	2- 4
1-8	2- 6
2-0	2- 8
2-2	2-10
2-4	3- 0
2-6	
2-8	



Ideal
 Stiles and Top Rail $4\frac{9}{16}"$
 Bottom Rail $9\frac{3}{8}"$
 Insert Frame Overall $2\frac{3}{4}"$



Miracle No. 700
 Stiles and Top Rail $4\frac{1}{4}"$
 Bottom Rail $9\frac{1}{2}"$

ROOM DOORS FOUR PANEL DOORS

FIR



Flat Panel
Stiles $4\frac{9}{16}''$
Bottom Rail $9\frac{3}{8}''$

Bead and Cove

$1\frac{3}{8}''$ Size
2- 0 x 6- 0
2- 4
2- 6
2- 4 x 6- 4
2- 0 x 6- 6
2- 2
2- 4
2- 6
2- 8
2- 0 x 6- 8
2- 2
2- 4
2- 6
2- 8
2-10 x 6-10
3- 0 x 7- 0

$1\frac{3}{4}''$
Size

2- 8 x 6- 8
2-10 x 6-10
3- 0 x 7- 0

Flush Moulded

$1\frac{3}{8}''$ Size
2- 0 x 6- 0
2- 4
2- 6
2- 0 x 6- 6
2- 2
2- 4
2- 6
2- 8
2- 0 x 6- 8
2- 2
2- 4
2- 6
2- 8
2-10 x 6-10
3- 0 x 7- 0

$1\frac{3}{4}''$
Size

2- 8 x 6- 8
2-10 x 6-10
3- 0 x 7- 0

PINE



Flat Panel
Stiles $4\frac{1}{2}''$
Bottom Rail $8\frac{3}{4}''$

TOILET DOORS

FOUR CROSS PANEL—FIR

Size
2-2 x 5-0

Thickness
 $1\frac{1}{8}$

Made with Horns Top and Bottom included in Height given.
Solid Moulded — Flat Panels
Two Sides.



Toilet Door

MIRROR DOORS

Plain Plate or
 $1\frac{1}{4}''$ Bevel Plate Mirrors Recommended. Any Stock Sized Door
Can Be Prepared for Mirror



Mirror Door

PINE ROOM DOORS

SIX PANEL M-1051 $1\frac{3}{8}$ " ThickOvolo Sticking, $\frac{7}{16}$ " Light Raised Panels

Size of Door	Size of Door
2- 0 x 6-0	2- 8 x 6-6
2- 2	3- 0
2- 4	*1- 4 x 6-8
2- 6	*1- 6
2- 4 x 6-4	*1- 8
2- 6	1-10
*1- 4 x 6-6	2- 0
*1- 6	2- 2
*1- 8	2- 4
1-10	2- 6
2- 0	2- 8
2- 2	2-10
2- 4	3- 0
2- 6	

*One Panel Wide

SIX PANEL M-1050 $1\frac{3}{4}$ " ThickOvolo Sticking, $\frac{3}{4}$ " Heavy Raised Panels

Size of Door	Size of Door
2- 0 x 6-6	2- 4 x 6- 8
2- 4	2- 6
2- 6	2- 8
*1- 8 x 6-8	3- 0
2- 0	2-10 x 6-10
2- 2	3- 0 x 7- 0

*One Panel Wide

EIGHT PANEL M-1112 $1\frac{3}{8}$ " Thick

Ovolo Sticking, Flat Panel

Size of Door	Size of Door
2-0 x 6-0	*1-6 x 6-8
2-4	*1-8
2-6	2-0
*1-6 x 6-6	2-2
*1-8	2-4
2-0	2-6
2-2	2-8
2-4	
2-6	
2-8	

*One Panel Wide


SIX PANEL M-1071 $1\frac{3}{8}$ " ThickOvolo Sticking
 $\frac{7}{16}$ " Light Raised Panel

Size of Door
*1-6 x 6-6
*1-8
2-0
2-2
2-4
2-6
2-8

*One Panel Wide



M-1050 and M-1051

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail 8"

M-1112

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail 7"

M-1071

Stiles and Top Rail $4\frac{3}{4}$ "
Bottom Rail 8"


ROOM DOORS

KORELOCK BIRCH VENEERED DOORS No. 381



No. 381

Stiles $4\frac{3}{4}$ "
Bottom Rail $9\frac{1}{2}$ "



Stiles $3\frac{1}{2}$ "
Bottom Rail $5\frac{1}{2}$ "
 $\frac{3}{4}$ " Thick
Flat Panel - 2 sides
Solid Sticking

Size	Size
2-0 x 6-0	1-10 x 6-8
2-2	2-0
2-4	2-2
2-6	2-4
2-4 x 6-4	*2-6
1-6 x 6-6	*2-8
1-8	2-10
2-0	3-0
2-2	*2-10 x 6-10
2-4	2-4 x 7-0
2-6	*2-6
2-8	*2-8
1-6 x 6-8	*2-10
1-8	*3-0

*These sizes also stocked $1\frac{3}{4}$ " thick.

FLUSH SANITARY DOORS No. 500

UNSELECTED BIRCH

Size	Thickness
2-6 x 7-0	$1\frac{3}{4}$ "
2-8	$1\frac{3}{4}$ "
3-0	$1\frac{3}{4}$ "
3-6	$1\frac{3}{4}$ "



No. 500

These doors can be furnished from stock with one large or several small square lights.

CUPBOARD DOORS


Pine Stiles and Rails and Veneered Fir Panels.
Flat Panels, Two Sides

Size	Size
1-0 x 2-0	1-0 x 3-6
1-2	1-2
1-4	1-4
1-6	1-6
1-8	1-8
1-10	1-10
2-0	2-0
1-0 x 2-6	1-0 x 4-0
1-2	1-2
1-4	1-4
1-6	1-6
1-8	1-8
1-10	1-10
2-0	2-0
1-0 x 3-0	1-0 x 4-6
1-2	1-2
1-4	1-4
1-6	1-6
1-8	1-8
1-10	1-10
2-0	2-0

REZO ROOM DOORS

The original and only proven "cell type" Flush Door

See Page 75 for Construction Features



REZO

Flush Veneered
Unselected Gum
2 Sides

REZO

1 $\frac{3}{8}$ " Thick

Size	Size
2- 0 x 6-0	2- 4 x 6-6
2- 4	2- 6
2- 6	2- 8
2- 4 x 6-4	1- 6 x 6-8
2- 6	1- 8
1- 4 x 6-6	1-10
1- 6	2- 0
1- 8	2- 4
1-10	2- 6
2- 0	2- 8
2- 2	3- 0

REZO Flush Doors are appropriate for either modern or Colonial architecture.

Gum veneers make doors excellent for painting yet are inexpensive.


REZO FLUSH CUPBOARD DOORS

BASSWOOD



REZO

Size	Size
1- 0 x 2-0	1- 0 x 3-6
1- 2	1- 2
1- 4	1- 4
1- 6	1- 6
1- 8	1- 8
1-10	1-10
2- 0	2- 0
1- 0 x 2-6	1- 0 x 4-0
1- 2	1- 2
1- 4	1- 4
1- 6	1- 6
1- 8	1- 8
1-10	1-10
2- 0	2- 0
1- 0 x 3-0	1- 0 x 4-6
1- 2	1- 2
1- 4	1- 4
1- 6	1- 6
1- 8	1- 8
1-10	1-10
2- 0	2- 0



$\frac{5}{16}$ " Lipped Rounded Edges
Overall Size $\frac{1}{2}$ " Over
Opening
Sizes Given
 $\frac{13}{16}$ " Thick

For flush doors used as
PAIRS, allow for opening
DOUBLE the width of
opening size of SINGLE
door and add $\frac{1}{2}$ ".

FULL LENGTH WINDOW SCREENS


$1\frac{1}{8}$ " Thick, Full Sash Width, made $1\frac{5}{8}$ " Higher than Sash Height

16 Mesh Antique Bronze Wire—Flush Moulded Construction

Window Size

1- 8 x 3- 2	2- 2 x 3- 2	2- 6 x 2-10	2-10 x 3-10
3- 6	3- 6	3- 0	4- 2
3-10	3-10	3- 2	4- 6
4- 6	4- 2	3- 6	4-10
4-10	4- 6	3-10	5- 2
1-10 x 3- 2	4-10	4- 2	5- 6
3- 6	5- 2	4- 6	5-10
3-10	2- 4 x 2-10	4-10	3- 0 x 3-10
4- 6	3- 0	5- 2	4- 2
4-10	3- 2	5- 6	4- 6
2- 0 x 2-10	3- 6	5-10	4-10
3- 0	3-10	2- 7 x 3-10	5- 2
3- 2	4- 2	4- 2	5- 6
3- 6	4- 6	4- 6	5-10
3-10	4-10	4-10	3- 4 x 4- 6
4- 2	5- 2	5- 2	4-10
4- 6	5- 6	2- 8 x 2-10	5- 2
4-10	5-10	3- 2	5- 6
5- 2		3- 6	5-10
5- 6		3-10	3- 8 x 4- 6
		4- 2	4-10
		4- 6	5- 2
		4-10	5- 6
		5- 2	5-10
		5- 6	
		5-10	

Screens carried at Springfield and New Haven only.



Pattern C. P. 15

SCREEN DOORS

$1\frac{1}{8}$ " THICK, NO. 1 PINE

Door Sizes

2- 6 x 6- 7	2-10 x 6-11
*2- 8	2- 6 x 7- 1
2- 6 x 6- 9	2- 8
2- 8	2-10
*2-10	3- 0
3- 0	

*Carried at New Haven and Springfield only.

16 Mesh Galvanized Wire

or

16 Mesh Antique Bronze Wire

$3\frac{3}{4}$ " Stiles and Top Rail

$7\frac{1}{2}$ " Bottom Rail, 3" Filler

COMBINATION STORM AND SCREEN DOORS

PATTERN No. 739

Storm Door



Screen Door



Furnished With
Galvanized or
Bronze Wire Screens


PINE

Size	Thickness
2- 6 x 6- 7	1 1/8
2- 8	1 1/8
2- 6 x 6- 9	1 1/8
2- 8	1 1/8
2-10	1 1/8
3- 0	1 1/8
2-10 x 6-11	1 1/8
*2- 6 x 7- 1	1 1/8
2- 8	1 1/8
2-10	1 1/8
3- 0	1 1/8
*3- 0 x 7-7	1 1/8

Combination doors carried 1/2" wider than above sizes at New Haven and Springfield.

* Carried at New Haven only

PINE BREAKFAST SETS NO. 90



Seat ends 36" and 54" high and 18" wide at seat, and 54" long.

Table top 26" wide and 48" long.

Table ends 17" wide and 29" high. Knocked down, ready to set up.

Minimum space required, five feet square. Shipping weight, 115 pounds.

Packed one unit in a carton.

PINE DRAWER CASES




PATTERN NO. 66
Three Drawer

Outside Dimensions
2 feet 8 inches high
2 " 8 " wide
1 foot 6 " deep




PATTERN NO. 67
Four Drawer

PINE KITCHEN DRESSER NO. 11



TELEPHONE CABINET
NO. 29

Rough Opening $1'-1\frac{1}{2}'' \times 2'-6''$
Overall Size $1'-6'' \times 2'-10\frac{1}{4}''$



The dressers come with no back and one end only. The illustration shows the dresser used singly. Packed in shook, in one carton.

Size	3', 3' 6'', 4' wide x 8' high
Height of Shelf	3' 0''
Depth of Upper Section	12''
Depth of Lower Section	18''

4' 6'' and 5' carried at New Haven only.
Doors are glazed, but no Hardware included.
Special Base Shelf 8-10-12 foot length extra.

For Complete Kitchen Units See Pages 110 to 127.

COLONIAL CHINA CLOSET NO. 28


NO TRIM FURNISHED

Packed one to a crate, with front frame completely assembled, doors rough fitted and glazed ready for hardware, back of closet in shook. Top of door lines with 6 foot 8 inch door. Rough opening 2-8 x 6-9 x 1-2½ deep. No hardware included



For complete line of china closets - see page 135

IRONING BOARD CABINETS



NO. 6

Made to fit between studding and to line with 6'-8" doors. No casings furnished. Door hardware not furnished.

Rough Opening Size 1'-2" x 6'-8"



NO. 1A

(This fixture is not furnished with casing)

All working parts of metal; will last a life-time; will not become loose and wobbly (ask the ladies what that means in ironing).

The board can be simply raised or lowered to two heights to suit the fancy of the person ironing but will not slip of its own accord. It can be removed altogether from the box if desired (a great convenience when one wishes to use the board in another part of the house), or to replace a damaged or burnt board.

SPECIFICATIONS

Rough Opening Size 1'-2" x 6'-10"
Height of Board from Floor, 2'-8" and 2'-11"

STUD CABINET

N. C. Pine

Unfinished



Pattern H

PATTERN H CABINET


Leave Opening in Wall to Receive
 14" x 21"

Size Outside


17½" Wide x 24" High x 4" Deep
 French Beveled Plate Mirror 10" x 17"

For Metal Medicine Cabinets See Pages 100 to 109.


FIR PORCH—STAIR—HAND RAIL




Pattern No. 47 (Top)



Pattern No. 75

Actual Size $1\frac{5}{8}'' \times 1\frac{5}{8}''$ 

Pattern No. 48 (Bottom)

Actual Sizes $3\frac{1}{2}'' \times 1\frac{5}{8}''$ 

Pattern No. 23

Actual Size $2\frac{5}{8}'' \times 1\frac{5}{8}''$

Rail Carried in Assorted Lengths
Cuts Are Reduced in Size

STAIR BALUSTERS

YELLOW PINE

Pattern	Length	Thickness
15	28	$1\frac{3}{8}$
15	32	$1\frac{3}{8}$
68	28	$1\frac{3}{8}$
68	32	$1\frac{3}{8}$

The difference in length between the 28-inch and 32-inch Balusters is made on the bottom square. The turning is the same on both sizes.

PORCH BALUSTERS

PATTERN 16

Size
 $1\frac{3}{4} \times 24$

PATTERN 17

Size
 $1\frac{3}{8} \times 24$
 $1\frac{3}{4} \times 24$

Balusters should be ordered in multiples of twenty-five, as they come bundled twenty-five of a size and kind in a bundle. They will then be received in good condition. Quantities of less than twenty-five will be shipped loose at customer's risk or else crated at an extra charge.

For Morgan Stair Parts, See Pages 124 to 129.



Pattern No. 15



Pattern No. 68



Pattern No. 16



Pattern No. 17

NEWELS



YELLOW PINE

STARTING
Pattern No. 52



ANGLE
Pattern No. 53



FIR

Pattern No. 51

Size of Shaft	Height	Size of Shaft	Height	Diameter	Height
5" x 5"	4-0	4" x 4"	5-6	5 x 5	4-0
6" x 6"	4-0	4" x 4"	7-0	6 x 6	4-0
		5" x 5"	5-6	5 x 5	4-6
		5" x 5"	7-0	6 x 6	4-6

The height given above does not include the Cap.



Pattern No. 2

TURNED PORCH AND STUB POSTS

FIR

PATTERN 2		PATTERN 3	
Size	Height	Size	Height
4 x 4	4-0	4 x 4	8-0
5 x 5	4-0	5 x 5	8-0
6 x 6	4-0	6 x 6	8-0
		5 x 5	9-0
		6 x 6	9-0



Pattern No. 3

For Morgan Stair Parts, See Pages 124 to 129

FIR BUILT UP COLONIAL COLUMNS—SQUARE COLUMNS



Pattern No. 5
With Neck Mould

PATTERN NO. 5

Diameter	Height
6 inches	6 feet
6 "	8 "
8 "	6 "
8 "	8 "
8 "	9 "
8 "	10 "
10 "	8 "
10 "	9 "
10 "	10 "
12 "	8 "
12 "	9 "
12 "	10 "

PATTERN NO. 2215

Diameter	Height
8 inches	6 feet
8 "	8 "
8 "	9 "

Caps and Bases for No. 5
Columns in 6, 8, 10, 12 Inch Diameter

Height given includes Cap and Base

Caps and Bases Included



Cross Section



Pattern No. 2215

BUILT UP COLONIAL NEWELS

PATTERN NO. 78 AND NO. 2225

Diameter
8 inches

Height
4 feet



Pattern No. 78



Pattern No. 2225


MIAMI-CAREY METAL BATHROOM CABINETS



The IMPERIAL

(Not carried in stock—allow time for shipment from factory.)

— an exclusive, distinctive DeLuxe Model for those of discriminating taste — distinguished by the skillful blending of Chrome and Glass. The frame around the entire cabinet is brass, chromium plated. Spacious side cabinets, one on each side of the large recessed mirror, have chromium framed mirror doors swung on brass, chromium plated piano-type hinges.




The lighting arrangement is indirect. Two light bulbs concealed behind the opal flash-glass panel at top of the center mirror provide perfect reflected light for shaving or dressing the hair.

All wiring is completed at the factory.

SPECIFICATIONS

Overall size	32" x 32 ³ / ₈ "
Wall opening	31 ¹ / ₈ " x 31 ¹ / ₂ " x 4 ³ / ₈ "
Center mirror	18" x 27 ¹ / ₂ "
Depth, front to back	4 ³ / ₈ "
Return flange	None

MIAMI-CAREY METAL BATHROOM CABINETS



The OXFORD

(Not carried in stock. Allow time for shipment from factory.)

The Oxford, like the Imperial, is modern, complete and distinctive; finished in color to match bathroom tile, bathroom fixtures or the color scheme of the room, it is the last word in perfection.

Storage cabinets are located on each side of central mirror. Door frames of these cabinets are chromium-plated brass. Three plate glass shelves. Recessed center and small flanking mirrors are "A" quality glass, copperbacked, guaranteed.

Storage cabinet doors swing on Chromium-plated, brass "piano" hinges. Frame around entire unit is white Crystal Snow. Special colors available at slight additional cost. Shelf under central mirror is white Vitrolite. Concealed light brackets at top center. The wiring is completed at the factory.

SPECIFICATIONS

Overall size	29 ³ / ₈ " x 29 ³ / ₄ "
Wall opening	27 ⁷ / ₈ " x 28 ¹ / ₄ " x 4 ¹ / ₄ "
Center mirror	18" x 24"
Depth, front to back	4 ¹ / ₄ "
Return flange	1/4"



MIAMI-CAREY METAL BATHROOM CABINETS

The DUCHESS

(Not carried in stock. Allow time for shipment from factory.)

When installed, the Duchess looks like a beautiful Chromium Framed circular mirror hung on the wall. The ingenious hinge on which the door is swung permits the door to be pulled outward over the lavatory so that when opened the mirror is only a few inches from the face — an ideal arrangement for shaving or dressing the hair.

The cabinet box of the Duchess is constructed of heavy gauge ARMCO steel. The return flange is one-quarter inch deep. The body and door backs are finished in Miami Crystal Snow finish, guaranteed not to retain a stain or to discolor with age. Two plate glass shelves, adjustable to three positions, are furnished.



The Miami chromium-plated razor blade drop is installed in the back wall of the cabinet. Mirrors are "A" quality copper-backed, guaranteed for five years against spoilage.

The MODERNE

(Not carried in stock. Allow time for shipment from factory.)

The Moderne is similar to the Duchess, except that there is no frame around the mirror. The mirror is attached to the solid steel door with stainless steel mirror clips.

SPECIFICATIONS — THE DUCHESS AND MODERNE

Mirror size	26" circle
Wall opening	16½" x 16½" x 4¼"

MIAMI-CAREY METAL BATHROOM CABINETS


MODEL 500

Towel Supply and Utility Cabinet


It is an acknowledged fact that the average bathroom cabinet is not large enough to accommodate all of the home remedies, toilet accessories, razors, medicines and first aid necessities kept or used by the average American family. There is always need for additional storage — especially in the home where adequate provision for storage of linens has not been provided. With this in mind, Miami-Carey presents the towel storage and utility cabinet illustrated on this page.

The entire cabinet, including the door, is constructed of ARMCO selected steel.

Five glass shelves are furnished.



There is no mirror
in the door of this
model.



The door is swung on three brass, chromium plated hinges. The cabinet is finished in Carey first-quality, baked enamel applied over rust-resisting undercoat. White is the regular finish.


SPECIFICATIONS

Door	14 $\frac{5}{8}$ " x 34 $\frac{3}{8}$ "
Wall opening	14 $\frac{3}{4}$ " x 34 $\frac{1}{2}$ " x 6"
Overall	18" x 37 $\frac{3}{4}$ " x 6 $\frac{3}{4}$ "

MIAMI-CAREY METAL BATHROOM CABINETS

WITH LIGHT BRACKETS

(Not carried in stock. Allow time for shipment from factory.)



2010

With Tubular Light Bracket No. 1

The solution to effective bathroom lighting has never before been approached as Miami-Carey approached it — building fixtures to meet the artistic, exacting demand for beauty of line, the interior decorator's desire for harmony, and the architect's insistence on the practical.

The chromium plated shields around the light bulbs are adjustable in all arcs of a 180° angle, thus permitting the light to be directed onto the mirror, out into the room or to any intermediate degree desired.

2010


with Tubular Light Bracket No. 1

The illustration at left shows the Miami-Carey cabinet model number 2010 fitted with Tubular Light Brackets No. 1, for which T-8 clear bulbs should be used.

401

with Colonial Light Bracket

The illustration at left shows the Miami-Carey cabinet model number 401 fitted with Colonial Light Brackets. Colonial Brackets are available on cabinets 405, 400-BF and 400-CF only.



401

With Colonial Light Bracket

SPECIFICATIONS

All light fixtures are mounted on the cabinets at the factory, all wiring approved by the Underwriters' Laboratories.

We do not furnish light bulbs for cabinets fitted with Tubular light fixtures.

MIAMI-CAREY METAL BATHROOM CABINETS

WITH LIGHT BRACKETS


(Not carried in stock. Allow time for shipment from factory.)

Miami and Carey Cabinets fitted with the attractive light fixtures illustrated on these pages bring new beauty to your bathroom lighting at an attractive saving in cost. The light brackets illustrated on these pages are correctly located so as to concentrate the light at the point where it is most needed and yet provide sufficient illumination for the entire bathroom.

1622-CF

with Tubular Light Bracket No. 3

Similar in appearance to Bracket No. 1, but smaller in diameter. Designed to take a T-8 frosted bulb, either 40 or 60-watt. This bulb is available at all electric shops. There is no glass shield over the bulb. The frosted light bulb itself serves the purpose.



1622-CF

With Tubular Light Bracket No. 3

2030

with Tubular Light Bracket No. 4


This type of installation is recommended for the small bathroom, for the downstairs lavatory and for the low cost home where perfect illumination of the bathroom is as essential as in the more costly home.

Use T-8 frosted bulbs.

SPECIFICATIONS

For cabinets fitted with light fixtures, make the wall openings one inch higher than is specified for cabinet not fitted with light fixtures.

All cabinets ordered with light brackets attached are fitted with switch and electric convenience outlet.



2030

With Tubular Light Bracket No. 4

MIAMI-CAREY METAL BATHROOM CABINETS

The Aristocrats



No. 660, 670

The Aristocrats are designed for the home where price must be considered but where quality is also taken into consideration.

The mirrors on Model 660 and 670 are No. 1 quality, plate glass copper backed, guaranteed for five years against silver spoilage. The mirror clips are stainless steel. Note the extra large mirror (18 x 30") on model 670.

Regular Equipment: Three adjustable bulb-edge glass shelves, chromium-plated razor blade drop, piano hinge, two tooth brush racks.

SPECIFICATIONS

	Mirror	Wall Opening
Model 660	16" x 24"	13 ³ / ₄ " x 19 ³ / ₄ " x 3 ¹ / ₂ "
Model 670	18" x 30"	15 ³ / ₄ " x 21 ³ / ₄ " x 3 ¹ / ₂ "



No. 405

Model 405 (formerly 701-F) is an all-mirror front model—the mirror is crystal glass 3/16 inch thick, selected silvering quality, with protective copper coating guaranteed for five years against silver spoilage. The mirror clips with which the mirrors are attached to the doors are stainless steel.

Regular Equipment: Two adjustable bulb edge glass shelves, razor blade drop, two tooth brush racks.

SPECIFICATIONS


Mirror.....	16" x 22"
Wall opening.....	13 ³ / ₄ " x 18 ¹ / ₄ " x 3 ¹ / ₂ "

Framed Venetian Models

The mirror on Model 1622-BF is set in a rich black-enamel frame that harmonizes with black and white tile bathrooms or those fitted with black fixtures.

The mirror on the Model 1622-CF is set in a frame of stainless steel polished and buffed to a chrome finish. Mirrors on both 1622-CF and 1622-BF are No. 1 plate glass, copper backed, guaranteed for five years against silver spoilage.

Regular Equipment: Three adjustable bulb edge glass shelves, chromium-plated razor blade drop, two tooth brush holders.



No. 1622-BF, 1622-CF

SPECIFICATIONS

	Mirror	Wall Opening
Model 1622-BF	16" x 24"	13 ³ / ₄ " x 19 ³ / ₄ " x 3 ¹ / ₂ "
Model 1622-CF	16" x 24"	13 ³ / ₄ " x 19 ³ / ₄ " x 3 ¹ / ₂ "

MIAMI-CAREY METAL BATHROOM CABINETS

CABINETS WITH FULL-MIRROR DOOR

Framed in Stainless Steel

Gothic Top Model

The two models shown on this page are among the most popular in the whole line. They are moderately priced — yet have those features of construction that have made Miami-Carey Cabinets famous, not only throughout the United States, but throughout the world.

Stainless Steel frames around the mirrors are absolutely non-rusting and may be kept clean and highly polished just by rubbing with a clean, dry cloth. No polish is necessary. Stainless Steel is the perfect match for chromium-plated bathroom fixtures. The Gothic models are particularly recommended for bathrooms fitted with chromium-plated fixtures where the budget does not permit the purchase of higher priced chromium plated models.



No. 2010

SPECIFICATIONS


	Overall	Mirror	Wall Opening
2010	16 $\frac{5}{8}$ " x 26 $\frac{5}{8}$ "	16" x 26"	13 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "

Square Top Model

The square top stainless steel frame models are recommended for the bathroom where the design is straight lined rather than arched or curved.

General Specifications: All models on this page are fitted with No. 1 quality plate glass mirror copper backed, guaranteed for five years against silver spoilage. Cabinet doors are the heavy air-cushion type hung on heavy piano hinges. The cabinet bodies and door backs are finished in three coats of first-quality baked enamel applied over rust-resisting under-coat. A positive acting bullet catch of brass locks the door.

Regular Equipment: Three adjustable bulb edge glass shelves, used razor blade drop, two tooth brush racks, four installing screws and washers furnished with each cabinet.



No. 2030

SPECIFICATIONS

	Overall	Mirror	Wall Opening
2030	16 $\frac{5}{8}$ " x 22 $\frac{5}{8}$ "	16" x 22"	13 $\frac{3}{4}$ " x 19 $\frac{3}{4}$ " x 3 $\frac{1}{2}$ "

MIAMI-CAREY METAL BATHROOM CABINETS

FLUSH DOOR RECESSED and WALL SURFACE CABINETS



No. 1 and No. 3

These two cabinet models are designed to hang flush on the wall and are recommended for use on thin walls or in old construction where it is not desirable to cut an opening. They are also very practical for towel supply cabinets in commercial buildings.

All three of these cabinets are of characteristic Carey-Miami quality construction with bodies made of ARMCO auto-body steel, finished in first quality, baked white enamel and furnished with glass shelves, held in U brackets. They are durable in construction, neat in appearance and represent outstanding values among low-priced cabinets.

Models No. 1 and 3

Crystal, plate thickness Venetian mirror with curved top and bevelled edge. Two bulb-edge glass shelves adjustable to three positions; cadmium-plated installing screws; chromium-plated mirror clips; baked enamel finish.



No. 2

SPECIFICATIONS

	Mirror Size	Body Size
Model No. 1	12" x 18"	11½" x 15¾"
Model No. 3	14" x 20"	13½" x 17¾"

Model No. 2

Crystal, plate thickness Venetian mirror with square top and bevelled edge. Two glass shelves adjustable to three positions; cadmium-plated installing screws; chromium-plated mirror clips; baked enamel finish.

SPECIFICATIONS

	Mirror Size	Body Size
No. 2	12" x 16"	11½" x 15¾"


Model 200

— especially recommended for the modest bathroom where price is to be considered. This cabinet is very practical in design, rugged in construction and of a uniformly high quality.

Regular specifications include: Baked Enamel finish, plain plate mirrors, razor blade drop and tooth brush racks.

SPECIFICATIONS

	200
Mirror	12" x 16"
Inside	13" x 17"
Overall	16¾" x 20¾"
Wall opening	13½" x 17½"



No. 200

MIAMI-CAREY METAL BATHROOM CABINETS

COLONIAL LINE

400-BF and 400-CF

Cabinets designed for the home where not only price, but quality must be taken into consideration: —


The mirrors on these models are Crystal Plate thickness, of good silvering quality.

Cabinets are finished in first quality BAKED ENAMEL applied over rust-resisting undercoat. Regular equipment is two adjustable bulb edge glass shelves, die stamped razor blade drop, two tooth brush racks and door stop.

Model 400-CF has a Chromium Plated frame around the mirror and is guaranteed rust-proof. It may be kept bright by rubbing with a dry cloth. The frame is a perfect match for chromium plated bathroom accessories, light brackets and fixtures.

Model 400-BF has a rich black enamel frame around the mirror, harmonizing perfectly with black and white tiled bathrooms and those fitted with black fixtures.

Both cabinets have hinges which are butt type, nickel plated, concealed behind the door.



Model 400-CF

Model 400-BF


SPECIFICATIONS

	Mirror	Wall Opening	Overall
Model 400-CF	16" x 22"	13 ³ / ₄ " x 18 ¹ / ₄ " x 3 ¹ / ₂ "	16 ¹ / ₄ " x 22 ¹ / ₄ "
Model 400-BF	16" x 22"	13 ³ / ₄ " x 18 ¹ / ₄ " x 3 ¹ / ₂ "	16 ¹ / ₄ " x 22 ¹ / ₄ "

MORGAN *Sectional* KITCHEN CABINETS

UP-TO-DATE, EFFICIENTLY PLANNED AND
BEAUTIFULLY DESIGNED FOR THE
MODERN KITCHEN

A FEW OF THE OUTSTANDING FEATURES OF MORGAN
SECTIONAL KITCHEN CABINETS



Designed to meet all the requirements of the most carefully planned kitchen—Dust-proof, Flexible, Space-saving.

As Illustrated to Left.

1. Counter Top $1\frac{1}{16}$ " thick, Birch Nosed front edge and both ends.
2. Chromium Plated Drawer Pulls. Secured from the back.
3. Drawer lipped all around, solid sides and back, 3-ply bottom. (1 drawer with cutlery division.)
4. Improved Drawer Corner construction.
5. Flush Doors, lipped all around, beveled inside edge.
6. Elbow Catch.
7. Heavy 3-ply Back.
8. Hardwood Tray Guides.
9. Two Solid Ends, $\frac{3}{4}$ " thick, dadoed to receive bottom and slide frame and rabbeted to receive back.
10. Chromium Plated Hinges.
11. Improved Chromium Plated Catch.



Drawer Construction

12. Lid rack.
13. Sliding Tray Shelf.
14. Bottom of cabinet heavy $\frac{3}{4}$ " thick Pine.
15. Toe Space.
16. Drawer Slide Frame, Guides and Anti-Tipping Cleats included. (Not exposed.)

POINTS OF SUPERIORITY IN MORGAN CABINETS

Planned by noted architectural and domestic science authorities. The men engaged to design Morgan Period Woodwork also designed Morgan Kitchen Cabinets.

Scientifically conceived to render greatest efficiency in kitchen layout—time-saving—tool-saving!

Fit any space—meet any requirement. Hundreds of practical assemblies may easily and quickly be produced with Morgan Kitchen Cabinet units.

Strictly modern in design—exposed surfaces are all flat, dust-proof, sanitary, easy to keep clean. Morgan Cabinets harmonize with all of the latest modern designs in ranges, refrigerators and other kitchen utilities.

DOORS

Doors are 5-ply with Basswood veneer, a smooth satiny appearance providing a perfect painting surface, and drawers have lip fronts providing added security against dust and vermin.

Morgan doors are very light and easy on hinges. They will not sag. The beveled rabbet will prevent binding.

Morgan cross banding on doors makes smooth exposed edges.

DRAWERS

Morgan drawers have $\frac{3}{4}$ " sliding frame under the drawer with guides on each side to be nailed onto the sides of the body so that they will have easy action at all times.

HARDWARE


Special, improved tarnish proof Chromium hardware furnished for exterior, and Cadmium and Nickel plated parts for interior of cabinets. Screws will not loosen as they are fastened through the drawer from the back. Morgan door handles are sturdier, more attractive, and are attached to the door from the back.

Morgan catch for the handle is substantial and a sure lock for the door.

MORGAN SECTIONAL KITCHEN CABINETS

POINTS OF SUPERIORITY IN MORGAN CABINETS

(continued from page 110)



Measurements of Morgan Kitchen Cabinets.

BODY OF CABINET

Made of No. 1 Pine ready for painting. Substantially constructed.

The face rim in Morgan Kitchen Cabinet base units is 2" on sides and bottom with a 2 1/2" top rail.

Front frame is mortised, tenoned and glued together, whereas the frame in many cabinets is nailed only. Top and bottom end pieces of Morgan Cabinets are made of 3/4" Solid Pine. Morgan front frame is grooved so that the end pieces that are tongued fit together perfectly, shelves are of solid Pine.

Working heights are full 36"—the most convenient height for the average housewife.

Morgan Kitchen Cabinets are made so regular stock sinks and drain-boards of porcelain, tile, Monel Metal, Stainless Steel, Bakelite, Formica or plain wood fit perfectly. Note: Your dealer can furnish any type of sink or counter top desired.

Furnished unpainted to enable the painter to finish cabinets to harmonize with the color scheme of the kitchen. Already painted cabinets often clash with other colors in the kitchen.

Continuous toe space at base of cabinets is provided for working comfort and to keep front of base free from mop stains. (No legs to catch dust.)

Metal bread and cake drawers and flour container of special heavy sheet tin. Metal flour bin (50-lb. capacity) is of AAA charcoal tin.

Morgan Kitchen Cabinets can be easily and quickly put together. All pieces are clearly marked so that "A" fits into "A"; "B" into "B", etc. Furthermore, each carton contains full direction sheets.

See page 123 for detail of joining different units together.

HOW TO INSTALL HARDWARE ON MORGAN KITCHEN CABINETS

Apply hinges to door only; do not countersink. (Fig. 3.)


Decide height to locate catch on door. Then bore 1/4" hole for plunger C (Fig. 5), measuring 1 1/16" from edge of door to center of hole. (Fig. 4.)

Directly in line 1/2" above and below the plunger hole (center to center) bore two more 1/4" holes for upper Stud D and lower stud E. (Figs. 4 and 5.)


Apply catch handle on outside of door and catch unit on inside, with bolt toward edge of door, securing with screws furnished.

Apply strike to edge of front A (Fig. 1) for single door, or to back of left-hand door of double doors. (Fig. 2.) Make final adjustment so catch works properly, tighten screws and drive in Escutcheon Pin to hold securely in place after hinges have been screwed to front. (Fig. 3.)

Adjust door B in opening in front A so that door overlaps front equally (1/32") on both edges. Then screw hinges to front.




MORGAN SECTIONAL KITCHEN CABINETS




HARDWARE INCLUDED

All hardware is furnished with Morgan Kitchen Cabinets and is packed with each unit—Exterior hardware is Chromium plated—Interior, Cadmium and Nickel plated.



TOWEL DRYING ROD


Towel Drying Rod of suitable length is furnished with each sink enclosure.



SLICING BOARD—M-5069

M-5069 SLICING BOARD. Furnished as an extra. Can be used with base units M-5031, 2' width, all sizes of M-5036, M-5039, M-5041, M-5042 and M-5029 units. Can be installed below counter or below drawers as desired.

Slicing Board is made of White Ash, 1'-6 $\frac{3}{8}$ " wide x 1'-8" long, $\frac{3}{4}$ " thick. Furnished with 2 slides 1 $\frac{1}{8}$ " x 1 $\frac{1}{8}$ ".



CUTLERY COMPARTMENT

Cutlery Compartment is furnished with M-5036 and M-5040 base units only.

SUGGESTED ASSEMBLY



MORGAN SECTIONAL KITCHEN CABINETS (Suggested Assemblies)



No. 2



No. 3

MORGAN UPPER UNITS—Single Door Type

Furnished with either Solid Flush or Scroll Top or Rectangular Light Glazed Door

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—1'-4", 1'-6", 1'-8" and 2'-0" wide, 2'-11" high, 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Two Adjustable Shelves; Crown Moulding; One Door and All Hardware; Completely Machined for Easy Assembly (Door packed separately).



M-5000



M-5001



M-5002

M-5000—Flush Door.

M-5001—Scroll Top, Glazed Door.

M-5002—Rectangular Light Glazed Door.

NOTE.—Sizes 1'-4", 1'-6" and 1'-8" M-5001 and M-5002 have 3-light doors like in M-5004 and M-5005. The 2'-0" width has 6-light doors like in above cuts.

UPPER UNITS—Double Door Type

Furnished with either Solid Flush or Scroll Top or Rectangular Light Glazed Doors

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—2'-4", 2'-6", 2'-8" and 3'-0" wide, 2'-11" high, 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Two Adjustable Shelves; Crown Moulding; One Pair of Doors and All Hardware; Completely Machined for Easy Assembly (Doors packed separately).



M-5004

M-5003—Flush Doors.

M-5004—Scroll Top Glazed Doors.

M-5005—Rectangular Light Glazed Doors.

NOTE.—M-5003 has a pair of FLUSH DOORS like Single Door in M-5000. M-5005 has a pair of RECTANGULAR LIGHT GLAZED DOORS like Single Door in M-5002 except Three Lights.

UPPER UNITS—Double Door Type

Furnished with either Solid Flush or Scroll Top or Rectangular Light Glazed Doors

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—3'-8" wide, 2'-11" high, 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Two Adjustable Shelves; Crown Moulding; One Pair of Doors and All Hardware; Completely Machined for Easy Assembly (Doors packed separately).



M-5007

M-5006—Flush Doors.

M-5007—Scroll Top, Glazed Doors.

M-5008—Rectangular Light Glazed Doors.

NOTE.—M-5006 has a pair of Flush Doors like Single Door in M-5000. M-5008 has a pair of Rectangular 6-Light Glazed Doors like Single Door in M-5002.

MORGAN UPPER UNITS—Triple Door Type

Furnished with either Solid Flush, Scroll Top or Rectangular Light Glazed Doors or with Single Solid Flush and pair of either type Glazed Doors

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—3'-8" and 4'-0" wide; 2'-11" high; 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Two adjustable Shelves; Crown Moulding; One Single and One Pair of Doors and All Hardware; Completely Machined for Easy Assembly (Doors packed separately).

M-5009—Flush Doors.

M-5010A—Scroll Top, Glazed Doors.

M-5011—Rectangular Light Glazed Doors.

M-5012—Flush Single Door and Pair Scroll Top Glazed Doors.



M-5010A

Above can also be furnished with Flush Single Door and Pair Rectangular Light Glazed Doors, also one Rectangular Light and two Scroll Doors.

NOTE.—M-5009 has one Single and one pair of Flush Doors like Single Door in M-5000. M-5011 has one Single and one pair of Rectangular Light Glazed Doors like in M-5002, except Three Lights in Each Door. M-5012 has one Single Flush Door and one pair of Scroll Top Glazed Doors like in M-5004.

UPPER UNIT OF SLIDING TABLE TOP CABINET—Double Door Type

Furnished with Solid Flush Doors
For Use With Any 3'-0" Base Unit

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—3'-0" wide; 4'-2" high; 1'-2" deep; 1'-2" open space.

Includes—Front; Two Ends; Top; Bottom; Back; One Adjustable and Two Stationary Shelves; Crown Moulding; One Spice Rack; One Metal Flour Container with Sifter; One Acid-Resisting White Porcelain Sliding Table Top with Adjustable Stop, Size 24" x 36"; Steel Splice Plates and Screws for connecting with any Selection of Base Unit of same width; One Pair of Doors and All Hardware; Completely Machined for Easy Assembly (Doors, Metal Flour Container and Porcelain Table Top packed separately).



M-5013

NOTE.—This unit also furnished without porcelain table top.

M-5013—Upper Unit with M-5016 Porcelain Sliding Table Top, Flush Doors.

UPPER UNIT OF SLIDING TABLE TOP CABINET—Triple Door Type

For Use With Any 4'-0" Base Unit

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—4'-0" wide; 4'-2" high; 1'-2" deep; 1'-2" open space.

Includes—Front; Two Ends; Top; Bottom; Back; One Adjustable and Two Stationary Shelves; Crown Moulding; Two Spice Racks; One Metal Flour Container with Sifter; One Acid-Resisting White Porcelain Sliding Table Top with Adjustable Stop, Size 24" x 48"; Steel Splice Plates and Screws for connecting with any selection of Base Unit of same width; One Single and One Pair of Doors and All Hardware; Completely Machined for Easy Assembly (Doors, Metal Flour Container and Porcelain Table Top packed separately).



5014

NOTE.—This unit also furnished without porcelain table top.

M-5014—Upper Unit with M-5016 Porcelain Sliding Table Top, Flush Doors.

M-5015—Upper Unit with M-5016 Porcelain Sliding Table Top, Flush Single Door and Pair Scroll Top Glazed Doors.

NOTE.—M-5015 Upper Unit is same as M-5014 except it has one Flush Single Door and One Pair of Scroll Top Doors like in M-5004. Can also be furnished with one Flush and one pair of 3 Rectangular Light Glazed Doors or with all doors of either of the Glazed Types.



M-5027



M-5029



M-5030



M-5031

MORGAN UPPER UNITS

For use over Refrigerator or Stove
Furnished with Flush Doors

**NO. 1 PINE—K-D—HARDWARE INCLUDED
CARTON PACKED**

M-5027—TWO DOOR TYPE

Sizes—2'-4" and 2'-6" wide; 2'-0" high; 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; One Adjustable Shelf; Crown Moulding; Two Doors and All Hardware; Completely Machined for Easy Assembly.

M-5026—SINGLE DOOR TYPE

Sizes—1'-6", 1'-8" and 2'-0" wide; 2'-0" high; 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; One Adjustable Shelf; Crown Moulding; One Door and All Hardware; Completely Machined for Easy Assembly.

BASE UNITS—M-5029

**NO. 1 PINE—K-D—HARDWARE INCLUDED
CARTON PACKED**

Sizes—2'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Two Small Wood Drawers; One Stationary Shelf Below; One Metal Bread Drawer (Wood Front); One Flush Door and All Hardware; Completely Machined for Easy Assembly. (Metal Drawer and Counter Top packed separately.)

BASE UNITS—M-5030

**NO. 1 PINE—K-D—HARDWARE INCLUDED
CARTON PACKED**

Sizes—1'-6", 1'-8" and 2'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; One Shelf; One Pan and Lid Rack like shown in M-5036; One Flush Door and All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately).

BASE UNITS—M-5031

Same Design as M-5030 Except with Drawer at Top

Sizes—1'-0", 1'-4", 1'-6", 1'-8" and 2'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; One Shelf; One Wood Drawer; One Pan and Lid Rack like shown in M-5036; One Flush Door and All Hardware Completely Machined for Easy Assembly (Counter Top packed separately).

BASE UNIT—M-5031, With Platter Rack M-5032

**NO. 1 PINE—K-D—HARDWARE INCLUDED
CARTON PACKED**

Sizes—2'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Platter Rack; One Wood Drawer; One Flush Door and All Hardware; Completely Machined for Easy Assembly (Counter Top and Platter Rack packed separately).

M-5031 with M-5032—Platter Rack including Counter Top.

M-5032—Platter Rack without Base Unit. To fit 2'-0" Width, Base Unit M-5031.

MORGAN BASE UNITS—M-5033

NO. 1 PINE—K-D—HARDWARE INCLUDED— CARTON PACKED

Sizes—1'-6", 1'-8" and 2'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Four Wood Drawers; All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately).



M-5033


CEILING CORNER UNIT—M-5052

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—2'-1 $\frac{5}{16}$ " wide overall; 1'-2" ends; 1'-4" splayed front; 1'-4" high; 2'-1 $\frac{5}{16}$ " deep.

This unit is made full depth of corner, the same as the Upper Corner Unit.

Includes—Front; Two Ends; Top; Bottom; Two Backs; Band Moulding; One Flush Door and All Hardware; Completely Machined for Easy Assembly.



Ceiling Corner Unit
M-5052 and
Upper Corner Unit
M-5017

When using UPPER CORNER and CEILING CORNER UNITS, the adjoining UPPER and CEILING UNITS must be 8" longer than corresponding adjoining BASE UNITS.

UPPER CORNER UNITS

Furnished with either Solid Flush or Scroll Top or Rectangular Light Glazed Doors

NO. 1 PINE—K-D—HARDWARE INCLUDED— CARTON PACKED

Sizes—2'-1 $\frac{5}{16}$ " wide overall; 1'-2" ends; 1'-4" splayed front; 2'-11" high; 2'-1 $\frac{5}{16}$ " deep.

This unit is made full depth of corner, thus utilizing all available corner space.

Includes—Front; Two Ends; Top; Bottom; Two Backs; Crown Moulding; Two Adjustable Shelves; One Door and All Hardware; Completely Machined for Easy Assembly (Door packed separately).

M-5017—Flush Door.

M-5018—Scroll Top Glazed Door.

M-5019—Rectangular Light Glazed Door.

NOTE.—M-5018 has 3-Light Scroll Top Glazed Door like Center Door in M-5010A. M-5019 has 3 Rectangular Light Glazed Door.

BASE UNIT—M-5034

NO. 1 PINE—K-D—HARDWARE INCLUDED— CARTON PACKED

Sizes—1'-6" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Two Wood Drawers; One Metal Bread and Cake Drawer (Wood Fronts); All Hardware; Completely Machined for Easy Assembly (Metal Drawer and Counter Top packed separately).
Width—1'-6".

Height of all Base Units is 36 inches to top of Counter Shelf. This can be lowered if desired by cutting away the Toe Space.

All Base Sections furnished with, or without, counter.



M-5034



M-5035

MORGAN BASE UNIT—M-5035

NO. 1 PINE—K-D—HARDWARE INCLUDED—
CARTON PACKED

Sizes—2'-8" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Three Wood Drawers; One Metal Bread and Cake Drawer (Wood Front); One Metal Tilting Flour Bin, 50-pound capacity (Wood Front); All Hardware; Completely Machined for Easy Assembly (Metal Drawer, Metal Bin and Counter Top packed separately).

BASE UNITS—M-5036

NO. 1 PINE—K-D—HARDWARE INCLUDED—
CARTON PACKED

Sizes—2'-4", 2'-6", 2'-8" and 3'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Two Wood Drawers; Partitions for Cutlery Compartment in One Drawer; One Sliding Tray Shelf; One Pan and Lid Rack; One Pair Flush Doors and All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately).



M-5036

LINEN TRAY RACK UNIT—M-5037

For Use in 2'-4" M-5036 Base Unit and in 3'-8" M-5041 and M-5042 Base Units

NO. 1 PINE—K-D—HARDWARE INCLUDED—
CARTON PACKED

Sizes—1'-11¹⁵/₁₆" wide; 1'-9⁵/₁₆" high; 1'-8³/₄" deep.

Includes—Two Ends; Top; Bottom; Four Sliding Trays; Completely Machined for Easy Assembly.

Suitable for use in any room where maximum drawer space is essential—Offices, Schools, Hospitals, etc.



M-5037

CHEST OF DRAWERS, BASE UNIT—M-5038

NO. 1 PINE—K-D—HARDWARE INCLUDED—
CARTON PACKED

Sizes—2'-8" and 3'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Two Small and Three Full Width Wood Drawers; All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately).

This design is also suitable for use in any room requiring lots of drawer space—Bedrooms, Dining Rooms, Kitchens, Schools, Offices, etc.



M-5038

BASE UNIT—M-5039A

NO. 1 PINE—K-D—HARDWARE INCLUDED—
CARTON PACKED

Sizes—2'-8" and 3'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; Three Wood Drawers; One Stationary Shelf; One Pan and Lid Rack; One Pair of Flush Doors and All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately).

Also furnished with Metal Bread Drawer at extra price.



M-5039A

MORGAN BASE UNIT—M-5040

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED



M-5040

Sizes—3'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; One Shelf; Three Wood Drawers; Partitions for Cutlery compartment in One drawer; One Metal Bread and Cake Drawer (Wood Front); One Flush Door and All Hardware; Completely Machined for Easy Assembly (Metal Drawer and Counter Top packed separately).

BASE UNITS—M-5041

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—3'-8" and 4'-0" wide; 3'-0" high to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; One Shelf; Four Wood Drawers; One Metal Bread and Cake Drawer (Wood Front); One Pan and Lid Rack; One Pair Flush Doors and All Hardware; Completely Machined for Easy Assembly (Metal Drawer, and Counter Top packed separately).



M-5041

NOTE.—Linen Tray Rack M-5037 may be used in the 3'-8" width of Base Units M-5041.

BASE UNITS—M-5042

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED



M-5042

Sizes—3'-8" and 4'-0" wide; 3'-0" to top of counter; 1'-10" deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Back; One Shelf; Six Wood Drawers; One Pan and Lid Rack; One Pair of Flush Doors and All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately).

NOTE.—Linen Tray Rack M-5037 may be used in the 3'-8" width of Base Units M-5042.

MORGAN BASE CORNER UNIT—M-5043**NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED**

M-5043

Sizes—2'-1 $\frac{5}{16}$ " wide overall, 1'-2" ends, 1'-4" splayed front; 3'-0" high to top of counter, 2'-1 $\frac{5}{16}$ " deep.

Includes—Front with Toe Space; Counter Top; Two Ends; Bottom; Two Backs; One Shelf; One Pan and Lid Rack; One Flush Door and All Hardware; Completely Machined for Easy Assembly (Counter Top packed separately). Note—Counter extends to wall 8" back of cabinet. Cleats for support of counter furnished. Although Cabinet is but 2'-1 $\frac{5}{16}$ " deep, the actual floor space taken is 2'-9 $\frac{5}{16}$ " from corner of room to end of cabinet.

SINK ENCLOSURE UNITS—M-5044 and 5045**NO. 1 PINE—HARDWARE INCLUDED—CARTON PACKED**

M-5045

M-5044

M-5044—SINGLE DOOR TYPE

Sizes—2'-0" wide; 2'-10 $\frac{7}{8}$ " high.

Includes—Front with Toe Space; One Drawer Front; One Door with 20 Gauge Stamped Steel Fabric Panel and All Hardware; Also $\frac{3}{4}$ " Hardwood Towel Rod and Two Brackets; Completely Machined for Easy Assembly (Front and Door are Put-up).

M-5045—DOUBLE DOOR TYPE

Sizes—2'-4", 2'-6", 2'-8", 3'-0", 3'-6" wide; 2'-10 $\frac{7}{8}$ " high.

Includes—Front with Toe Space; Two Drawer Fronts; One Pair of Doors each with 20 Gauge Stamped Steel Fabric Panel and All Hardware; Also $\frac{3}{4}$ " Hardwood Towel Rod and Two Brackets; Completely Machined for Easy Assembly (Front and Doors are Put-up).

COUNTER SHELF DRAWER UNIT—M-5046**NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED**

M-5046

For Use as a connecting section between Upper and Base Units and made to set on top of Counter Shelf of Base Unit

Sizes—1'-2" wide; 1'-2" deep; 1'-3" high.

Includes—Front; Two Sides; Top; Bottom; Back; Three Wood Drawers and All Hardware; Completely Machined for Easy Assembly.

MORGAN CEILING UNITS—M-5050—Single Door Type

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED



M-5050

Sizes—1'-4"; 1'-6"; 1'-8" and 2'-0" wide; 1'-4" high; 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Crown Moulding; One Solid Flush Door and All Hardware; Completely Machined for Easy Assembly.

CEILING UNITS—M-5050S—Single Door Type

Same as M-5050 except 1'-10" deep.

CEILING UNITS—M-5051—Double Door Type

Same Design as M-5050 Except with Double Doors

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Sizes—2'-4"; 2'-6"; 2'-8"; 3'-0" and 3'-8" wide; 1'-4" high; 1'-2" deep.


Includes—Front; Two Ends; Top; Bottom; Back; Crown Moulding; One Pair of Flush Doors and Hardware; Completely Machined for Easy Assembly.

CEILING UNITS—M-5053—Triple Door Type

Same as M-5051 with One Single and One Pair of Flush Doors

Sizes—3'-8" and 4'-0" wide.

CIRCLE END BASE UNIT—M-5049



NO. 1 PINE—Carton Packed and Crated.

Sizes—5'-2" wide; 3'-0" to top of counter; 1'-10" deep.

Includes—Circle End Set-up. Balance K-D with Doors. (Hardware not Applied). Birch Top 24 1/2" wide, One Stationary Shelf.

LONG LENGTH COUNTER TOPS—M-5047

NATURAL BIRCH

For Use in Combination Assemblies

Sizes—23 1/4" wide; 1 1/8" thick; 6'-0", 8'-0", 10'-0", 12'-0" long.



M-5059

MORGAN FULL LENGTH STORAGE UNITS—M-5059

1'-2" Deep

NO. 1 PINE—K-D—HARDWARE INCLUDED—
CARTON PACKED

Also adapted by eliminating three shelves for use as a Combination BROOM CLOSET and STORAGE UNIT.

Sizes—1'-6", 1'-8" and 2'-0" wide; 7'-2" high; 1'-2" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Crown Moulding; Five Adjustable Shelves; One Flush Door and All Hardware; Completely Machined for Easy Assembly (Door for the 2'-0" width is packed separately).

FULL LENGTH STORAGE UNITS—M-5061

1'-10" Deep

Same as M-5059 except for depth.



M 5062

IRONING BOARD COMPARTMENT DOOR M-5062

NO. 1 PINE—PUT-UP—HARDWARE INCLUDED
CARTON PACKED

Fits 2'-0" full length storage units M-5059 and M-5061

Sizes—1'-8½" wide; 6'-7½" high.

Includes—Outer Flush Door; Inner Door; Two Sets Rim Jamb; Ironing Board adjustable to heights from 2'-6" to 2'-10"; Two Backs; All Hardware (Mechanical Hardware Applied, other Hardware Loose); Put Together.

TOWEL RACK SETS—M-5066

For use in 2'-0" width of Full Length Storage Unit M-5061 or in any 2'-0" Base Unit
To be attached to back of door



NO. 1 PINE—K-D—CARTON PACKED

Includes—Two Brackets for Ends and Four Rods.

This special Towel Rack M-5066 is made to be attached to the backs of doors of any 2'-0" Base Unit or of the 2'-0" Full Length Storage Unit M-5061. For Ventilation, holes should be bored in the doors to permit the entrance of air to circulate through and dry out any moist towels. If used in the Storage Unit M-5061, the center shelf should be reduced two or three inches in width, and the holes bored in the front door directly above and below the Ironing Board Door Opening. Five holes ¾" in diameter bored above and below as indicated should be sufficient.

MORGAN DESK UNITS

NO. 1 PINE—K-D—HARDWARE INCLUDED—CARTON PACKED

Furnished with Solid Flush Doors or with Scroll Top or Rectangular Light Glazed Upper Door and Solid Flush Lower Door

Sizes—2'-0" wide; 7'-2" high; 1'-10" deep.

Includes—Front; Two Ends; Top; Bottom; Back; Crown Moulding; One Slide Shelf; One Shelf; One Lower Shelf; One Writing Shelf; Two Upper Shelves; Three Wood Drawers; One Shelf with Three Partitions; One Sliding Door; One Drop Writing Top; One Upper Door; One Lower Flush Door and All Hardware; Completely Machined for Easy Assembly.

M-5063—Flush Doors.

M-5064—Scroll Top Glazed Upper Door, Flush Lower Door.

M-5065—Rectangular Light Glazed Upper Door, Flush Lower Door.

NOTE.—M-5064 has SCROLL TOP 6-LIGHT GLAZED DOOR in Upper Section like in M-5001. M-5065 has RECTANGULAR LIGHT GLAZED DOOR in Upper Section like in M-5002.



M-5063

SHELF UNIT BETWEEN UPPER AND BASE UNITS M-5067


NO. 1 PINE—K-D—INDIVIDUAL PACKED

Sizes—For 2'-0" widths, for 3'-0" widths, for 4'-0" widths.

May be shortened on job to suit intermediate sizes.



M-5067




M-5068

METAL FLOUR CONTAINER WITH SIFTER M-5068

Can be used in any Upper Unit. The slight adjustment necessary to the upper units may be readily done by the carpenter on the job.


SPECIAL HEAVY SHEET TIN— CARTON PACKED



Detail Showing Method of Joining Units Together

MORGAN COLONIAL STAIRWAYS

Suggested Starting Sections





M-856

THE CORNWALL HOUSE STAIRWAY

An eighteenth century Stairway of rare charm. A graceful Colonial adaptation well suited to present-day homes of traditional architecture.

Stairway	M-856
requires	
Rail	M-720
Volute	M-722
Starting Newel	M-765
Balusters	M-892
Starting Step	M-779V





M-857

THE EASTERN POINT STAIRWAY

You will never tire of the simple beauty of this lovely Morgan Colonial Stairway.

Stairway	M-857
requires	
Rail	M-720
Turnout Easing	M-724R
Starting Newel	M-895
Balusters	M-892
Starting Step	M-779T



M-858

THE ANNAPOLIS STAIRWAY

From the State Capitol Building at Annapolis, Maryland, comes the inspiration for this unusually fine adaptation.

Stairway	
requires	
Rail	M-720
Easing with Cap	M-725
Starting Newel	M-766
Balusters	M-894
Brackets	M-882

MORGAN COLONIAL STAIRWAYS

Suggested Starting Sections

THE STEIGEL STAIRWAY

Some of the best of the old original Colonial stairways were very plain—free from ornate detail and it is these plainer types that are most suited to present-day home building. An example of this simplicity of detail is shown here. This interesting design comes from an old Dutch Colonial house in Lancaster County, Pennsylvania.

Stairway	M-860
requires	
Rail	M-720
Starting Newel	M-885
Landing Newel	M-890
Balusters	M-778
Starting Step	M-896



M-860

THE NEWBURYPORT STAIRWAY

A simple and very charming reproduction of New England origin.

Stairway	M-859
requires	
Rail	M-720
Starting Newel	M-769
Balusters	M-892
Brackets	M-882




M-859

THE GUILFORD STAIRWAY

A very beautiful Georgian stairway reproduced from an original in an old eighteenth century home in Baltimore, Maryland. The reeded starting newel capped with an urn of graceful scale is truly a work of art.

Stairway	M-851
requires	
Rail	M-720
Starting Newel	M-884
Balusters	M-892
Starting Step	M-896




M-851


Rail fittings and newels for landings and returns are shown on the following pages.

MORGAN AUTHENTIC COLONIAL STAIRPARTS


All Stair Crooks on this and the following page are made to match M-720 Rail ($2\frac{1}{4}'' \times 2\frac{3}{8}''$) and furnished in Unselected Birch only. Necessary Rail bolts are included and packed in cartons containing Volutes, Goosenecks, etc.




M-747





M-749



M-748

M-720
RAIL

M-745

M-721 L
M-722 RM-724 R
M-723 L


M-725




M-726





M-727




M-728



M-729


M-730
M-731
M-732M-733
M-734

M-746

M-905
ROSETTE

MORGAN AUTHENTIC COLONIAL STAIRPARTS


All Stair Crooks on this and the preceding page are made to match M-720 Rail ($2\frac{1}{4}" \times 2\frac{3}{8}"$) and furnished in Unselected Birch only. Necessary Rail bolts are included and packed in cartons containing Volutes, Goosenecks, etc.




M-735 L
M-736 R



M-736
Two Riser
Right




M-741 L
M-742 R




M-739
One Riser
Right

M-740
Two Riser
Right


M-742
Two Riser
Right



M-737 L 1 RISER
M-739 R 1 RISER
M-738 L 2 RISERS
M-740 R 2 RISERS



M-743
One Riser
Left



M-743 L
M-744 R

LIST OF PARTS ON THIS AND PRECEDING PAGE BIRCH

M-720	Stair Rail— $2\frac{1}{4}" \times 2\frac{3}{8}"$
M-721	Volute (Left)
M-722	" (Right)
M-723	Turnout Easing with Cap (Left)
M-724	" " " (Right)
M-725	Easement with Newel Cap
M-726	Concave Easement
M-727	" " —90 Degrees
M-728	Convex Easement
M-729	Straight Gooseneck (2 Risers)
M-730	Gooseneck (No Cap)
M-731	" " "
M-732	" " " For Box Newel
M-733	" (With Cap)
M-734	" " "

M-735	Gooseneck Qt. Turn and Easing (Left)
M-736	Gooseneck Qt. Turn and Easing (Right)
M-737	Gooseneck Level Qt. Turn (Left)
M-738	" " " " (Right)
M-739	" " " " (Right)
M-740	" " " " (Right)
M-741	" Cap and Easing (Left)
M-742	" " " (Right)
M-743	" Landing Return (Left)
M-744	" " " (Right)
M-745	Level Quarter Turn
M-746	Newel Cap $3\frac{3}{8}"$ (Diameter)
M-747	" " (1 Rail Outlet)
M-748	" " (2 " ")
M-749	" " (2 " " —Rt. Ang.)
M-905	Rosette

MORGAN AUTHENTIC COLONIAL STAIRPARTS




M-765




M-895


Newels M-765 and M-895 are made with dowel bottoms $1\frac{3}{4}$ " diameter, $9\frac{1}{8}$ " long, making length of turned base above the stair tread $11\frac{1}{4}$ ".



M-766
M-767
M-768



M-769
M-770
M-771
M-772
M-773
M-774
M-775



M-779

(See Note Below)



M-880

M-779, M-880, and M-896 Include Tread, Riser and, cove, 5'-0" long overall, except M-896 which is 4'-6". Reversible. See Note.



M-896



Treads $13\frac{1}{16}$ " or $11\frac{1}{16}$ " x $11\frac{1}{2}$ " except M-779 $13\frac{1}{16}$ " or $11\frac{1}{16}$ " x $11\frac{1}{4}$ ", Risers $3\frac{3}{4}$ " x 8".

NOTE.—As Riser of Starting Step, M-779, is bored to receive Newel, M-765, when used with Volute, M-721, or, M-722, and also bored to receive Newel, M-895, when used with Turnout Easing, M-723, or, M-724, specify when ordering, either M-779V (V denoting Volute) or M-779T (T denoting Turnout Easing).

NOTE.—Newel M-766 cannot be used with M-896 Tread because square is not of sufficient length.


In place of M-766 use M-767 and cut bottom to desired length.

MORGAN AUTHENTIC COLONIAL STAIRPARTS



M-777— $1\frac{3}{8}$ " diam. M-892— $1\frac{3}{8}$ "
M-894— $1\frac{3}{8}$ " M-776— $1\frac{3}{8}$ "
M-778— $1\frac{5}{16}$ "

Balusters furnished in lengths overall including $\frac{3}{4}$ " dowel.



13" x 8 $\frac{1}{4}$ " x $\frac{3}{8}$ "
(3 ply)

LIST OF PARTS ON THIS AND PRECEEDING PAGE
BIRCH BIRCH

M-765	Starting	Newel	3-10 $\frac{7}{8}$
M-766	"	"	3-5
M-767	Landing	"	5-2
M-768	"	"	6-11
M-769	Starting	Newel	4-2
M-770	"	"	4-10
M-771	"	"	6-2
M-772	"	"	5-9 $\frac{1}{4}$
M-773	Landing	Newel	5-6
M-774	Angle	Newel	5-10 $\frac{3}{8}$
M-775			7-0
M-776	Balusters	2-6, 2-9, 3-0, 3-3, 3-6	
M-777	"	2-6, 2-9, 3-0, 3-3, 3-6	

M-779	Starting	Step	5-0
M-880	"	"	5-0
M-882	Bracket		
M-884	Starting	Newel	4-11 ⁷ / ₈
M-885	"	"	4- 1 ⁵ / ₈
M-890	Landing	Newel	4-11 ¹ / ₂
M-891	"	"	5- 6 ³ / ₄
M-892	Balusters	2-6, 2-9, 3-0,	3-3, 3-6
M-894	"	2-6, 2-9, 3-0,	3-3, 3-6
M-895	Starting	Newel	3-10 ⁷ / ₈
M-896	Starting	Step	5-0

Starting steps M-779, 880, 896 are only carried with Oak Tread and Cove, and Y.P. Riser.

PINE

M-894 Balusters 2-6, 2-9, 3-0, 3-3, 3-6

PLAIN OAK STAIR TREADS

13/16" x 9 1/2", 10 1/2", 11 1/2"	3'-0"—3'-6"—4'-0"
1 1/16" x 9 1/2", 10 1/2", 11 1/2"	3'-0"—3'-6"—4'-0"

Treads Tongued on order. Risers are Grooved.

PLAIN OAK NOSING

 $1\frac{3}{16}'' \times 1\frac{1}{4}''$

13/16" x 4 1/4"

1 1/16" x 1 1/4"

STAIR RISERS—YELLOW PINE

$1\frac{3}{16}'' \times 7\frac{3}{4}''$ 3'-0''—3'-6''—4'-0''
 $\frac{5}{8}'' \times \frac{7}{8}''$ Plain Oak Scotia

1 1/16" x 3 1/4" Rabbeted

MORGAN COLONIAL MANTELS

NO. 1 PINE

Set-up, 1 to a crate



M-1450—M-1450A

A GEORGIAN MANTEL


In many of the historic homes of old Virginia one may see the old original detail of this charming Georgian Mantel. It is an exact duplicate of a Mantel in the Shirley House, James River, Virginia. It is indeed a cheerful homelike design that will brighten any interior.

	M-1450	M-1450A	M-1452	M-1452A
Shelf	6 $\frac{1}{2}$ " x 6'-5"	8" x 5'-11"	5 $\frac{3}{4}$ " x 4'-11 $\frac{3}{4}$ "	6 $\frac{3}{4}$ " x 5'-10 $\frac{1}{8}$ "
Width of Breast	5'-8"	5'-2"	4'-9 $\frac{3}{4}$ "	5'-8"
Height	4'-4 $\frac{1}{8}$ "	4'-4 $\frac{1}{8}$ "	3'-7 $\frac{3}{4}$ "	4'-5 $\frac{1}{2}$ "
Inside Measurement	4'-2" x 3'-0"	3'-8" x 3'-0"	3'-7 $\frac{3}{4}$ " x 2'-6 $\frac{3}{4}$ "	4'-2" x 3'-0"

MANTEL OF THE
WAYSIDE INN

An Adaptation in Two Sizes

After the Mantel in the Ball Room of Wayside Inn, Sudbury, Massachusetts, this Mantel has been adapted. All of the beauty of the original has been preserved to enhance the beauty of present-day home interiors.



M-1452—M-1452A

MORGAN COLONIAL MANTELS

NO. 1 PINE

Set-up, 1 to a crate



M-1453-M-1453A

THE ROCKPORT MANTEL

The pleasing ornamentation used on this lovely Mantel will satisfy the tastes of many who lean to the more decorative in the Colonial. Certainly a most distinguished design.

	M-1453
Shelf	$5\frac{3}{4}'' \times 4'-11\frac{3}{4}''$
Width of Breast	$4'-9\frac{3}{4}''$
Height	$3'-7\frac{3}{4}''$
Inside Measurement	$3'-7\frac{3}{4}'' \times 2'-6\frac{3}{4}''$

	M-1453A
	$6\frac{3}{4}'' \times 5'-10\frac{1}{8}''$
	$5'-8''$
	$4'-5\frac{1}{2}''$
	$4'-2'' \times 3'-0''$

	M-1455
	$7\frac{1}{8}'' \times 5'-11''$
	$5'-0''$
	$4'-5\frac{1}{4}''$
	$4'-0'' \times 3'-1''$

THE DEDHAM MANTEL

In Dedham, Massachusetts, the original of this Mantel has graced the dining room of an old home for generations. It is the embodiment of Colonial architectural artistry and a happy part of the modern Colonial home that will uphold the high name of its ancestry.



M-1455

MORGAN COLONIAL MANTELS

NO. 1 PINE
Set-up, 1 to a crate



M-1456

THE PEABODY MANTEL

A classic gem of the late eighteenth century. Richly ornamented, yet most dignified. The delicate reeding on the breast and on the convex sides is typical of the period when the original of this Mantel brightened the New England home in which it was used.

Shelf
Width at Breast
Height
Inside Measurement

M-1456
 $7\frac{1}{8}'' \times 5'-11''$
 $5'-0''$
 $4'-5\frac{1}{4}''$
 $4'-0'' \times 3'-1''$

M-1457
 $7\frac{1}{8}'' \times 5'-11''$
 $5'-0''$
 $4'-5\frac{1}{4}''$
 $4'-0'' \times 3'-1''$

THE ASHER BENJAMIN MANTEL

An early nineteenth century Mantel of Empire influence. The Sunburst motif and moulded panels are helpful embellishments that give balance and good design to the Mantel breast. This design is attributed to Asher Benjamin, prominent Architect of the early 1800's.



M-1457

MORGAN COLONIAL MANTELS

NO. 1 PINE

Set-up, 1 to a crate



M-1458

THE "BULFINCH" GEORGIAN MANTEL

The striking beauty of this authentic Georgian Mantel is in its delicate fluting and fine dentil moulding beneath the gracefully detailed shelf. An outstanding example of eighteenth century design.

Shelf
Width of Shelf
Height
Inside Measurement

M-1458

$5\frac{7}{8}'' \times 5'-8\frac{3}{4}''$
 $5'-0\frac{1}{2}''$
 $4'-2\frac{1}{2}''$
 $3'-8'' \times 2'-9''$

M-1461

$6\frac{15}{16}'' \times 6'-6\frac{1}{2}''$
 $5'-8\frac{1}{2}''$
 $4'-1\frac{7}{8}''$
 $4'-6'' \times 3'-3''$ Maximum
 $4'-2'' \times 3'-1''$ Minimum

THE PINGREE MANTEL (Adjustable)

The original detail adapted for this splendid Mantel came from an eighteenth century dwelling of a Salem sea captain.

Its beauty of design and excellence of workmanship give it a timeless charm. It is suited for use in most interiors of Colonial as well as modern design.



M-1461


MORGAN COLONIAL CHINA CLOSETS



M-1553



M-1554



Back for M-1553, M-1554

M-1553 — Overall height, 8'-2". Upper Doors Glazed. No hardware furnished.
 M-1554 — Overall height, 8'-2". Upper Doors Glazed. No hardware furnished.

All Colonial China Cabinets include three shelves in upper section, one shelf lower section with adjustable metal ratchets and shelf supports for upper shelves. Inside size of main body 2'-5½" x 6'-9¼" x 1'-2" deep. No. 1 Pine (3-ply Fir back).

MORGAN COLONIAL CHINA CLOSETS

No. 1 PINE


SEMI K.D.



M-1571



M-1572



Back for M-1571, M-1572

**M-1571 Overall Height 7'-0 1/2". Upper Doors Glazed. Trim not included.
No hardware furnished.**

**M-1572 Overall Height 7'-0 1/2". Upper Doors Glazed. Trim not included.
No hardware furnished.**

All Colonial China Cabinets include three shelves in upper section, one shelf lower section with adjustable metal ratchets and shelf supports for upper shelves. No. 1 Pine (3-ply Fir back).




M-1563

MORGAN COLONIAL CHINA CLOSET

NO. 1 PINE
Semi K.D.

M-1563 WHAT NOT CASE. Size: Overall width, $2'-7\frac{1}{4}"$, overall height, $6'-8"$. Three shelves (11" deep) in upper section. One shelf and one single door in lower section. K-D. Hardware not included.



Back for M-1563

A rare antique reproduction from a two century old New Boston, New Hampshire home. There's at least one or two places in the home where this case may be placed to good advantage.


COLONIAL BOOKCASE

NO. 1 PINE
Semi K.D.

M-1575 Includes—Three shelves in upper section, one shelf in lower section with adjustable metal ratchets and shelf support for upper shelves. These cases are designed to be trimmed to match other room openings and casings are not included except as extras.

Overall Height $6'-8\frac{3}{4}"$.

No hardware furnished



Back for M-1575



M-1575

Here's a very delightful combination—The New Adaptation—The "Shirley House" BOOK CASE M-1575 and The M-1450 "Shirley House" Mantel. This BOOK CASE is suited to most any interior. It is very spacious—very staunchly built. Economical.

ALPHABETICAL INDEX TO PONDEROSA PINE MOULDINGS

	Page		Page
Apron	142	Grounds	141
Astragal	141	Half Round	138
Back Band	142	Header	142
Baluster Stock	141	Hook Strip	142
Band	138	Interior Trim RL	141-142
Base Moulding	139	Lattice	139
Base, Square Edge	142	Nosing	140
Bed	138	Panel	139
Cap	142	Parting Bead	142
Carpet Strip	140	Partition Cap and Shoe	140
Casing	141	Picture	139
Chair Rail	142	Plinth Blocks	142
Clear Strip	139	Quarter Round	138
Closet Pole	141	Rake	138
Combination Base and Picture	139	Scotia	138
Corner Bead	141	Screen Stock	140
Cornice	138	Shelf Cleat	140
Cove	138	Staff Bead	140
Crown	138	Stool Cap	141
Fence Cap	140	Stops	142
Fillet	142	Wall Moulding	141
Glass Bead	140	Wallboard Moulding	139
		Watertable	141

SOFT YELLOW PINE MOULDINGS

Apron	143	Header	143
Back Band	143	Parting Bead	144
Base Moulding	144	Picture	144
Base, Square Edge	143	Plinth Blocks	144
Cap	143	Quarter Round	144
Casing	143	Scotia	144
Chair Rail	144	Shelf Cleat	144
Cornice	144	Stool Cap	143
Fillet	143	Stops	143

INTERIOR TRIM

Soft Yellow Pine Trim	145
Ponderosa Pine Trim	146
Trim Pak	147, 148, 149
Brown's Supercedar Closet Lining	150
Knotty Idaho Pine Paneling	150
Fir Plywood	151
Fir Art-Ply	152

SOFT PINE MOULDINGS

CROWN



8000	$\frac{3}{4}'' \times 3\frac{1}{4}''$
8002	$\frac{3}{4}'' \times 3\frac{5}{8}''$
8003	$\frac{3}{4}'' \times 2\frac{3}{4}''$
8004	$\frac{3}{4}'' \times 5\frac{1}{4}''$
8005	$\frac{3}{4}'' \times 4\frac{5}{8}''$
8006	$\frac{3}{4}'' \times 4\frac{1}{4}''$




8009	$\frac{3}{4}'' \times 3\frac{5}{8}''$
8010	$\frac{3}{4}'' \times 2\frac{3}{4}''$
8012	$\frac{3}{4}'' \times 4\frac{1}{4}''$
○ 8013	$\frac{3}{4}'' \times 4\frac{5}{8}''$



RAKE

8043	$\frac{3}{4}'' \times 4\frac{1}{4}''$
8044	$\frac{3}{4}'' \times 5\frac{1}{4}''$

CORNICE




8623	$\frac{3}{4}'' \times 3\frac{1}{4}''$
8624	$\frac{3}{4}'' \times 2\frac{1}{4}''$

BED




8016	$\frac{3}{4}'' \times 1\frac{3}{4}''$
8017	$\frac{3}{4}'' \times 1\frac{1}{2}''$
8018	$\frac{3}{4}'' \times 2\frac{1}{4}''$
8019	$\frac{3}{4}'' \times 2\frac{3}{4}''$
8520	$\frac{3}{4}'' \times 2''$

HALF ROUND



*8075	$\frac{1}{4}'' \times 1\frac{1}{2}''$
*8076	$\frac{5}{16}'' \times \frac{5}{8}''$
*8077	$\frac{3}{8}'' \times 1\frac{1}{16}''$
**8078	$\frac{1}{2}'' \times 1''$
8079	$\frac{5}{8}'' \times 1\frac{1}{4}''$
8080	$\frac{3}{4}'' \times 1\frac{5}{8}''$

QUARTER ROUND




*8057	$\frac{1}{4}'' \times \frac{1}{4}''$
**8063	$\frac{1}{2}'' \times \frac{1}{2}''$
8064	$\frac{5}{8}'' \times \frac{5}{8}''$
8065	$\frac{3}{4}'' \times \frac{3}{4}''$



8066	$\frac{3}{4}'' \times 1\frac{1}{4}''$
8067	$\frac{3}{4}'' \times 1\frac{3}{8}''$

COVE—SCOTIA



8025	$\frac{3}{4}'' \times 2\frac{1}{4}''$
● 8026	$\frac{3}{4}'' \times 2\frac{3}{4}''$
8029	$\frac{3}{4}'' \times 3\frac{1}{4}''$



**8059	$\frac{1}{2}'' \times \frac{7}{8}''$
**8059A	$\frac{5}{8}'' \times \frac{3}{4}''$
**8059B	$\frac{1}{2}'' \times \frac{1}{2}''$
8060	$\frac{3}{4}'' \times \frac{7}{8}''$

BAND



B600	$\frac{3}{4}'' \times 1\frac{1}{4}''$
B601	$\frac{3}{4}'' \times 1\frac{1}{2}''$
B602	$\frac{3}{4}'' \times 1\frac{3}{4}''$



● B608	$\frac{7}{16}'' \times 1\frac{1}{16}''$
--------	---



8462	$\frac{3}{4}'' \times 1\frac{1}{4}''$
B609	$\frac{3}{4}'' \times 1\frac{1}{2}''$
B610	$\frac{3}{4}'' \times 1\frac{3}{4}''$
B611	$1\frac{1}{16}'' \times 1\frac{3}{4}''$



8180	$1\frac{1}{16}'' \times 2\frac{1}{2}''$
------	---

SOFT PINE MOULDINGS

PANEL AND WALLBOARD



****8035** $\frac{3}{4}'' \times \frac{7}{8}''$



B634 $\frac{9}{32}'' \times 1\frac{3}{4}''$

B635 $\frac{3}{8}'' \times 1\frac{3}{4}''$

B636 $\frac{5}{8}'' \times 2\frac{1}{4}''$

B637 $\frac{3}{8}'' \times 2''$



****8570** $\frac{1}{2}'' \times \frac{9}{16}''$



****8161** $\frac{3}{8}'' \times 1''$



****8167** $\frac{5}{8}'' \times 1\frac{1}{4}''$



****B682** $\frac{7}{16}'' \times 1\frac{1}{8}''$

****B683** $\frac{9}{16}'' \times 1\frac{3}{16}''$



B638 $\frac{7}{16}'' \times 1\frac{3}{4}''$

B656 $\frac{3}{8}'' \times 2\frac{1}{4}''$

B628 $\frac{3}{8}'' \times 2\frac{1}{4}''$

CLEAR STRIPS



B627 $\frac{3}{4}'' \times 1\frac{3}{4}''$

B628 $\frac{3}{4}'' \times 2\frac{1}{2}''$

B629 $1\frac{1}{8}'' \times 1\frac{3}{4}''$

B430 $\frac{3}{4}'' \times 1\frac{3}{8}''$

B665 $\frac{3}{4}'' \times 3\frac{1}{2}''$

B394 $\frac{3}{4}'' \times 4\frac{5}{8}''$

BASE



B659 $\frac{3}{4}'' \times 1\frac{3}{8}''$



B660 $\frac{3}{4}'' \times 1\frac{1}{2}''$




8620 $\frac{3}{4}'' \times \frac{7}{8}''$

B621 $\frac{3}{4}'' \times 1\frac{3}{8}''$

COMBINATION
BASE AND PICTURE

8261 $\frac{3}{4}'' \times 1\frac{3}{8}''$

LATTICE S4S



8280 $1\frac{1}{8}''$

8281 $1\frac{3}{8}''$

8282 $1\frac{3}{4}''$

B638 $\frac{7}{16}'' \times 1\frac{3}{4}''$

B656 $\frac{3}{8}'' \times 2\frac{1}{4}''$

B628 $\frac{3}{8}'' \times 2\frac{1}{4}''$

PICTURE






8263 $\frac{3}{4}'' \times 1\frac{3}{4}''$

8263A $1\frac{1}{16}'' \times 1\frac{3}{8}''$

SOFT PINE MOULDINGS

SCREEN STOCK AND MOULDINGS

*8139 $5/16'' \times 5/8''$ *8140 $3/8'' \times 3/4''$ *B622 $3/4'' \times 1/2''$
(6 ft. lengths only, bundled
100 pcs. to bundle.)*8560 $1/4'' \times 1/2''$ *8561 $1/4'' \times 3/8''$ Above 2 items may also be
obtained in 6 ft. lengths only,
bundled 100 pcs. to bundle.*8610 $1/4'' \times 3/4''$ *8611 $1/4'' \times 3/4''$ B623 $25/32'' \times 1 3/4''$ B626 $1 1/16'' \times 1 3/4''$ B624 $25/32'' \times 1 3/4''$ B625 $25/32'' \times 1 3/4''$

GLASS BEADS

**B670 $1/4'' \times 1 1/16''$ **B671 $1/4'' \times 1/2''$ **B672 $3/8'' \times 7/8''$ **⊙8563 $3/8'' \times 7/16''$ **⊙8563A $3/8'' \times 3/4''$

STAFF BEAD

B690 $1 1/16'' \times 1 1/4''$ B691 $1 3/8'' \times 1 5/8''$

NOSING

*⊙8575 $3/8'' \times 1/2''$

SHELF CLEAT

8242 $3/4'' \times 1 3/4''$

CARPET STRIP

**8422 $1/2'' \times 3/4''$ **8427 $5/8'' \times 3/4''$

FENCE CAP

B680 $1 1/8'' \times 1 3/4''$

PARTITION CAP AND SHOE

8271 $3/4'' \times 1 3/4''$ 8273 $3/4'' \times 2 1/4''$

SOFT PINE MOULDINGS

CLOSET POLE



B675 $1\frac{3}{8}''$
B676 $1\frac{1}{8}''$

FLAT ASTRAGAL



B642 $\frac{3}{4}'' \times 1\frac{3}{4}''$
B643 $\frac{3}{4}'' \times 1\frac{1}{4}''$

WATER TABLE



8284 $1\frac{1}{8}'' \times 2''$

CORNER BEAD



B640 $2'' \times 3''$



8238 $1\frac{3}{8}'' \times 1\frac{3}{8}''$

BALUSTER STOCK



8900 $1\frac{1}{8}''$
8901 $1\frac{3}{8}''$
8902 $1\frac{3}{4}''$

WALL



**8535 $\frac{5}{8}'' \times \frac{7}{8}''$

GROUNDS

S4S $\frac{3}{4}'' \times \frac{7}{8}''$

CASING



⊙ 8308 $\frac{3}{4}'' \times 3\frac{5}{8}''$
(1 or 2 round corners)
Also stocked in 7-0
lengths.
8309A $\frac{3}{4}'' \times 4\frac{1}{2}''$
(1 round corner only)




1267 $\frac{3}{4}'' \times 2\frac{1}{2}''$
1267D $\frac{3}{4}'' \times 3\frac{1}{2}''$


MULLION CASING



⊙ 8311A $\frac{3}{4}'' \times 5\frac{1}{2}''$
8309B $\frac{3}{4}'' \times 6''$
8309C $\frac{3}{4}'' \times 8''$



1267E $\frac{3}{4}'' \times 5\frac{1}{2}''$



1267F $\frac{3}{8}'' \times 2\frac{3}{4}''$

STOOL CAP



8669B $\frac{3}{4}'' \times 4\frac{1}{4}''$



⊙ 8269 $\frac{1}{2}$ $1\frac{1}{8}'' \times 3\frac{1}{4}''$
B669 $\frac{3}{4}'' \times 3\frac{1}{4}''$



1268A $\frac{3}{4}'' \times 3\frac{5}{8}''$
1268B $1\frac{1}{16}'' \times 3\frac{1}{4}''$



1276 $1\frac{1}{16}'' \times 4\frac{1}{4}''$

SOFT PINE MOULDINGS

APRON

8642 $\frac{3}{4}'' \times 3\frac{5}{8}''$ 1269 $\frac{3}{4}'' \times 2\frac{1}{2}''$

HEADER AND BASE

B665 $2\frac{5}{32}'' \times 5\frac{5}{8}''$ B666 $2\frac{5}{32}'' \times 7\frac{5}{8}''$ B668 $7\frac{1}{8}'' \times 5\frac{1}{4}''$

STOPS

● ○ 8090 $7\frac{1}{16}'' \times 1\frac{5}{8}''$ ● ○ 8098 $7\frac{1}{16}'' \times 1\frac{3}{8}''$ 2 > 8093A $1\frac{1}{2}'' \times 2\frac{1}{2}''$ 4 ft1 > 8093B $1\frac{1}{2}'' \times 4\frac{1}{2}''$ 3 ft8095 $7\frac{1}{16}'' \times 1\frac{5}{8}''$ 8096 $7\frac{1}{16}'' \times 1\frac{3}{8}''$ ● ○ 8119 $7\frac{1}{16}'' \times 1\frac{3}{8}''$ ○ 8120 $7\frac{1}{16}'' \times 1\frac{5}{8}''$ ○ 8120E $7\frac{1}{16}'' \times 1\frac{7}{8}''$ 1270A $7\frac{1}{16}'' \times 1\frac{1}{4}''$ 1270B $7\frac{1}{16}'' \times 1\frac{7}{16}''$ 1270C $7\frac{1}{16}'' \times 1\frac{5}{16}''$ 1270D $7\frac{1}{16}'' \times 2\frac{3}{16}''$ 1270E $7\frac{1}{16}'' \times 3\frac{1}{16}''$

BACK BAND

B667 $\frac{3}{4}'' \times 1\frac{1}{8}''$ Also stocked in 7-6
Lengths

CAP

B662 $\frac{3}{4}'' \times 1\frac{3}{8}''$ 8389 $1\frac{1}{8}'' \times 1\frac{3}{4}''$

FILLET

8395 $7\frac{1}{16}'' \times 1\frac{1}{8}''$

CHAIR RAIL AND HOOK STRIP

8640 $\frac{5}{8}'' \times 3\frac{5}{8}''$ 8627 $\frac{5}{8}'' \times 2\frac{1}{2}''$ 8218 $\frac{5}{8}'' \times 1\frac{3}{4}''$ 8219 $\frac{5}{8}'' \times 2\frac{1}{2}''$ Rabbeted $\frac{1}{4}'' \times \frac{5}{16}''$

PLINTH BLOCKS

1272 $7\frac{1}{8}'' \times 2\frac{1}{2}''$, 8"1272 $7\frac{1}{8}'' \times 3\frac{1}{2}''$, 8"(packed 24 to a carton)
(For use with 1267 and 1267D
Casing)

PARTING BEAD


○ 8432 $\frac{1}{2}'' \times \frac{3}{4}''$

SOFT YELLOW PINE MOULDINGS

SIDE AND MULLION CASINGS

8308 $3/4'' \times 3 5/8''$ 8308A $3/4'' \times 6''$ 8308B $3/4'' \times 8''$ 8309 (1 round
corner only)
 $3/4'' \times 4 1/4''$ B650 $3/4'' \times 4 1/4''$ B650A $3/4'' \times 6''$ B650B $3/4'' \times 8''$

STOOL CAP

8669B $3/4'' \times 4 1/4''$ 8669C $3/4'' \times 3 3/4''$ 8269 1/2 $1 1/8'' \times 3 1/4''$

APRON

8642 $3/4'' \times 3 5/8''$


CAP

8389 $1 1/8'' \times 1 3/4''$ B662 $3/4'' \times 1 3/8''$

BACK BAND

B667 $3/4'' \times 1 1/8''$

STOPS

8084A $7/16'' \times 1 3/8''$ 8084B $7/16'' \times 1 5/8''$ 8086A $7/16'' \times 2 1/2''$ †8086B $7/16'' \times 2 3/4''$ 8086C $7/16'' \times 4 1/2''$ †8120A $7/16'' \times 1 7/8''$ †8120B $7/16'' \times 2 3/4''$ †8120C $7/16'' \times 3 5/8''$ †8120D $7/16'' \times 4 1/2''$

FILLET

8395 $7/16'' \times 1 1/8''$

HEADER AND BASE


B663 $7/8'' \times 4 1/2''$ B664 $3/4'' \times 3 5/8''$ B665 $25/32'' \times 5 5/8''$ B666 $25/32'' \times 7 5/8''$

SOFT YELLOW PINE MOULDINGS


CHAIR RAIL



B686 $\frac{3}{4}'' \times 2\frac{3}{4}''$
(Rabbeted $\frac{7}{16}''$)



B688 $\frac{3}{4}'' \times 2\frac{3}{4}''$
(Rabbeted $\frac{11}{16}''$)




B689 $1\frac{1}{16}'' \times 3\frac{1}{2}''$



8640 $\frac{5}{8}'' \times 3\frac{5}{8}''$

QUARTER ROUND



**8063 $\frac{1}{2}'' \times \frac{1}{2}''$
8065 $\frac{3}{4}'' \times \frac{3}{4}''$

SCOTIA



8060 $\frac{3}{4}'' \times \frac{7}{8}''$

BASE




B659 $\frac{3}{4}'' \times 1\frac{3}{8}''$

CORNICE



8623 $\frac{3}{4}'' \times 3\frac{1}{4}''$
8624 $\frac{3}{4}'' \times 2\frac{1}{4}''$

PARTING BEADS S4S



B645 $\frac{3}{8}'' \times 1\frac{3}{16}''$

SHELF CLEAT



8242 $\frac{3}{4}'' \times 1\frac{3}{4}''$

PLINTH BLOCKS



(Bundled 10 pieces
to bundle)

S4S $\frac{7}{8}'' \times 4'', 8''$
S4S $\frac{7}{8}'' \times 4\frac{1}{2}'', 8''$

PICTURE



8263 $\frac{3}{4}'' \times 1\frac{3}{4}''$

SPECIAL INFORMATION
APPLYING TO ALL MOULDINGS

* Bundles of 1000 lin. ft. RL only.

** Bundles of 500 lin. ft. RL only.

○ Stocked at New Haven warehouse only.


● Stocked at Springfield warehouse only.

† Stocked at Portland warehouse only.

SOFT YELLOW PINE TRIM—PAPER WRAPPED

STYLE No. 1
(Plain Casing)**SPECIFICATIONS**

Header	B663	$7/8'' \times 4 1/2''$
Stool Cap	8669B	$3/4'' \times 4 1/4''$
Apron	8642	$3/4'' \times 3 5/8''$
Head Stop	8086C	$7/16'' \times 4 1/2''$
Side Casings	8309	$3/4'' \times 4 1/4''$
Side Stops	8086A	$7/16'' \times 2 1/2''$



Style No. 1

STYLE No. 2
(Moulded Casing)**SPECIFICATIONS**


Same as Style No. 1 except:

Side Casings B650 $3/4'' \times 4 1/4''$

Furnished when requested for Styles No. 1 and No. 2.

Cap Moulding 8389 $1 1/8'' \times 1 3/4''$ Fillet 8395 $7/16'' \times 1 1/8''$


For detail showing Cap Moulding and Fillet see page 145.



Style No. 2

STYLE No. 3
(Plain Casings with Back Band)**SPECIFICATIONS**

Header	B664	$3/4'' \times 3 5/8''$
Stool Cap	8669B	$3/4'' \times 4 1/4''$
Apron	8642	$3/4'' \times 3 5/8''$
Head Stop	8086C	$7/16'' \times 4 1/2''$
Side Casings	8308	$3/4'' \times 3 5/8''$
Side Stops	8086A	$7/16'' \times 2 1/2''$
Back Band	B667	$3/4'' \times 1 1/8''$




Style No. 3

Styles 1, 2 and 3 Trim can be furnished for any size opening of windows or doors.

The various member parts are packed separately and wrapped with heavy kraft paper, to insure clean stock on arrival at destination. Orders can be handled for complete sets or for individual parts.

PONDEROSA PINE TRIM—PAPER WRAPPED

STYLE A (Plain Casings)**SPECIFICATIONS**

Header	B668	$\frac{7}{8}'' \times 5\frac{1}{4}''$
Stool Cap	8669B	$\frac{3}{4}'' \times 4\frac{1}{4}''$
Apron	8642	$\frac{3}{4}'' \times 3\frac{5}{8}''$
Head Stop	8093B	$\frac{1}{2}'' \times 4\frac{1}{2}''$
Side Casings	8309A	$\frac{3}{4}'' \times 4\frac{1}{2}''$
Side Stops	8093A	$\frac{1}{2}'' \times 2\frac{1}{2}''$
Mullion Casing	8309B	$\frac{3}{4}'' \times 6''$
Mullion Casing	8309C	$\frac{3}{4}'' \times 8''$


FURNISHED WHEN REQUESTED

Cap Moulding	8389	$1\frac{1}{8}'' \times 1\frac{3}{4}''$
Fillet	8395	$\frac{7}{16}'' \times 1\frac{1}{8}''$

Style A Trim can be furnished for any size opening of windows or doors.

The various member parts are packed separately, and wrapped with heavy kraft paper to insure clean stock on arrival at destination. Orders can be handled for complete sets or for individual parts.

8308 Casing, $\frac{3}{4}'' \times 3\frac{5}{8}''$ may be substituted for 8309A, if desired.

**STYLE A (Plain Casings)
With Cap Moulding and Fillet**

TRIM-PAK—STYLE "N" FOR ANDERSEN NARROLINE UNITS PONDEROSA PINE

Carton Packed

SPECIFICATIONS

Casing	1267	$\frac{3}{4}'' \times 2\frac{1}{2}''$
Stool Cap	1268B	$1\frac{1}{16}'' \times 3\frac{1}{4}''$
Apron	1269	$\frac{3}{4}'' \times 2\frac{1}{2}''$
Stops	1270A	$\frac{7}{16}'' \times 1\frac{1}{4}''$
Mullion Center Casing	1267F	$\frac{3}{8}'' \times 2\frac{3}{4}''$

Casings mitered exact. All casings furnished mortised and tenoned, to insure perfect joints. Side Casings and Stops not trimmed at bottom ends.

Stool Cap and Apron have both ends returned on the solid, not horned.

Flat surface machine sanded.

Mullion Center Casing top end coped to fit head casing.

Horizontal Parts

16'', 18'', 20'', 22'', 24'', 26'', 27'', 28'', 30'', 32'', 36'', and 40''

Vertical Parts

14'', 15'', 16'', 18'', 20'', 22'', 24'', 26'', 28'', 30'' and 32''

Mullions and Triples also furnished.


TRIM-PAK—STYLE "N" FOR DOORS PONDEROSA PINE

Carton Packed

1 set consists of 1 Header, 2 Side Casings, 1267, $\frac{3}{4}'' \times 2\frac{1}{2}''$, mitered exact.

Casings furnished mortised and tenoned to insure perfect joints.


Door widths up to 3-0 and door heights up to 7-0 carried in stock.



Detail showing Mullion Center Casing coped to fit Head Casing.

TRIM-PAK FOR ANDERSEN NO. 601 MASTER UNITS. PONDEROSA PINE

Carton Packed



STYLE "RB", FOR BOSTON SIZES

Casings	1267D	$\frac{3}{4}'' \times 3\frac{1}{2}''$
Stool Cap	1268A	$\frac{3}{4}'' \times 3\frac{5}{8}''$
Apron	1269	$\frac{3}{4}'' \times 2\frac{1}{2}''$
Stops	1270B	$\frac{7}{16}'' \times 1\frac{7}{16}''$
Mullion Casing	1267E	$\frac{3}{4}'' \times 5\frac{1}{2}''$

STYLE "RH", FOR NEW YORK SIZES

Casings	1267D	$\frac{3}{4}'' \times 3\frac{1}{2}''$
Stool Cap	1268B	$1\frac{1}{16}'' \times 3\frac{1}{4}''$
Apron	1269	$\frac{3}{4}'' \times 2\frac{1}{2}''$
Stops	1270C	$\frac{7}{16}'' \times 1\frac{5}{16}''$
Mullion Casing	1267E	$\frac{3}{4}'' \times 5\frac{1}{2}''$

Casings mitered exact. All casings furnished mortised and tenoned, to insure perfect joints. Side Casings and Stops not trimmed at bottom ends. Stool Cap and Apron have both ends returned on solid, not horned. Flat surfaces machine sanded. Mullion Center Casing top end coped to fit head casing. **For illustration see page 147.**

Boston sizes carried in stock:

Horizontal Parts; 16'', 18'', 20'', 21'', 24'', 27'', 28'', 30'', 32'', 36'', 40''

Vertical Parts; 12'', 14'', 15'', 16'', 18'', 20'', 22'', 22½'', 24'', 25'', 26'', 28'', 30''

New York Sizes carried in stock:

Horizontal Parts: 14'', 16'', 18'', 20'', 21'', 22'', 24'', 26'', 27'', 28'', 30'', 32'', 36''

Vertical Parts: 16'', 18'', 20'', 22'', 24'', 26'', 28'', 30'', 32''

Mullions and Triples also furnished.

TRIM-PAK, STYLE "R" FOR DOORS, ONE SIDE. PONDEROSA PINE


Carton Packed

1 set consists of 1 Header, 2 Side Casings, 1267D, $\frac{3}{4}'' \times 3\frac{1}{2}''$, mitered exact.

Casings furnished mortised and tenoned to insure perfect joints.

Door widths up to 3-0 and door heights up to 7-0 carried in stock.

TRIM-PAK—STYLE "C"—FOR ANDERSEN CASEMENT UNITS. PONDEROSA PINE



Carton Packed

Extension Jamb Separate

SPECIFICATIONS

Casing	1267	$\frac{3}{4}'' \times 2\frac{1}{2}''$
Stool Cap	1276	$1\frac{1}{16}'' \times 4\frac{1}{4}''$
Apron	1269	$\frac{3}{4}'' \times 2\frac{1}{2}''$
Extension Jamb	E-1	$\frac{3}{4}'' \times 11\frac{5}{16}''$
Extension Jamb	E-2	$\frac{3}{4}'' \times 2\frac{3}{4}''$

1212	Single	85410	Quad.
2214	Single	105510	Quint.
4224	Mullion		
6234	Triple	1413	Single
8244	Quad.	2416	Single
10254	Quint.	4426	Mullion
		6436	Triple
1313	Single	8446	Quad.
2316	Single	10456	Quint.
4326	Mullion		
6336	Triple		
8346	Quad.	1514	Single
10356	Quint.	2518	Single
		4528	Mullion
1414	Single	6538	Triple
2418	Single	8548	Quad.
4428	Mullion	10558	Quint.
6438	Triple		
8448	Quad.	1614	Single
10458	Quint.	2618	Single
		4628	Mullion
25110	Single	6638	Triple
45210	Mullion	8648	Quad.
65310	Triple	10658	Quint.

Casings are mitered exact. All casings are furnished mortised and tenoned to insure perfect joints. Side Casings not trimmed at bottom ends.

Stool Cap and Apron have both ends returned on the solid, not horned.

Extension Jamb E-1 furnished where frame is set on studding.

Extension Jamb E-2 furnished where frame is set on boarding.


In ordering designate which Extension Jamb you require.

Inside Stops and Casings for Mullion Centers and Transom Bars are always furnished with and included in the Andersen Casement Unit.

For Door Trim to match, see page 147.

KNOTTY IDAHO PINE PANELING

"For beautiful paneled walls."



**Brosco Style No. 3
(Morgan No. 1300)**

To arrive at the required amount of Paneling needed, add 15% to square feet of area to be covered.

Taken from America's traditional paneling wood, this stock is carefully chosen for its use in knotty paneling.

The intergrown knots are dark reddish brown in appearance, somewhat lighter in the center and frequently shading to a purplish overtone on the outer edge. The knots never loosen and are as solid as the surrounding wood.

Carried in stock, 1x6", 8" and 10".

BROWN'S "SUPERCEDAR" CLOSET LINING

"The moths natural enemy."

Here is built-in permanent protection appealing to present home owners or future builders. Recommended by architects and contractors everywhere as the ideal method of eliminating moth damage in new homes.

Look for the trade mark "**Supercedar**" on every package. It is your **guarantee** of carefully graded, perfectly milled Tennessee Red Cedar — aromatic and 100% usable. "**Supercedar**" is enduring, effective, yet economical.

$\frac{3}{8}$ " x $4\frac{1}{4}$ " face, tongued and grooved joints, end matched. Packed 40 surface feet, lengths 8 ft. and shorter to a package.

To arrive at the required amount of lining needed, add 17% to square feet of area to be covered.



FIR PLYWOOD

PLYWALL (Wallboard)

1/4" 3 ply

32 x 72	36 x 72	48 x 72	48 x 108
32 x 96	36 x 84	48 x 84	48 x 120
	36 x 96	48 x 96	48 x 144

3/8" 3 ply

48 x 96

PLYPANEL SOUND 2 SIDES

3/16" 3 ply

24 x 72
30 x 60
30 x 72
36 x 72

3/8" 3 ply

24 x 48
24 x 60
24 x 72
24 x 84
24 x 96

5/8" 5 ply

36 x 72
36 x 96
48 x 72
48 x 96

1/4" 3 ply

24 x 48
24 x 60
24 x 72
24 x 84
24 x 96
30 x 48
30 x 60
30 x 72
30 x 84
30 x 96
36 x 48
36 x 60
36 x 72
36 x 84
36 x 96
48 x 60
48 x 72
48 x 84
48 x 96

3/8" 3 ply

30 x 48
30 x 60
30 x 72
30 x 84
30 x 96
36 x 48
36 x 60
36 x 72
36 x 84
36 x 96
48 x 60
48 x 72
48 x 84
48 x 96
60 x 54
60 x 108

3/4" 5 ply

24 x 48
24 x 60
24 x 72
24 x 84
24 x 96
30 x 60
30 x 72
30 x 84
30 x 96
36 x 60
36 x 72
36 x 84
36 x 96
48 x 60
48 x 72
48 x 84
48 x 96
60 x 54
60 x 108

1/2" 5 ply

24 x 72
24 x 84
24 x 96
36 x 72
36 x 96
48 x 72
48 x 84
48 x 96

ART-PLY

★ THE INLAID PLYWOOD ★

YOU CAN'T TELL
WHERE THE
PANELS JOIN!

Size 4' x 8'

Art-Ply is an all wood, durable wall board, an in-laid plywood with patented invisible joints, manufactured in Douglas Fir. It is $\frac{1}{4}$ " in thickness.



Random Plank
(No. R.P. 10)
16", 8", 14", 10" planks
Two Edges Rabbeted



Standard Plank
(No. SP-20)
16" planks
Two Edges Rabbeted



Rectangular Tile
(No. RT-30)
16" x 32" Rectangles
All Edges Rabbeted

Art-Ply is manufactured in four standard patterns, in standard size panels. The edges are rabbeted, and mouldings for joints are furnished with each package of panels.



Square Tile
(No. ST-40)
16" x 16" Squares
All Edges Rabbeted



Digitized by

The Association for Preservation Technology International

For the

Building Technology Heritage Library

<http://archive.org/details/buildingtechnologyheritagelibrary>

